Sprites API v1

Examples: HTTP

Network Policy

SPRITE-ENV v0.0.1-rc43

Control outbound network access using DNS-based filtering. Policies define which domains sprites can reach, with support for exact matches, wildcard subdomains, and preset rule bundles.

Changes apply immediately—existing connections to newly-blocked domains are terminated. Failed DNS lookups return REFUSED for fast failure.

Get Network Policy

GET `/v1/sprites/{name}/policy/network`

Get the current network policy configuration.

RESPONSE `application/json`

- `rules*` `NetworkPolicyRule[]`
  List of network policy rules
  - `domain` `string`
    Domain pattern (e.g., `*.github.com`)
  - `action` `string`
    `allow` or `deny`
  - `include` `string`
    Include rules from preset

RESPONSE CODES

200	Success
404	Not Found - Resource not found

Sprites API v1

Examples:

bash HTTP

```bash
curl -X GET \
  "https://api.sprites.dev/v1/sprites/{name}/policy/network" \
  -H "Authorization: Bearer $SPRITES_TOKEN"
```

200 Response

```json
{
  "rules": [
    {
      "action": "allow",
      "domain": "github.com"
    },
    {
      "action": "allow",
      "domain": "*.npmjs.org"
    },
    {
      "action": "deny",
      "domain": "*"
    }
  ]
}
```

Set Network Policy

POST /v1/sprites/{name}/policy/network

Update the network policy configuration.

REQUEST BODY application/json

rules* NetworkPolicyRule[]

Sprites API v1

Examples:

Domain pattern (e.g., `*.github.com`)

`action` string

`allow` or `deny`

`include` string

Include rules from preset

RESPONSE `application/json`

RESPONSE CODES

200	Success
400	Bad Request - Invalid request body
404	Not Found - Resource not found
500	Internal Server Error

bash HTTP

```bash
curl -X POST \
  "https://api.sprites.dev/v1/sprites/{name}/policy/network" \
  -H "Authorization: Bearer $SPRITES_TOKEN" \
  -H "Content-Type: application/json" \
  -d '{"rules":[{"action":"allow","domain":"github.com"},{"action":"allow
```

200 Response

```json
{
  "rules": [
    {
      "action": "allow",
      "domain": "github.com"
    }
  ]
}
```

Sprites API v1

Examples:

Get Privileges Policy

GET /v1/sprites/{name}/policy/privileges

Get the current privileges policy configuration (capability and device restrictions).

RESPONSE application/json

RESPONSE CODES

200 Success

404 Not Found - Resource not found

500 Internal Server Error

bash HTTP

```bash
curl -X GET \
  "https://api.sprites.dev/v1/sprites/{name}/policy/privileges" \
  -H "Authorization: Bearer $SPRITES_TOKEN"
```

200 Response

Set Privileges Policy

POST /v1/sprites/{name}/policy/privileges

Update the privileges policy configuration to restrict capabilities or devices.

RESPONSE application/json

Sprites API v1

Examples:

400 Bad Request - Invalid request body

404 Not Found - Resource not found

500 Internal Server Error

bash HTTP

```bash
curl -X POST \
  "https://api.sprites.dev/v1/sprites/{name}/policy/privileges" \
  -H "Authorization: Bearer $SPRITES_TOKEN"
```

200 Response

Delete Privileges Policy

DELETE /v1/sprites/{name}/policy/privileges

Remove privileges policy to revert to default (unrestricted) behavior.

RESPONSE application/json

RESPONSE CODES

200 Success

400 Bad Request - Invalid request body

404 Not Found - Resource not found

500 Internal Server Error

bash HTTP

```bash
curl -X DELETE \
  "https://api.sprites.dev/v1/sprites/{name}/policy/privileges" \
```

Sprites API v1

Examples:

200 Response

Get Resources Policy

GET /v1/sprites/{name}/policy/resources

Get the current resources policy configuration (memory limits).

RESPONSE application/json

RESPONSE CODES

200 Success

404 Not Found - Resource not found

500 Internal Server Error

bash HTTP

```bash
curl -X GET \
  "https://api.sprites.dev/v1/sprites/{name}/policy/resources" \
  -H "Authorization: Bearer $SPRITES_TOKEN"
```

200 Response

Set Resources Policy

POST /v1/sprites/{name}/policy/resources

Sprites API v1

Examples:

RESPONSE application/json

RESPONSE CODES

200 Success

400 Bad Request - Invalid request body

404 Not Found - Resource not found

500 Internal Server Error

bash HTTP

```bash
curl -X POST \
  "https://api.sprites.dev/v1/sprites/{name}/policy/resources" \
  -H "Authorization: Bearer $SPRITES_TOKEN"
```

200 Response

Delete Resources Policy

DELETE /v1/sprites/{name}/policy/resources

Remove resources policy to revert to default behavior.

RESPONSE application/json

RESPONSE CODES

200 Success

400 Bad Request - Invalid request body

404 Not Found - Resource not found

500 Internal Server Error

Sprites API v1

Examples:

```
curl -X DELETE \
  "https://api.sprites.dev/v1/sprites/{name}/policy/resources" \
  -H "Authorization: Bearer $SPRITES_TOKEN"
```

200 Response