Sprites API v1

Examples: Python

Sprite Management

Sprites are persistent environments that hibernate when idle and wake automatically on demand. You only pay for compute while actively using them—storage persists indefinitely.

Create Sprites for development environments, CI runners, code execution sandboxes, or any workload that benefits from fast startup with preserved state. Each Sprite gets a unique URL for HTTP access, configurable as public or authenticated.

Create Sprite

POST `/v1/sprites`

Create a new sprite with a unique name in your organization

REQUEST BODY `application/json`

- `name*` `string`
  Unique name for the sprite within the organization
- `url_settings`
  URL access configuration
  - `auth` `"sprite" | "public"`
    Authentication type (default: sprite)

RESPONSE `application/json`

- `id*` `string`
  Unique sprite identifier (UUID)
- `name*` `string`
  Sprite name within the organization
- `organization*` `string`

Sprites API v1

Examples:

`url*` string

Sprite HTTP endpoint URL

`url_settings`

URL access configuration

`auth*` "sprite" | "public"

Authentication type

`status*` "cold" | "warm" | "running"

Runtime status

`created_at*` string

Creation timestamp (ISO 8601)

`updated_at*` string

Last update timestamp (ISO 8601)

`last_started_at` string

When the sprite machine last started (ISO 8601), null if not tracked

`last_active_at` string

When the sprite was last active/running (ISO 8601), null if not tracked

RESPONSE CODES

201	Created
400	Invalid request parameters
401	Missing or invalid authentication

example.py Python

```python
import os

from sprites import SpritesClient

token = os.environ["SPRITE_TOKEN"]
sprite_name = os.environ["SPRITE_NAME"]

client = SpritesClient(token)
```

Sprites API v1

Examples:

```
print(f"Sprite '{sprite_name}' created")
```

stdout

```
Sprite 'example-silver-pulse' created
```

List Sprites

GET /v1/sprites

List all sprites for the authenticated organization

QUERY PARAMETERS

prefix string

Filter sprites by name prefix

max_results number

Maximum number of results (1-50, default: 50)

continuation_token string

Token from previous response for pagination

RESPONSE application/json

sprites* SpriteEntry[]

List of sprite entries

name* string

Sprite name

org_slug* string

Sprites API v1

Examples:

updated_at string

Last update timestamp (ISO 8601)

has_more* boolean

Whether more results are available

next_continuation_token string

Token for fetching the next page of results

RESPONSE CODES

200 Success

401 Missing or invalid authentication

example.py

Python

```python
import json
import os

from sprites import SpritesClient

token = os.environ["SPRITE_TOKEN"]

client = SpritesClient(token)

sprites = client.list_sprites()

result = []
for s in sprites.sprites:
    item = {"name": s.name}
    if s.id:
        item["id"] = s.id
    if s.status:
        item["status"] = s.status
    if s.url:
        item["url"] = s.url
    result.append(item)

print(json.dumps(result, indent=2))
```

Sprites API v1

Examples:


```
[
  {
    "name": "example-quantum-runner",
    "id": "sprite-4d486550-1953-4dfd-a452-cdabfd4a6663",
    "status": "running",
    "url": "https://example-quantum-runner-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771624836-9052",
    "id": "sprite-86098123-7007-4ad3-82c1-48811afb3a7b",
    "status": "cold",
    "url": "https://test-sprite-1771624836-9052-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771624837-8915",
    "id": "sprite-dd22a9bc-2241-4a2e-a8aa-eb4ba2c128b1",
    "status": "cold",
    "url": "https://test-sprite-1771624837-8915-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771624847-6027",
    "id": "sprite-7465d2c9-8bf4-4a67-8786-63483ac93ed5",
    "status": "cold",
    "url": "https://test-sprite-1771624847-6027-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771626415-8472",
    "id": "sprite-6a16fa07-9261-4885-bd28-61902aba7981",
    "status": "cold",
    "url": "https://test-sprite-1771626415-8472-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771626431-4374",
    "id": "sprite-83d17547-cb38-4754-9430-5500850e5365",
    "status": "cold",
    "url": "https://test-sprite-1771626431-4374-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771653089-5980",
    "id": "sprite-8a6dbddd-5cad-4841-aaf7-d69209c32a15",
    "status": "cold",
    "url": "https://test-sprite-1771653089-5980-bhmkr.sprites.app"
```

Sprites API v1

Examples:


```
    "name": "test-sprite-1771653089-8503",
    "id": "sprite-4ded160d-7f23-4f14-82c6-2834221549d4",
    "status": "cold",
    "url": "https://test-sprite-1771653089-8503-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771693602-6421",
    "id": "sprite-0ccdbf15-60b4-429f-af25-8491487c9319",
    "status": "cold",
    "url": "https://test-sprite-1771693602-6421-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771693604-1670",
    "id": "sprite-7f9e7e77-a86a-44fb-9805-359785bb6ee9",
    "status": "cold",
    "url": "https://test-sprite-1771693604-1670-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771693694-9604",
    "id": "sprite-f940fb27-7c43-41e6-8486-012d7bbb2f4c",
    "status": "cold",
    "url": "https://test-sprite-1771693694-9604-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771694158-1458",
    "id": "sprite-c41022a9-6135-4743-9b61-48f73341f062",
    "status": "cold",
    "url": "https://test-sprite-1771694158-1458-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771694158-5041",
    "id": "sprite-ed2b442d-4119-49cd-a0aa-2c4151478f75",
    "status": "cold",
    "url": "https://test-sprite-1771694158-5041-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771694174-4002",
    "id": "sprite-dd4cfd51-b5ac-418f-ba03-edf454f12b90",
    "status": "cold",
    "url": "https://test-sprite-1771694174-4002-bhmkr.sprites.app"
  },
  {
```

Sprites API v1 Examples:


```
    "status": "cold",
    "url": "https://test-sprite-1771694894-6136-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771694909-8178",
    "id": "sprite-a60c5ffa-ff7d-4f3d-9073-478e6b2d1f3e",
    "status": "cold",
    "url": "https://test-sprite-1771694909-8178-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771704217-6251",
    "id": "sprite-3c51ee52-e33d-4093-b32e-54bb13a58c50",
    "status": "cold",
    "url": "https://test-sprite-1771704217-6251-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771704308-3185",
    "id": "sprite-986c02ca-4716-4f33-bc32-24bba285d69d",
    "status": "cold",
    "url": "https://test-sprite-1771704308-3185-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771705638-8642",
    "id": "sprite-90dc16de-3935-4bc2-9a79-612cee8bd051",
    "status": "cold",
    "url": "https://test-sprite-1771705638-8642-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771725351-9636",
    "id": "sprite-a53d1165-5b9b-4077-9062-0df9b0c9f9bd",
    "status": "cold",
    "url": "https://test-sprite-1771725351-9636-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771725353-3198",
    "id": "sprite-6ce5fd22-d4d3-4d8c-9bcb-43ece7cd9301",
    "status": "cold",
    "url": "https://test-sprite-1771725353-3198-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771725368-9209",
    "id": "sprite-50eed3bc-b013-4c93-ab2d-6aebbe1d0599",
```

Sprites API v1

Examples:


```
},
{
  "name": "test-sprite-1771782286-3900",
  "id": "sprite-9446ed2c-545b-4c89-b7e3-2e956a85f3eb",
  "status": "cold",
  "url": "https://test-sprite-1771782286-3900-bhmkr.sprites.app"
},
{
  "name": "test-sprite-1771782288-7894",
  "id": "sprite-cc95d60d-85b6-4edf-9182-c45d29daeb69",
  "status": "cold",
  "url": "https://test-sprite-1771782288-7894-bhmkr.sprites.app"
},
{
  "name": "test-sprite-1771782298-5000",
  "id": "sprite-6e232bb7-d106-4d0c-bb80-faf104441d02",
  "status": "cold",
  "url": "https://test-sprite-1771782298-5000-bhmkr.sprites.app"
},
{
  "name": "test-sprite-1771790376-773",
  "id": "sprite-3b7d8038-1cc6-48ca-be4a-e6b5ff35bf7b",
  "status": "cold",
  "url": "https://test-sprite-1771790376-773-bhmkr.sprites.app"
},
{
  "name": "test-sprite-1771796319-6958",
  "id": "sprite-e8686138-27a2-4809-88be-2d780f235147",
  "status": "cold",
  "url": "https://test-sprite-1771796319-6958-bhmkr.sprites.app"
},
{
  "name": "test-sprite-1771858766-2907",
  "id": "sprite-1164cfd0-26be-4e83-9f3a-d25a7fbd69bc",
  "status": "cold",
  "url": "https://test-sprite-1771858766-2907-bhmkr.sprites.app"
},
{
  "name": "test-sprite-1771858863-2453",
  "id": "sprite-2cf7126e-03e2-4452-b742-c54dff55bde7",
  "status": "cold",
  "url": "https://test-sprite-1771858863-2453-bhmkr.sprites.app"
```

Sprites API v1 Examples:


```
    "name": "test-sprite-1771888887-7446",
    "id": "sprite-90a979da-2882-4fd5-a850-edf79c37d278",
    "status": "cold",
    "url": "https://test-sprite-1771888887-7446-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771888952-9398",
    "id": "sprite-7643e8e7-3bce-48fb-bed8-0233fa92f2c5",
    "status": "cold",
    "url": "https://test-sprite-1771888952-9398-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771947248-8781",
    "id": "sprite-13c3f9b3-5dd8-470b-8657-edf0bc687688",
    "status": "cold",
    "url": "https://test-sprite-1771947248-8781-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771952284-2833",
    "id": "sprite-47cfe9c3-d904-4470-abe1-c3cc74c46912",
    "status": "cold",
    "url": "https://test-sprite-1771952284-2833-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771952373-5835",
    "id": "sprite-260aab65-529e-4f2a-8c05-935f9dc84abd",
    "status": "cold",
    "url": "https://test-sprite-1771952373-5835-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1771952500-2821",
    "id": "sprite-0277cd5a-6e80-416f-afc8-3bbca5c17907",
    "status": "cold",
    "url": "https://test-sprite-1771952500-2821-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1772025826-41",
    "id": "sprite-9f5f08b6-58d8-454b-886e-5741c2bf5731",
    "status": "cold",
    "url": "https://test-sprite-1772025826-41-bhmkr.sprites.app"
  },
  {
```

Sprites API v1 Examples:


```
    "status": "cold",
    "url": "https://test-sprite-1772038367-6138-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1772058198-8662",
    "id": "sprite-7958328f-a5a0-450e-afa9-be6768826176",
    "status": "cold",
    "url": "https://test-sprite-1772058198-8662-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1772123170-148",
    "id": "sprite-6c6221c7-5fcb-44a4-a6b9-49f2866980e8",
    "status": "cold",
    "url": "https://test-sprite-1772123170-148-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1772161407-3917",
    "id": "sprite-3ff4e2ab-4e56-4d0d-bbec-2a9df754c360",
    "status": "cold",
    "url": "https://test-sprite-1772161407-3917-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1772207764-8099",
    "id": "sprite-61e53fe7-b4c3-46e1-8087-c73eaea00c52",
    "status": "cold",
    "url": "https://test-sprite-1772207764-8099-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1772207991-9371",
    "id": "sprite-c0ceb652-bb1d-4cec-8767-3f9acdbd50c1",
    "status": "cold",
    "url": "https://test-sprite-1772207991-9371-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1772208011-8001",
    "id": "sprite-c3c50c92-5a55-402e-b56e-2b5b8c3ea542",
    "status": "cold",
    "url": "https://test-sprite-1772208011-8001-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1772208212-2700",
    "id": "sprite-050c8285-3c95-4082-af07-6c5dc0368409",
```

Sprites API v1

Examples:


```
  },
  {
    "name": "test-sprite-1772208212-7420",
    "id": "sprite-d5c4a28d-8ec6-4f50-8c38-d233f03e1346",
    "status": "cold",
    "url": "https://test-sprite-1772208212-7420-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1772208219-1644",
    "id": "sprite-99d5dd2b-e4dd-47e3-ae88-9fedb102313a",
    "status": "cold",
    "url": "https://test-sprite-1772208219-1644-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1772208229-253",
    "id": "sprite-e60f5884-436d-441e-b4be-e274f1b37481",
    "status": "cold",
    "url": "https://test-sprite-1772208229-253-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1772208242-2217",
    "id": "sprite-248dad1a-ea82-4b2b-81a9-31ad75d3d77e",
    "status": "cold",
    "url": "https://test-sprite-1772208242-2217-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1772208248-9215",
    "id": "sprite-5a683a2f-96c6-4c75-b6c3-23dd037f0708",
    "status": "cold",
    "url": "https://test-sprite-1772208248-9215-bhmkr.sprites.app"
  },
  {
    "name": "test-sprite-1772208249-4836",
    "id": "sprite-84e6392c-23bb-476c-bfde-50541bbec569",
    "status": "cold",
    "url": "https://test-sprite-1772208249-4836-bhmkr.sprites.app"
  }
]
```

Sprites API v1

Examples:

GET /v1/sprites/{name}

Get details for a specific sprite

PATH PARAMETERS

name* string

Unique sprite name

RESPONSE application/json

id* string

Unique sprite identifier (UUID)

name* string

Sprite name within the organization

organization* string

Organization slug

url* string

Sprite HTTP endpoint URL

url_settings

URL access configuration

auth* "sprite" | "public"

Authentication type

status* "cold" | "warm" | "running"

Runtime status

created_at* string

Creation timestamp (ISO 8601)

updated_at* string

Last update timestamp (ISO 8601)

last_started_at string

Sprites API v1

Examples:

last_active_at string

When the sprite was last active/running (ISO 8601), null if not tracked

RESPONSE CODES

200	Success
401	Missing or invalid authentication
404	Sprite not found

example.py

Python

```python
import json
import os

from sprites import SpritesClient

token = os.environ["SPRITE_TOKEN"]
sprite_name = os.environ["SPRITE_NAME"]

client = SpritesClient(token)

sprite = client.get_sprite(sprite_name)

result = {"name": sprite.name}
if sprite.id:
    result["id"] = sprite.id
if sprite.status:
    result["status"] = sprite.status
if sprite.url:
    result["url"] = sprite.url

print(json.dumps(result, indent=2))
```

stdout

Sprites API v1

Examples:

DELETE /v1/sprites/{name}

Delete a sprite and all associated resources

PATH PARAMETERS

name* string

Unique sprite name

RESPONSE application/json

RESPONSE CODES

204	No content
401	Missing or invalid authentication
404	Sprite not found

example.py Python

```python
import os

from sprites import SpritesClient

token = os.environ["SPRITE_TOKEN"]
sprite_name = os.environ["SPRITE_NAME"]

client = SpritesClient(token)

client.delete_sprite(sprite_name)

print(f"Sprite '{sprite_name}' destroyed")
```

stdout

```
Sprite 'example-silver-pulse' destroyed
```

Sprites API v1

Examples:

PUT /v1/sprites/{name}

Update sprite settings such as URL authentication

PATH PARAMETERS

name* string

Unique sprite name

REQUEST BODY application/json

url_settings*

URL access configuration to update

auth "sprite" | "public"

Authentication type (default: sprite)

RESPONSE application/json

id* string

Unique sprite identifier (UUID)

name* string

Sprite name within the organization

organization* string

Organization slug

url* string

Sprite HTTP endpoint URL

url_settings

URL access configuration

auth* "sprite" | "public"

Authentication type

status* "cold" | "warm" | "running"

Runtime status

Sprites API v1

Examples:

`updated_at*` string

Last update timestamp (ISO 8601)

`last_started_at` string

When the sprite machine last started (ISO 8601), null if not tracked

`last_active_at` string

When the sprite was last active/running (ISO 8601), null if not tracked

RESPONSE CODES

200	Success
400	Invalid request parameters
401	Missing or invalid authentication
404	Sprite not found

example.py Python

```python
import os

from sprites import SpritesClient, URLSettings

token = os.environ["SPRITE_TOKEN"]
sprite_name = os.environ["SPRITE_NAME"]

client = SpritesClient(token)

client.update_sprite(sprite_name, url_settings=URLSettings(auth="public")

print("Sprite updated")
```

stdout

Sprites API v1

Examples: