Sprites API v1

Examples: Python

Network Policy

SPRITE-ENV v0.0.1-rc43

Control outbound network access using DNS-based filtering. Policies define which domains sprites can reach, with support for exact matches, wildcard subdomains, and preset rule bundles.

Changes apply immediately—existing connections to newly-blocked domains are terminated. Failed DNS lookups return REFUSED for fast failure.

Get Network Policy

GET `/v1/sprites/{name}/policy/network`

Get the current network policy configuration.

RESPONSE `application/json`

`rules*` `NetworkPolicyRule[]`

List of network policy rules

- `domain` `string`
  Domain pattern (e.g., `*.github.com`)
- `action` `string`
  `allow` or `deny`
- `include` `string`
  Include rules from preset

RESPONSE CODES

200	Success
404	Not Found - Resource not found

Sprites API v1

Examples:

example.py

Python

```python
import json
import os

from sprites import SpritesClient

token = os.environ["SPRITE_TOKEN"]
sprite_name = os.environ["SPRITE_NAME"]

client = SpritesClient(token)
sprite = client.sprite(sprite_name)

policy = sprite.get_network_policy()

result = {
    "rules": [
        {"domain": rule.domain, "action": rule.action}
        for rule in policy.rules
    ]
}

print(json.dumps(result, indent=2))
```

stdout

Set Network Policy

POST /v1/sprites/{name}/policy/network

Update the network policy configuration.

REQUEST BODY application/json

Sprites API v1

Examples:

List of network policy rules

`domain` string

Domain pattern (e.g., `*.github.com`)

`action` string

`allow` or `deny`

`include` string

Include rules from preset

RESPONSE `application/json`

RESPONSE CODES

200	Success
400	Bad Request - Invalid request body
404	Not Found - Resource not found
500	Internal Server Error

example.py Python

```python
import os

from sprites import NetworkPolicy, PolicyRule, SpritesClient

token = os.environ["SPRITE_TOKEN"]
sprite_name = os.environ["SPRITE_NAME"]

client = SpritesClient(token)
sprite = client.sprite(sprite_name)

policy = NetworkPolicy(
    rules=[
        PolicyRule(domain="api.github.com", action="allow"),
        PolicyRule(domain="*.npmjs.org", action="allow"),
    ]
)

sprite.update_network_policy(policy)
```

Sprites API v1

Examples:

stdout

Get Privileges Policy

GET /v1/sprites/{name}/policy/privileges

Get the current privileges policy configuration (capability and device restrictions).

RESPONSE application/json

RESPONSE CODES

200 Success

404 Not Found - Resource not found

500 Internal Server Error

bash

Python example unavailable HTTP

```bash
curl -X GET \
  "https://api.sprites.dev/v1/sprites/{name}/policy/privileges" \
  -H "Authorization: Bearer $SPRITES_TOKEN"
```

200 Response

Set Privileges Policy

Sprites API v1

Examples:

RESPONSE application/json

RESPONSE CODES

200 Success

400 Bad Request - Invalid request body

404 Not Found - Resource not found

500 Internal Server Error

bash

Python example unavailable HTTP

```bash
curl -X POST \
  "https://api.sprites.dev/v1/sprites/{name}/policy/privileges" \
  -H "Authorization: Bearer $SPRITES_TOKEN"
```

200 Response

Delete Privileges Policy

DELETE /v1/sprites/{name}/policy/privileges

Remove privileges policy to revert to default (unrestricted) behavior.

RESPONSE application/json

RESPONSE CODES

200 Success

400 Bad Request - Invalid request body

404 Not Found - Resource not found

500 Internal Server Error

Sprites API v1

Examples:

```bash
curl -X DELETE \
  "https://api.sprites.dev/v1/sprites/{name}/policy/privileges" \
  -H "Authorization: Bearer $SPRITES_TOKEN"
```

200 Response

Get Resources Policy

GET /v1/sprites/{name}/policy/resources

Get the current resources policy configuration (memory limits).

RESPONSE application/json

RESPONSE CODES

200 Success

404 Not Found - Resource not found

500 Internal Server Error

bash *Python example unavailable* HTTP

```bash
curl -X GET \
  "https://api.sprites.dev/v1/sprites/{name}/policy/resources" \
  -H "Authorization: Bearer $SPRITES_TOKEN"
```

200 Response

Sprites API v1

Examples:

POST /v1/sprites/{name}/policy/resources

Update the resources policy configuration to set memory limits.

RESPONSE application/json

RESPONSE CODES

200 Success

400 Bad Request - Invalid request body

404 Not Found - Resource not found

500 Internal Server Error

bash *Python example unavailable* HTTP

```bash
curl -X POST \
  "https://api.sprites.dev/v1/sprites/{name}/policy/resources" \
  -H "Authorization: Bearer $SPRITES_TOKEN"
```

200 Response

Delete Resources Policy

DELETE /v1/sprites/{name}/policy/resources

Remove resources policy to revert to default behavior.

RESPONSE application/json

RESPONSE CODES

200 Success

400 Bad Request - Invalid request body

Sprites API v1

Examples:

bash

Python example unavailable HTTP

```bash
curl -X DELETE \
  "https://api.sprites.dev/v1/sprites/{name}/policy/resources" \
  -H "Authorization: Bearer $SPRITES_TOKEN"
```

200 Response