

# DrawDiff Comparison Report

Part number: DA1840189 | Job: d7991738-6858-49be-a585-d7e79417e8af | Generated: 2026-04-28T18:27:29+00:00

verify2: label-correction Pass B

## Summary

|               |                   |            |                |                     |
|---------------|-------------------|------------|----------------|---------------------|
| 1<br>Critical | 23<br>Significant | 2<br>Minor | 0<br>Uncertain | 2<br>Views compared |
|---------------|-------------------|------------|----------------|---------------------|

## Executive Summary

The revision of DA1840189 from TS to Rev A represents a significant drawing restructuring: the original isometric and auxiliary views (ISO\_1, ISO\_2, VIEW\_1, SIDE, VIEW\_8) have been replaced by a new view set (ISO\_FRONT, ISO\_REAR, MAIN\_TOP, SECTION A-A, SECTION B-B, ANNOTATION), which substantially changes how the part geometry is documented and must be verified for completeness. Most critically, the left isometric view in the revised drawing appears to show the top-center raised boss or protrusion as flattened or removed — a potential functional geometry change that requires immediate design authority confirmation before release. Additionally, the pocket corner radius count was halved from 16X R.030 to 8X R.030 in Section C-C, which may reflect a re-specification of applicable corners or an actual reduction in corner breaks, with direct implications for stress concentration and machining setup. Supporting changes include a terminology update from 'HELICOIL' to 'HELICAL INSERTS' for procurement neutrality and addition of a proprietary marking, both of which are documentation-only in nature.

## Title Block

| Field       | Original | Revised |
|-------------|----------|---------|
| part_number |          |         |
| revision    | TS       |         |
| material    |          |         |
| tolerance   |          |         |
| drawn_by    |          |         |
| date        |          |         |

## Revision Block

### Added in revised

No revision entries on revised drawing.

### Removed from original


No revision entries on original drawing.

## Annotated Drawings


Severity: Critical Significant Minor Uncertain

Sheet 1 — boxes mark views with detected changes.

Original




Revised




Sheet 2 — boxes mark views with detected changes.

Original



Revised



View-by-view Changes


title\_block [TITLE\_BLOCK]

| Severity    | Field    | Original | Revised | Conf. | Rationale                                                                                                                                                                                                                                                                        |
|-------------|----------|----------|---------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SIGNIFICANT | revision | TS       | —       | 1.00  | title_block.revision changed from 'TS' to None<br><b>Impact:</b> Revision identifier has been cleared from the title block; traceability is broken until a valid revision letter is confirmed — reviewer must ensure 'Rev A' from Note 3 is formally entered in the title block. |

revision\_block [REVISION\_BLOCK]


No textual changes recorded for this view.

ANNOTATION [MATCHED]




| Severity    | Field      | Original                                                                               | Revised                                                                                                                 | Conf. | Rationale                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------|------------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CRITICAL    | geometry   | Left isometric view shows a raised boss or protrusion at the top-center of the bracket | Left isometric view shows the top-center area without the same raised boss feature (geometry appears flattened/removed) | 0.65  | <p>The top-center region of the left isometric view appears to show a geometric difference—a raised feature visible in the original appears reduced or absent in the revised view, which could indicate a design change to the part geometry.</p> <p><b>Impact:</b> Possible removal of a functional boss feature at the top-center of the part; if real, this affects mating interfaces and structural load paths — design authority sign-off required before manufacture.</p> |
| SIGNIFICANT | annotation | REV: NC                                                                                | REV: A                                                                                                                  | 0.95  | <p>The drawing revision level in Note 3 (P/N identification block) has been updated from NC to A, indicating a formal revision increment that affects part traceability.</p> <p><b>Impact:</b> Formal revision increment from NC to A updates part traceability and triggers configuration management obligations; all affected assemblies and BOMs referencing this part number must be reviewed.</p>                                                                          |
| MINOR       | note       | —                                                                                      | PROPRIETARY AND CONFIDENTIAL (added to top of sheet)                                                                    | 0.90  | <p>A 'PROPRIETARY AND CONFIDENTIAL' marking has been added to the top of the revised sheet, which is a documentation/legal annotation not present in the original.</p> <p><b>Impact:</b> Documentation-only addition of a legal/IP marking; no manufacturing or functional impact.</p>                                                                                                                                                                                          |

SECTION C-C [MATCHED]




| Severity    | Field      | Original               | Revised                       | Conf. | Rationale                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------|------------|------------------------|-------------------------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SIGNIFICANT | annotation | 16X R.030              | 8X R.030                      | 0.92  | <p>The count of R.030 corner radii on the rectangular pockets changed from 16X to 8X, indicating a change in how pocket corners are specified or the number of applicable corners has been halved.</p> <p><b>Impact:</b> Halving the called-out R.030 pocket corner count may leave eight corners unspecified or indicate a geometry change; machinist must confirm which corners are affected to avoid stress risers or non-conforming sharp corners.</p> |
| MINOR       | note       | TAP FOR #4-40 HELICOIL | TAP FOR #4-40 HELICAL INSERTS | 0.95  | <p>The thread insert callout terminology changed from 'HELICOIL' (brand name) to 'HELICAL INSERTS' (generic term); functionally equivalent but affects procurement/ specification language.</p> <p><b>Impact:</b> Brand-name replaced with generic term; functionally equivalent, but procurement and inspection procedures referencing 'HELICOIL' by name should be updated to accept any qualified helical insert.</p>                                   |



| Severity    | Field | Original | Revised | Conf. | Rationale                                                                                                                                                                                                                                                            |
|-------------|-------|----------|---------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SIGNIFICANT | view  | ISO_1    | —       | 1.00  | <p>View 'ISO_1' was present in the original but not the revised drawing.</p> <p><b>Impact:</b> Original isometric view ISO_1 removed; reviewer must confirm its content is fully captured in the new ISO_FRONT/ISO_REAR views to avoid loss of geometric detail.</p> |

**ISO\_2 [REMOVED]**


ISO\_2 is original | revised



REVISÉD MISSING

| Severity           | Field | Original | Revised | Conf. | Rationale                                                                                                                                                                                                                            |
|--------------------|-------|----------|---------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>SIGNIFICANT</b> | view  | ISO_2    | —       | 1.00  | View 'ISO_2' was present in the original but not the revised drawing.<br><b>Impact:</b> Original isometric view ISO_2 removed; same coverage risk as ISO_1 — verify replacement views preserve all dimensional and feature callouts. |

**VIEW\_1** [REMOVED]




REVISED MISSING

| Severity           | Field | Original | Revised | Conf. | Rationale                                                              |
|--------------------|-------|----------|---------|-------|------------------------------------------------------------------------|
| <b>SIGNIFICANT</b> | view  | VIEW_1   | —       | 1.00  | View 'VIEW_1' was present in the original but not the revised drawing. |


| Severity | Field | Original | Revised | Conf. | Rationale                                                                                                                                    |
|----------|-------|----------|---------|-------|----------------------------------------------------------------------------------------------------------------------------------------------|
|          |       |          |         |       | <b>Impact:</b> Auxiliary view VIEW_1 removed; any dimensions or notes unique to this view must be confirmed as migrated to the new view set. |

SIDE [REMOVED]




| Severity           | Field | Original | Revised | Conf. | Rationale                                                                                                                                                                                                                                    |
|--------------------|-------|----------|---------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>SIGNIFICANT</b> | view  | SIDE     | —       | 1.00  | View 'SIDE' was present in the original but not the revised drawing.<br><b>Impact:</b> Side view removed; wall thickness, slot depth, or profile dimensions previously shown here must be verified as present in Section A-A or Section B-B. |

SIDE [REMOVED]



| Severity    | Field | Original | Revised | Conf. | Rationale                                                                                                                                                                                                                                    |
|-------------|-------|----------|---------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SIGNIFICANT | view  | SIDE     | —       | 1.00  | View 'SIDE' was present in the original but not the revised drawing.<br><b>Impact:</b> Side view removed; wall thickness, slot depth, or profile dimensions previously shown here must be verified as present in Section A-A or Section B-B. |


SIDE [REMOVED]



| Severity    | Field | Original | Revised | Conf. | Rationale                                                                                                                                                                                                                                    |
|-------------|-------|----------|---------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SIGNIFICANT | view  | SIDE     | —       | 1.00  | View 'SIDE' was present in the original but not the revised drawing.<br><b>Impact:</b> Side view removed; wall thickness, slot depth, or profile dimensions previously shown here must be verified as present in Section A-A or Section B-B. |




SIDE [REMOVED]




| Severity    | Field | Original | Revised | Conf. | Rationale                                                                                                                                                                                                                                    |
|-------------|-------|----------|---------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SIGNIFICANT | view  | SIDE     | —       | 1.00  | View 'SIDE' was present in the original but not the revised drawing.<br><b>Impact:</b> Side view removed; wall thickness, slot depth, or profile dimensions previously shown here must be verified as present in Section A-A or Section B-B. |

SIDE [REMOVED]




| Severity    | Field | Original | Revised | Conf. | Rationale                                                                                                                                                                                                                                    |
|-------------|-------|----------|---------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SIGNIFICANT | view  | SIDE     | —       | 1.00  | View 'SIDE' was present in the original but not the revised drawing.<br><b>Impact:</b> Side view removed; wall thickness, slot depth, or profile dimensions previously shown here must be verified as present in Section A-A or Section B-B. |

VIEW\_8 [REMOVED]



| Severity    | Field | Original | Revised | Conf. | Rationale                                                                                                                                                                                                               |
|-------------|-------|----------|---------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SIGNIFICANT | view  | VIEW_8   | —       | 1.00  | View 'VIEW_8' was present in the original but not the revised drawing.<br><b>Impact:</b> Detail view VIEW_8 removed; any close-up callouts it contained must be confirmed as captured elsewhere in the revised drawing. |


ISO\_FRONT [ADDED]



| Severity    | Field | Original | Revised   | Conf. | Rationale                                                                                                                                                                                                              |
|-------------|-------|----------|-----------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SIGNIFICANT | view  | —        | ISO_FRONT | 1.00  | View 'ISO_FRONT' appears only in the revised drawing.<br><b>Impact:</b> New front isometric view added; reviewer should confirm it replaces ISO_1/ISO_2 coverage and introduces no conflicting geometry or dimensions. |

## ISO\_REAR [ADDED]



ISO-REAR is original | revised



| Severity    | Field | Original | Revised  | Conf. | Rationale                                                                                                                                                                                                                 |
|-------------|-------|----------|----------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SIGNIFICANT | view  | —        | ISO_REAR | 1.00  | View 'ISO_REAR' appears only in the revised drawing.<br><b>Impact:</b> New rear isometric view added; provides rear-face visibility not previously explicit — verify it does not introduce undocumented geometry changes. |

## ANNOTATION [ADDED]


ANNOTATION is original | revised



| Severity           | Field | Original | Revised    | Conf. | Rationale                                              |
|--------------------|-------|----------|------------|-------|--------------------------------------------------------|
| <b>SIGNIFICANT</b> | view  | —        | ANNOTATION | 1.00  | View 'ANNOTATION' appears only in the revised drawing. |


| Severity | Field | Original | Revised | Conf. | Rationale                                                                                                                                                    |
|----------|-------|----------|---------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          |       |          |         |       | <b>Impact:</b> New dedicated annotation view added; documentation impact only unless it carries new or revised notes that affect manufacturing requirements. |

MAIN\_TOP [ADDED]



| Severity           | Field | Original | Revised  | Conf. | Rationale                                                                                                                                                                                                       |
|--------------------|-------|----------|----------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>SIGNIFICANT</b> | view  | —        | MAIN_TOP | 1.00  | View 'MAIN_TOP' appears only in the revised drawing.<br><b>Impact:</b> New top-plan view added; reviewer should confirm it establishes or supersedes any top-face dimensions previously shown in removed views. |


SECTION A-A [ADDED]



| Severity           | Field | Original | Revised | Conf. | Rationale                                               |
|--------------------|-------|----------|---------|-------|---------------------------------------------------------|
| <b>SIGNIFICANT</b> | view  | —        |         | 1.00  | View 'SECTION A-A' appears only in the revised drawing. |


| Severity | Field | Original | Revised     | Conf. | Rationale                                                                                                                                                      |
|----------|-------|----------|-------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          |       |          | SECTION A-A |       | <b>Impact:</b> New cross-section A-A added; must be reviewed to ensure it fully documents wall profiles and hole geometry previously covered by removed views. |

SECTION A-A [ADDED]




| Severity           | Field | Original | Revised     | Conf. | Rationale                                                                                                                                                                                                              |
|--------------------|-------|----------|-------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>SIGNIFICANT</b> | view  | —        | SECTION A-A | 1.00  | View 'SECTION A-A' appears only in the revised drawing. <b>Impact:</b> New cross-section A-A added; must be reviewed to ensure it fully documents wall profiles and hole geometry previously covered by removed views. |

SECTION A-A [ADDED]




| Severity    | Field | Original | Revised     | Conf. | Rationale                                                                                                                                                                                                              |
|-------------|-------|----------|-------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SIGNIFICANT | view  | —        | SECTION A-A | 1.00  | View 'SECTION A-A' appears only in the revised drawing. <b>Impact:</b> New cross-section A-A added; must be reviewed to ensure it fully documents wall profiles and hole geometry previously covered by removed views. |

SECTION A-A [ADDED]



| Severity    | Field | Original | Revised     | Conf. | Rationale                                                                                                                                                                                                              |
|-------------|-------|----------|-------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SIGNIFICANT | view  | —        | SECTION A-A | 1.00  | View 'SECTION A-A' appears only in the revised drawing. <b>Impact:</b> New cross-section A-A added; must be reviewed to ensure it fully documents wall profiles and hole geometry previously covered by removed views. |


SECTION B-B [ADDED]



| Severity    | Field | Original | Revised     | Conf. | Rationale                                                                                                                                                                                                                 |
|-------------|-------|----------|-------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SIGNIFICANT | view  | —        | SECTION B-B | 1.00  | View 'SECTION B-B' appears only in the revised drawing. <b>Impact:</b> New cross-section B-B added; reviewer should verify it captures any slot or pocket depth information that was in the removed SIDE or VIEW_8 views. |




SECTION B-B [ADDED]



| Severity    | Field | Original | Revised     | Conf. | Rationale                                                                                                                                                                                                                 |
|-------------|-------|----------|-------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SIGNIFICANT | view  | —        | SECTION B-B | 1.00  | View 'SECTION B-B' appears only in the revised drawing. <b>Impact:</b> New cross-section B-B added; reviewer should verify it captures any slot or pocket depth information that was in the removed SIDE or VIEW_8 views. |

SECTION B-B [ADDED]



| Severity    | Field | Original | Revised     | Conf. | Rationale                                                                                                                                                                                                                    |
|-------------|-------|----------|-------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SIGNIFICANT | view  | —        | SECTION B-B | 1.00  | View 'SECTION B-B' appears only in the revised drawing.<br><b>Impact:</b> New cross-section B-B added; reviewer should verify it captures any slot or pocket depth information that was in the removed SIDE or VIEW_8 views. |

Legend

- **CRITICAL** — Affects structural integrity, safety, interchangeability, or regulatory compliance.
  - **SIGNIFICANT** — Affects manufacturing scope, cost, or lead time. No safety risk but requires re-planning.
  - **MINOR** — Clarity, formatting, or documentation change. No manufacturing impact.
  - **UNCERTAIN** — Confidence below 0.65. Requires human review.
- ⚠ **AI-generated** — requires human verification before release to manufacturing.