

Engineering Change Order (ECO)

Document Information

ECO Number	d2c088d4-b807-49ae-a008-6b7ee9d1e126
Project / Product Name	UNKNOWN
Prepared By	
Date Submitted	2026-05-11T02:39:22+00:00
Revision Number	UNKNOWN
Priority Level	
Departments Affected	

Change Summary

Briefly describe the purpose and scope of the proposed engineering change.

1 Critical	10 Significant	0 Minor	0 Review	6 Views compared
---------------	-------------------	------------	-------------	---------------------

Field	Original	Revised
part_number		
revision		TS
material		
tolerance		
drawn_by		
date		

Added in revised
No revision entries added.

Removed from original
No revision entries removed.

List of Changes

title_block [TITLE_BLOCK]


Component /
Area Description of Change

revision [Zone Title Block] title_block.revision changed from 'TS' to None

revision_block [REVISION_BLOCK]

No textual changes recorded for this view.


ISO_LEFT [MATCHED]



Component /
Area Description of Change

geometry [Zone A4] The raised cylindrical boss on the upper hinge knuckle is removed in the revised drawing.

ISO_RIGHT [MATCHED]




Component /
Area Description of Change

geometry [Zone A3] The upper-left corner of the top body face changed from sharp to filleted in the revised drawing.


feature [Zone B3] A hole feature visible on the top-left face in the original is absent in the revised view.

SECTION B-B [MATCHED]




#	Component / Area	Description of Change
	callout	[Zone B7] Radius callout changed from ALL AROUND to 4X discrete count specification.
	annotation	[Zone A7] New TAP annotation added to the upper right of the revised view.
	geometry	[Zone B7] Upper slot pocket bottom corners appear to have added radii in the revised view.

FRONT_VIEW [MATCHED]



#	Component / Area	Description of Change
	note	[Zone A6] Thread insert callout changed from HELICOIL to HELICAL INSERTS terminology.
	annotation	[Zone A5] Corner radius R.030 quantity reduced from 16X to 8X.


SECTION A-A [MATCHED]



#	Component / Area	Description of Change
---	------------------	-----------------------

annotation	[Zone B2] New callout (4X R.030) added identifying four corner radii on the slot features.
------------	--

SECTION C-C [MATCHED]



#	Component / Area	Description of Change
---	------------------	-----------------------


callout	[Zone D3] A new radius callout 4X R.030 was added to the section view corners.
---------	--

Supporting Images / Diagrams


Before Change

Sheet 1

Original




Revised




Sheet 2

Original



Revised



After Change

Impact Analysis

Category	Impact Notes
Cost Impact	
Schedule Impact	
Manufacturing Impact	
Testing / Validation Required	

Approval and Sign-Off

Name / Role	Signature	Date
Engineering Lead		
Quality Assurance		
Manufacturing		
Project Manager		

End of Engineering Change Order