

EXPLORER

OPEN EDITORS 1 unsaved

C main.c

MAIN.C

.vscode

main.dSYM

#include <stdio.h>

a.out

hello.c

main

C main.c

sample.txt

tempCodeRunnerFile

Untitled-1

C main.c

1 #include <stdio.h>

2

3 #define ADD(x, y) ((x) + (y))

4 #define SUB(x, y) ((x) - (y))

5 #define MUL(x, y) ((x) * (y))

6 #define DIV(x, y) ((y) != 0 ? ((x) / (y)) : 0)

7 #define MOD(x, y) ((x) % (y))

8

9 int main() {

10 int a, b;

11

12 printf("Enter two numbers: ");

13 scanf("%d %d", &a, &b);

14

15 printf("\nAddition = %d\n", ADD(a, b));

16 printf("Subtraction = %d\n", SUB(a, b));

17 printf("Multiplication = %d\n", MUL(a, b));

18 printf("Division = %d\n", DIV(a, b));

19 printf("Modulus = %d\n", MOD(a, b));

20

21 return 0;

22 }

23

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

zsh

abhaygupta@192 main.c % gcc main.c

abhaygupta@192 main.c % ./a.out

Enter two numbers: 1

2

Addition = 3

Subtraction = -1

Multiplication = 2

Division = 0

Modulus = 1

abhaygupta@192 main.c %

Experiment 13

```
#include <stdio.h>
```

```
#define ADD(x,y) ((x) + (y))
```

```
#define SUB(x,y) ((x) - (y))
```

```
#define MUL(x,y) ((x) * (y))
```

```
#define DIV(x,y) ((y) != 0 ? ((x) / (y)) : 0)
```

```
#define MOD(x,y) ((x) % (y))
```

```
int main() {
```

```
    int a, b;
```

```
    printf("Enter two numbers: ");
```

```
    scanf("%d %d", &a, &b);
```

```
    printf("Addition = %d\n", ADD(a,b));
```

```
    printf("Subtraction = %d\n", SUB(a,b));
```

```
    printf("Multiplication = %d\n", MUL(a,b));
```

```
    printf("Division = %d\n", DIV(a,b));
```

```
    printf("Modulus = %d\n", MOD(a,b));
```

```
    return 0;
```

```
}
```