

worklog — Command Cheatsheet

Script lives at: `~/Projects/worklog-cli/worklog.py` Database lives in iCloud Drive, shared across both laptops.

One-time setup (do on BOTH laptops)

```
bash

# 1. Create a folder for the DB in iCloud Drive
mkdir -p ~/Library/Mobile\ Documents/com~apple~CloudDocs/worklog

# 2. Add to ~/.zshrc (edit with: nano ~/.zshrc)
export WORKLOG_DB="$HOME/Library/Mobile Documents/com~apple~CloudDocs/worklog/w
alias worklog="python3 $HOME/Projects/worklog-cli/worklog.py"

# 3. Reload shell config
source ~/.zshrc

# 4. Sanity check (creates the DB on first run)
worklog status
```

Optional model overrides (defaults: qwen2.5:7b, nomic-embed-text):

```
bash

export WORKLOG_CHAT_MODEL="qwen3:8b"
export WORKLOG_EMBED_MODEL="nomic-embed-text"
```

One-time Ollama models (for triage/embed/search):

```
bash

ollama pull nomic-embed-text
ollama pull qwen2.5:7b
```

Daily logging

```
bash
```

```
# Log today's work (the main command – quotes required)
worklog log "Shipped the caching fix on Atlas, 40% faster. Helped Priya debug t

# Log for a specific past date (forgot yesterday?)
worklog log --date 2026-07-09 "Presented Q3 roadmap options to leadership."

# Log multiple times a day – each is a separate entry, totally fine
worklog log "Morning: fixed the flaky test in CI"
worklog log "Afternoon: 1:1 with boss, got go-ahead on the vector search projec
```

Career events

```
bash

# Starting your first (or a new) job – auto-closes the previous company & role
worklog company add "Acme AI" --start 2026-01-05
worklog role add "ML Engineer" --start 2026-01-05

# Promotion – closes current role, opens the new one
worklog promote "Senior ML Engineer" --date 2026-07-01
worklog promote "Staff ML Engineer" --level L6 --date 2028-04-01

# Changing companies (two commands, done)
worklog company add "NewCo" --start 2027-04-01
worklog role add "Senior ML Engineer" --start 2027-04-01

# Leaving a job without a new one lined up
worklog company end "NewCo" --date 2029-06-30

# View your full timeline
worklog career
```

Browsing entries

```
bash

worklog list                                # 30 most recent
worklog list --limit 100                    # more
worklog list --since 2026-04-01 --until 2026-06-30 # a quarter
worklog list --grep caching                 # keyword filter (no AI needed)
```

AI: triage, embed, search (needs Ollama running)

```
bash
```

```
# Extract structured events (wins, collaborations, etc.) from raw entries
worklog triage

# Embed everything new so it's semantically searchable
worklog embed

# Semantic search – meaning, not keywords
worklog search "times I improved performance"
worklog search "led or drove migrations" --top 10
worklog search "helped teammates with data problems"
```

A good weekly ritual (or make it a cron/launchd job):

```
bash

worklog triage && worklog embed
```

Review season

```
bash

# Markdown report of a period, grouped by type, resume-worthy items starred
worklog export --since 2026-04-01 --until 2026-06-30 > q2_review.md

# Whole tenure at a company
worklog export --since 2026-01-05 --until 2027-03-31 > acme_full.md

# Feed a period to your local LLM for a synthesized self-review
worklog export --since 2026-01-01 --until 2026-06-30 | \
  ollama run qwen2.5:7b "Write my H1 self-review from these events. \
    Group by impact area, lead with the strongest wins, keep metrics."
```

Maintenance

```
bash

worklog status                                # DB path, current company/role, counts
sqlite3 "$WORKLOG_DB"                        # raw SQL access (edit/fix rows)
# or use DB Browser for SQLite (free GUI) – open the .db from iCloud folder

# Backup (iCloud is sync, not backup – do this occasionally)
cp "$WORKLOG_DB" ~/Projects/worklog-cli/backups/worklog-$(date +%Y%m%d).db
```

iCloud rules of thumb (important)

1. **One laptop at a time.** SQLite + iCloud is fine for a single user, but never write from both machines simultaneously — iCloud resolves conflicts by duplicating the file, and you'd have to merge by hand.
2. **Let it sync before switching machines.** After logging, give iCloud a moment (check the cloud icon in Finder) before logging from the other laptop.
3. **iCloud may evict the file** to save disk ("Optimize Mac Storage"). If `worklog status` ever says the DB is missing, open the iCloud folder in Finder to force a download, or disable Optimize Storage for reliability.
4. **Backups matter.** Sync propagates mistakes too — a corrupted or mis-edited file syncs everywhere. The `cp` backup above takes 1 second.