

## Manage Docker containers and images

Manage Docker containers and images: list, start, stop, remove containers, tag and push images to a registry, and use Docker Compose for multi-container setups.

```
(kali@kali)-[~]
└─$ docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS   NAMES

(kali@kali)-[~]
└─$ docker pull nginx
Using default tag: latest
1f0b2a39590c3544a4b24eae7dc9046d50762c0e728a347a3b656e6fb3d7c4
Digest: sha256:080bc060c3544a4b24eae7dc9046d50762c0e728a347a3b656e6fb3d7c4
Status: Image is up to date for nginx:latest
docker.io/library/nginx:latest

(kali@kali)-[~]
└─$ docker images
REPOSITORY    TAG       IMAGE ID       CREATED        SIZE
nginx          latest    5f52b9aca7a7   5 days ago    170MB
hello-world    latest    e2ac70e7319a   5 months ago  10.1kB

(kali@kali)-[~]
└─$ docker run -d --name mynginx -p 8080:80 nginx
a78c367709fedee8eb135b98080935fc7591594e70937f6ff5e5386f6556fb51

(kali@kali)-[~]
└─$ docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS   NAMES
a78c367709fe  nginx    "/docker-entrypoint..."  9 seconds ago    Up 9 seconds    0.0.0.0:8080->80/tcp, [::]:8080->80/tcp   mynginx

(kali@kali)-[~]
└─$ docker ps -a
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS   NAMES
a78c367709fe  nginx    "/docker-entrypoint..."  18 seconds ago    Up 18 seconds    0.0.0.0:8080->80/tcp, [::]:8080->80/tcp   mynginx
19bb2a39590c  hello-world  "/hello"    10 minutes ago    Exited (0) 10 minutes ago
0d128a99db9a  hello-world  "/hello"    12 minutes ago    Exited (0) 12 minutes ago               great_cray
0d128a99db9a  hello-world  "/hello"    13 minutes ago    Exited (0) 13 minutes ago               romantic_hoover

(kali@kali)-[~]
└─$ http://localhost:8080
zsh: no such file or directory: http://localhost:8080

(kali@kali)-[~]
└─$ docker stop mynginx
mynginx

(kali@kali)-[~]
└─$ docker ps -a
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS   NAMES
a78c367709fe  nginx    "/docker-entrypoint..."  About a minute ago    Exited (0) 10 seconds ago    mynginx
19bb2a39590c  hello-world  "/hello"    11 minutes ago    Exited (0) 11 minutes ago    great_cray
0d128a99db9a  hello-world  "/hello"    13 minutes ago    Exited (0) 13 minutes ago    romantic_hoover
```

```
File Actions Edit View Help

(kali@kali)-[~]
└─$ docker start mynginx
mynginx

(kali@kali)-[~]
└─$ docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS   NAMES
a78c367709fe  nginx    "/docker-entrypoint..."  About a minute ago    Up 11 seconds    0.0.0.0:8080->80/tcp, [::]:8080->80/tcp   mynginx

(kali@kali)-[~]
└─$ docker stop mynginx
mynginx

(kali@kali)-[~]
└─$ docker ps -a
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS   NAMES
a78c367709fe  nginx    "/docker-entrypoint..."  2 minutes ago    Exited (0) 45 seconds ago    mynginx
19bb2a39590c  hello-world  "/hello"    12 minutes ago    Exited (0) 12 minutes ago    great_cray
0d128a99db9a  hello-world  "/hello"    14 minutes ago    Exited (0) 14 minutes ago    romantic_hoover

(kali@kali)-[~]
└─$ docker restart mynginx
mynginx

(kali@kali)-[~]
└─$ docker logs mynginx
/docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration
/docker-entrypoint.sh: Looking for shell scripts in /docker-entrypoint.d/
/docker-entrypoint.sh: Launching /docker-entrypoint.d/10-listen-on-ipv6-by-default.sh
10-listen-on-ipv6-by-default.sh: info: Getting the checksum of /etc/nginx/conf.d/default.conf
10-listen-on-ipv6-by-default.sh: info: Enabled listen on IPv6 in /etc/nginx/conf.d/default.conf
/docker-entrypoint.sh: Sourcing /docker-entrypoint.d/15-local-resolvers.envsh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/20-envsubst-on-templates.sh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/20-time-worker-processes.sh
/docker-entrypoint.sh: Configuration complete; ready for start up
2026/09/08 08:05:42 [notice] 1#1: using the "epoll" event method
2026/09/08 08:05:42 [notice] 1#1: nginx/1.31.5
2026/09/08 08:05:42 [notice] 1#1: built by gcc 14.2.0 (Debian 14.2.0-19)
2026/09/08 08:05:42 [notice] 1#1: OS: Linux 6.1.0-kali9-amd64
2026/09/08 08:05:42 [notice] 1#1: getrlimit(RLIMIT_NPROC): 1024:524288
2026/09/08 08:05:42 [notice] 1#1: start worker processes
2026/09/08 08:05:42 [notice] 1#1: start worker process 29
2026/09/08 08:05:42 [notice] 1#1: start worker process 30
```

```
File Actions Edit View Help
2026/09/08 08:06:55 [notice] 1#1: getrlimit(RLIMIT_NOFILE): 1024:524288
2026/09/08 08:06:55 [notice] 1#1: start worker processes
2026/09/08 08:06:55 [notice] 1#1: start worker process 22
2026/09/08 08:06:55 [notice] 1#1: start worker process 23
2026/09/08 08:06:55 [notice] 1#1: start worker process 24
2026/09/08 08:06:55 [notice] 1#1: start worker process 25
2026/09/08 08:07:17 [notice] 1#1: signal 3 (SIGQUIT) received, shutting down
2026/09/08 08:07:17 [notice] 22#22: gracefully shutting down
2026/09/08 08:07:17 [notice] 24#24: gracefully shutting down
2026/09/08 08:07:17 [notice] 24#24: exiting
2026/09/08 08:07:17 [notice] 22#22: exit
2026/09/08 08:07:17 [notice] 24#24: exit
2026/09/08 08:07:17 [notice] 21#21: gracefully shutting down
2026/09/08 08:07:17 [notice] 23#23: exiting
2026/09/08 08:07:17 [notice] 23#23: exit
2026/09/08 08:07:17 [notice] 25#25: gracefully shutting down
2026/09/08 08:07:17 [notice] 25#25: exiting
2026/09/08 08:07:17 [notice] 25#25: exit
2026/09/08 08:07:17 [notice] 1#1: signal 17 (SIGCHLD) received from 22
2026/09/08 08:07:17 [notice] 1#1: worker process 22 exited with code 0
2026/09/08 08:07:17 [notice] 1#1: signal 29 (SIGIO) received
2026/09/08 08:07:17 [notice] 1#1: signal 17 (SIGCHLD) received from 24
2026/09/08 08:07:17 [notice] 1#1: worker process 23 exited with code 0
2026/09/08 08:07:17 [notice] 1#1: worker process 24 exited with code 0
2026/09/08 08:07:17 [notice] 1#1: worker process 25 exited with code 0
2026/09/08 08:07:17 [notice] 1#1: exit
/docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration
/docker-entrypoint.sh: Looking for shell scripts in /docker-entrypoint.d/
/docker-entrypoint.sh: Launching /docker-entrypoint.d/10-listen-on-ipv6-by-default.sh
10-listen-on-ipv6-by-default.sh: info: IPv6 listen already enabled
/docker-entrypoint.sh: Sourcing /docker-entrypoint.d/15-local-resolvers.envsh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/20-envsubst-on-templates.sh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/20-tune-worker-processes.sh
/docker-entrypoint.sh: Configuration complete; ready for start up
2026/09/08 08:08:18 [notice] 1#1: using the "epoll" event method
2026/09/08 08:08:18 [notice] 1#1: nginx/1.31.5
2026/09/08 08:08:18 [notice] 1#1: built by gcc 14.2.0 (Debian 14.2.0-19)
2026/09/08 08:08:18 [notice] 1#1: OS: Linux 6.1.0-kali9-amd64
2026/09/08 08:08:18 [notice] 1#1: getrlimit(RLIMIT_NOFILE): 1024:524288
2026/09/08 08:08:18 [notice] 1#1: start worker processes
2026/09/08 08:08:18 [notice] 1#1: start worker process 22
2026/09/08 08:08:18 [notice] 1#1: start worker process 23
2026/09/08 08:08:18 [notice] 1#1: start worker process 24
2026/09/08 08:08:18 [notice] 1#1: start worker process 25
(kali@kali)-[~]
└─$
```

```
(kali@kali)-[~]
└─$ docker logs -f mynginx
/docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration
/docker-entrypoint.sh: Looking for shell scripts in /docker-entrypoint.d/
/docker-entrypoint.sh: Launching /docker-entrypoint.d/10-listen-on-ipv6-by-default.sh
10-listen-on-ipv6-by-default.sh: info: Getting the checksum of /etc/nginx/conf.d/default.conf
/docker-entrypoint.sh: Sourcing /docker-entrypoint.d/15-local-resolvers.envsh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/20-envsubst-on-templates.sh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/20-tune-worker-processes.sh
/docker-entrypoint.sh: Configuration complete; ready for start up
2026/09/08 08:05:42 [notice] 1#1: using the "epoll" event method
2026/09/08 08:05:42 [notice] 1#1: nginx/1.31.5
2026/09/08 08:05:42 [notice] 1#1: built by gcc 14.2.0 (Debian 14.2.0-19)
2026/09/08 08:05:42 [notice] 1#1: OS: Linux 6.1.0-kali9-amd64
2026/09/08 08:05:42 [notice] 1#1: getrlimit(RLIMIT_NOFILE): 1024:524288
2026/09/08 08:05:42 [notice] 1#1: start worker processes
2026/09/08 08:05:42 [notice] 1#1: start worker process 29
2026/09/08 08:05:42 [notice] 1#1: start worker process 30
2026/09/08 08:05:42 [notice] 1#1: start worker process 31
2026/09/08 08:05:42 [notice] 1#1: start worker process 32
2026/09/08 08:06:34 [notice] 1#1: signal 3 (SIGQUIT) received, shutting down
2026/09/08 08:06:34 [notice] 30#30: gracefully shutting down
2026/09/08 08:06:34 [notice] 30#30: exiting
2026/09/08 08:06:34 [notice] 30#30: exit
2026/09/08 08:06:34 [notice] 29#29: gracefully shutting down
2026/09/08 08:06:34 [notice] 29#29: exiting
2026/09/08 08:06:34 [notice] 29#29: exit
2026/09/08 08:06:34 [notice] 31#31: gracefully shutting down
2026/09/08 08:06:34 [notice] 32#32: gracefully shutting down
2026/09/08 08:06:34 [notice] 32#32: exiting
2026/09/08 08:06:34 [notice] 31#31: exiting
2026/09/08 08:06:34 [notice] 32#32: exit
2026/09/08 08:06:34 [notice] 31#31: exit
2026/09/08 08:06:34 [notice] 1#1: signal 17 (SIGCHLD) received from 32
2026/09/08 08:06:34 [notice] 1#1: worker process 29 exited with code 0
2026/09/08 08:06:34 [notice] 1#1: worker process 32 exited with code 0
2026/09/08 08:06:34 [notice] 1#1: signal 29 (SIGIO) received
2026/09/08 08:06:34 [notice] 1#1: signal 17 (SIGCHLD) received from 29
2026/09/08 08:06:34 [notice] 1#1: signal 17 (SIGCHLD) received from 31
2026/09/08 08:06:34 [notice] 1#1: worker process 31 exited with code 0
2026/09/08 08:06:34 [notice] 1#1: signal 17 (SIGCHLD) received from 30
2026/09/08 08:06:34 [notice] 1#1: worker process 30 exited with code 0
2026/09/08 08:06:34 [notice] 1#1: exit
/docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration
```

To direct input to this VM, click inside or press Ctrl+G.

```
(kali@kali)-[~]
└─$ docker exec -it mynginx /bin/bash
root@a78c367709fe:/#
```

```
(kali@kali)-[~]
└─$ docker stop mynginx
mynginx

(kali@kali)-[~]
└─$ docker rm mynginx
mynginx

(kali@kali)-[~]
└─$ docker ps -a
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS        PORTS          NAMES
15bb2a39509c   hello-world    "/hello"                 29 minutes ago Exited (0)    29 minutes ago great_cray
0d128a99db9a   hello-world    "/hello"                 31 minutes ago Exited (0)    31 minutes ago romantic_hoover

(kali@kali)-[~]
└─$
```

```
(kali㉿kali)-[~]
$ docker images
REPOSITORY    TAG       IMAGE ID       CREATED        SIZE
nginx         latest   5f52b9aca7a7   5 days ago    170MB
hello-world   latest   e2ac70e7319a   5 months ago  10.1kB
```

```
(kali㉿kali)-[~]
$ docker rmi nginx
Untagged: nginx:latest
Untagged: nginx@sha256:05b8cb60c354a44ab824ea6e7dc69b46d50762cdbc728a347a5b656e6fb3d7c4
Deleted: sha256:5f52b9aca7a79750b184f925afb376987f3101fe60b32356c19754bf504d1336
Deleted: sha256:da696e43159bfff7da06ec5d85be10f03f503f749ea28d5b051673f35777ced05
Deleted: sha256:8dc73b0e33ba534838b18934cb7b03e1d1537ee2933507dca38440d1b6f402fb
Deleted: sha256:471444e837a0b7c27f07b29196040357ea35ded0f58f51cf6afc8973235f6eea
Deleted: sha256:70b326d1a0c8e28422e8466585c68ce04bba290d2a73d2475bfb617e0bfd4da4
Deleted: sha256:7e31a3ef4a35061bb55c620f408ed144d6e69a2f9578ea60577a715d59a5faf1
Deleted: sha256:86fafbb2b6e911683adc395956b3244973097e3ce85a7f63a4a061ee24a19c85
Deleted: sha256:411a86676185cb54d695a805b238194a64e9b77e0c723f3802fbb87d333ea0b3
```

```
(kali㉿kali)-[~]
$ docker tag nginx seema1021/mynginx:v1

(kali㉿kali)-[~]
$ docker tag nginx seema1021/mynginx:v1

(kali㉿kali)-[~]
$ docker images
REPOSITORY    TAG       IMAGE ID       CREATED        SIZE
nginx         latest   5f52b9aca7a7   5 days ago    170MB
seema1021/mynginx  v1       5f52b9aca7a7   5 days ago    170MB
hello-world   latest   e2ac70e7319a   5 months ago  10.1kB
```

```
(kali㉿kali)-[~]
$
```

```
(kali㉿kali)-[~]
$ docker login
```

**USING WEB-BASED LOGIN**

**Info** → To sign in with credentials on the command line, use 'docker login -u <username>'

Your one-time device confirmation code is: **HSNT-KRSJ**  
**Press ENTER** to open your browser or submit your device code here: <https://login.docker.com/activate>

Waiting for authentication in the browser...

failed waiting for authentication: Global rate limit exceeded

```
(kali㉿kali)-[~]
$ docker push seema1021/mynginx:v1
The push refers to repository [docker.io/seema1021/mynginx]
5b5886b18374: Layer already exists
e57b0ed3bcf2: Layer already exists
f6999c63aea7: Layer already exists
3034d61d34fe: Layer already exists
f5d2fb355c28: Layer already exists
c15ef26de715: Layer already exists
411a86676185: Layer already exists
v1: digest: sha256:90984c6e73aaa6ae463ac1df007e459ee52851c846c49a13313d92c649a5ead9 size: 1778
```

```
(kali㉿kali)-[~]
$
```

```

(kali@kali)-[~]
└─$ sudo apt update
Hit:1 http://http.kali.org/kali kali-rolling InRelease
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
2058 packages can be upgraded. Run 'apt list --upgradable' to see them.

(kali@kali)-[~]
└─$ sudo apt install docker-compose -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following packages were automatically installed and are no longer required:
  figlet finger gvmd-common libbytes-random-secure-perl libcrypt-dev libcrypt-random-seed-perl libdlt2 libfcgi-bin
  libfile-listing-perl libfont-afm-perl libgvm22 libhiredis0.14 libhtml-form-perl libhtml-format-perl
  libhtml-tree-perl libhttp-cookies-perl libhttp-daemon-perl libhttp-negotiate-perl libio-multiplex-perl
  libipc-shareable-perl libmath-random-isaac-perl libmath-random-isaac-xs-perl libmosquitto1 libnet-cidr-perl
  libnet-http-perl libnet-ip-perl libnet-netmask-perl libnet-whois-ip-perl libnsl-dev libpaho-mqtt1.3
  libpod-parser-perl libradcli4 libregexp-assemble-perl libstring-crc32-perl libstring-random-perl
  libtie-ixhash-perl libtirpc-dev libtry-tiny-perl libwww-robotrules-perl libxml-regexp-perl libxml-writer-perl
  libxml-xpathengine-perl medusa mosquito notus-scanner numba-doc openvas-scanner ospd-openvas
  perl-openssl-defaults pg-gvm python-odf-doc python-odf-tools python-tables-data python3-aioredis
  python3-apscheduler python3-bottleneck python3-defusedxml python3-git python3-gitdb python3-gnupg
  python3-llvmlite python3-numba python3-numexpr python3-odf python3-paho-mqtt python3-pandas python3-pandas-lib
  python3-psutil python3-pyexploitdb python3-pyfiglet python3-pyshodan python3-quamash python3-smmmap
  python3-tables python3-tables-lib python3-tld python3-yaswfp python3-zapv2 rpcsvc-proto rwho rwhod
  sparta-scripts toilet-fonts wapiti xsltproc
Use 'sudo apt autoremove' to remove them.
The following NEW packages will be installed:
  docker-compose
0 upgraded, 1 newly installed, 0 to remove and 2058 not upgraded.
Need to get 13.9 MB of archives.
After this operation, 69.4 MB of additional disk space will be used.
Get:1 http://kali.download/kali kali-rolling/main amd64 docker-compose amd64 2.40.3-3 [13.9 MB]
Fetched 13.9 MB in 21s (654 kB/s)
Selecting previously unselected package docker-compose.
(Reading database... 398072 files and directories currently installed.)
Preparing to unpack .../docker-compose_2.40.3-3_amd64.deb...
Unpacking docker-compose (2.40.3-3)...
Setting up docker-compose (2.40.3-3)...
Processing triggers for kali-menu (2023.2.3)...
Processing triggers for man-db (2.11.2-2)...
Scanning processes...
Scanning linux images...

```

No VM guests are running outdated hypervisor (qemu) binaries on this host

```

(kali@kali)-[~]
└─$ docker-compose --version
Docker Compose version 2.40.3-3

(kali@kali)-[~]
└─$ mkdir mycompose
cd mycompose

(kali@kali)-[~/mycompose]
└─$

```

```
File Actions Edit View Help
GNU nano 7.2 docker-compose.yml
Services:

web:
  image: nginx
  ports:
    - "8080:80"

database:
  image: mysql:8
  environment:
    MYSQL_ROOT_PASSWORD: rootpassword

Home
```

```
(kali@kali)-[~/mycompose]
$ docker compose up -d
[+] Running 11/11
✓ database Pulled 294.5s
  ✓ 30627cea5424 Pull complete 102.7s
  ✓ a8ca58bc6ea9 Pull complete 102.8s
  ✓ d0f44f87b588 Pull complete 102.9s
  ✓ 3efae9596a0b Pull complete 104.4s
  ✓ 860b7bc67210 Pull complete 104.4s
  ✓ a5cddd18da97 Pull complete 104.5s
  ✓ 289dbe2b4aa0 Pull complete 115.4s
  ✓ 01cb8e5472ee Pull complete 115.5s
  ✓ e31ea7613c63 Pull complete 273.0s
  ✓ 9bebc71cfb90 Pull complete 273.0s
[+] Running 3/3
✓ Network mycompose_default Created 0.4s
✓ Container mycompose-web-1 Started 2.4s
✓ Container mycompose-database-1 Started 2.4s

(kali@kali)-[~/mycompose]
$ docker compose ps
NAME                IMAGE        COMMAND                  SERVICE    CREATED         STATUS         PORTS
mycompose-database-1 mysql:8      "docker-entrypoint.s..." database   19 seconds ago Up 19 seconds  3306/tcp, 3306
0/tcp
mycompose-web-1     nginx       "/docker-entrypoint...." web        19 seconds ago Up 19 seconds  0.0.0.0:8080→
80/tcp, [::]:8080→80/tcp

(kali@kali)-[~/mycompose]
$
```

```

(kali@kali)~/mycompose
$ docker compose logs
web-1 | /docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration
web-1 | /docker-entrypoint.sh: Looking for shell scripts in /docker-entrypoint.d/
web-1 | /docker-entrypoint.sh: Launching /docker-entrypoint.d/10-listen-on-ipv6-by-default.sh
web-1 | 10-listen-on-ipv6-by-default.sh: info: Getting the checksum of /etc/nginx/conf.d/default.conf
web-1 | 10-listen-on-ipv6-by-default.sh: info: Enabled listen on IPv6 in /etc/nginx/conf.d/default.conf
web-1 | /docker-entrypoint.sh: Sourcing /docker-entrypoint.d/15-local-resolvers.envsh
web-1 | /docker-entrypoint.sh: Launching /docker-entrypoint.d/20-envsubst-on-templates.sh
web-1 | /docker-entrypoint.sh: Launching /docker-entrypoint.d/30-tune-worker-processes.sh
web-1 | /docker-entrypoint.sh: Configuration complete; ready for start up
web-1 | 2026/09/08 09:24:48 [notice] 1#1: using the "epoll" event method
web-1 | 2026/09/08 09:24:48 [notice] 1#1: nginx/1.31.5
web-1 | 2026/09/08 09:24:48 [notice] 1#1: built by gcc 14.2.0 (Debian 14.2.0-19)
web-1 | 2026/09/08 09:24:48 [notice] 1#1: OS: Linux 6.1.0-kali9-amd64
web-1 | 2026/09/08 09:24:48 [notice] 1#1: getrlimit(RLIMIT_NOFILE): 1024:524288
web-1 | 2026/09/08 09:24:48 [notice] 1#1: start worker processes
web-1 | 2026/09/08 09:24:48 [notice] 1#1: start worker process 29
web-1 | 2026/09/08 09:24:48 [notice] 1#1: start worker process 30
web-1 | 2026/09/08 09:24:48 [notice] 1#1: start worker process 31
web-1 | 2026/09/08 09:24:48 [notice] 1#1: start worker process 32
database-1 | 2026-09-08 09:24:48+00:00 [Note] [Entrypoint]: Entrypoint script for MySQL Server 8.4.11-1.el9 started
.
database-1 | 2026-09-08 09:24:49+00:00 [Note] [Entrypoint]: Switching to dedicated user 'mysql'
database-1 | 2026-09-08 09:24:49+00:00 [Note] [Entrypoint]: Entrypoint script for MySQL Server 8.4.11-1.el9 started
.
database-1 | 2026-09-08 09:24:49+00:00 [Note] [Entrypoint]: Initializing database files
database-1 | 2026-09-08T09:24:49.549444Z 0 [System] [MY-015017] [Server] MySQL Server Initialization - start.
database-1 | 2026-09-08T09:24:49.551889Z 0 [System] [MY-013169] [Server] /usr/sbin/mysqld (mysqld 8.4.11) initializ
ing of server in progress as process 80
database-1 | 2026-09-08T09:24:49.563985Z 1 [System] [MY-013576] [InnoDB] InnoDB initialization has started.
database-1 | 2026-09-08T09:24:50.599303Z 1 [System] [MY-013577] [InnoDB] InnoDB initialization has ended.
database-1 | 2026-09-08T09:24:53.160618Z 6 [Warning] [MY-010453] [Server] root@localhost is created with an empty p
assword! Please consider switching off the --initialize-insecure option.
database-1 | 2026-09-08T09:24:56.754987Z 0 [System] [MY-015018] [Server] MySQL Server Initialization - end.
database-1 | 2026-09-08 09:24:56+00:00 [Note] [Entrypoint]: Database files initialized
database-1 | 2026-09-08 09:24:56+00:00 [Note] [Entrypoint]: Starting temporary server
database-1 | 2026-09-08T09:24:56.841072Z 0 [System] [MY-015015] [Server] MySQL Server - start.
database-1 | 2026-09-08T09:24:57.390983Z 0 [System] [MY-010116] [Server] /usr/sbin/mysqld (mysqld 8.4.11) starting
as process 121
database-1 | 2026-09-08T09:24:57.472041Z 1 [System] [MY-013576] [InnoDB] InnoDB initialization has started.
database-1 | 2026-09-08T09:24:59.628408Z 1 [System] [MY-013577] [InnoDB] InnoDB initialization has ended.
database-1 | 2026-09-08T09:25:00.840427Z 0 [Warning] [MY-010068] [Server] CA certificate ca.pem is self signed.
database-1 | 2026-09-08T09:25:00.840574Z 0 [System] [MY-013602] [Server] Channel mysql_main configured to support T
LS. Encrypted connections are now supported for this channel.
database-1 | 2026-09-08T09:25:00.849728Z 0 [Warning] [MY-011810] [Server] Insecure configuration for --pid-file: Lo
cation '/var/run/mysqld' in the path is accessible to all OS users. Consider choosing a different directory.
database-1 | 2026-09-08T09:25:00.933098Z 0 [System] [MY-011323] [Server] X Plugin ready for connections. Socket: /v

```

```

version: 8.4.11 socket: /var/run/mysqld/mysqld.sock port: 3306 MySQL Community Server - GPL.

(kali@kali)~/mycompose
$ docker compose stop
[+] Stopping 2/2
✓ Container mycompose-web-1 Stopped 0.5s
✓ Container mycompose-database-1 Stopped 1.1s

(kali@kali)~/mycompose
$ docker compose start
[+] Running 2/2
✓ Container mycompose-database-1 Started 0.6s
✓ Container mycompose-web-1 Started 0.6s

(kali@kali)~/mycompose
$ docker compose down
[+] Running 3/3
✓ Container mycompose-web-1 Removed 0.5s
✓ Container mycompose-database-1 Removed 1.1s
✓ Network mycompose_default Removed 0.4s

(kali@kali)~/mycompose
$

```