## **Tables (17)**

Name	Туре	Schema
accountapp_us er		CREATE TABLE  "accountapp_user" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "password" varchar(128) NOT NULL,  "last_login" datetime NULL,  "is_superuser" bool NOT NULL,  "username" varchar(150) NOT NULL UNIQUE, "first_name" varchar(150) NOT NULL,  "last_name" varchar(150) NOT NULL, "email" varchar(254) NOT NULL, "is_staff" bool NOT NULL, "is_active" bool NOT NULL, "is_active" bool NOT NULL, "date_joined" datetime NOT NULL, "user_type_id" integer NOT NULL REFERENCES  "accountapp_usertype" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
password	varchar(128)	"password" varchar(128) NOT NULL
last_login	datetime	"last_login" datetime
is_superuser	bool	"is_superuser" bool NOT NULL
username	varchar(150)	"username" varchar(150) NOT NULL UNIQUE
first_name	varchar(150)	"first_name" varchar(150) NOT NULL
last_name	varchar(150)	"last_name" varchar(150) NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL
is_staff	bool	"is_staff" bool NOT NULL
is_active	bool	"is_active" bool NOT NULL
date_joined	datetime	"date_joined" datetime NOT NULL
user_type_id	integer	"user_type_id" integer NOT NULL

Name	Type	Schema
accountapp_us er_groups		CREATE TABLE  "accountapp_user_groups" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT,  "user_id" integer NOT NULL  REFERENCES "accountapp_user" ("id") DEFERRABLE INITIALLY DEFERRED, "group_id" integer NOT NULL REFERENCES  "auth_group" ("id") DEFERRABLE INITIALLY DEFERRABLE INITIALLY DEFERRABLE INITIALLY DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
accountapp_us er_user_permiss ions		CREATE TABLE  "accountapp_user_user_permission s" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "accountapp_user" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
accountapp_us ergroup		CREATE TABLE "accountapp_usergroup" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(300) NULL, "created_at" datetime NOT NULL, "updated_at" datetime NOT NULL)
id	integer	"id" integer NOT NULL
name	varchar(300)	"name" varchar(300)
created_at	datetime	"created_at" datetime NOT NULL
updated_at	datetime	"updated_at" datetime NOT

Name	Туре	Schema
		NULL
accountapp_us ergroup_user		CREATE TABLE  "accountapp_usergroup_user" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT,  "usergroup_id" integer NOT NULL REFERENCES  "accountapp_usergroup" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL REFERENCES  "accountapp_user" ("id") DEFERRABLE INITIALLY DEFERRABLE INITIALLY
id	integer	"id" integer NOT NULL
usergroup_id	integer	"usergroup_id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
accountapp_us ertype		CREATE TABLE "accountapp_usertype" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(100) NULL, "created_at" datetime NOT NULL, "updated_at" datetime NOT NULL)
id	integer	"id" integer NOT NULL
name	varchar(100)	"name" varchar(100)
created_at	datetime	"created_at" datetime NOT NULL
updated_at	datetime	"updated_at" datetime NOT NULL
auth_group		CREATE TABLE "auth_group" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(150) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
name	varchar(150)	"name" varchar(150) NOT NULL UNIQUE
auth_group_per		CREATE TABLE "auth_group_permissions" ("id" integer NOT NULL PRIMARY

Name	Туре	Schema
missions		KEY AUTOINCREMENT, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
auth_permissio n		CREATE TABLE "auth_permission" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "content_type_id" integer NOT NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "codename" varchar(100) NOT NULL, "name" varchar(255) NOT NULL)
id	integer	"id" integer NOT NULL
content_type_id	integer	"content_type_id" integer NOT NULL
codename	varchar(100)	"codename" varchar(100) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
django_admin_I og		CREATE TABLE  "django_admin_log" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT,  "action_time" datetime NOT NULL, "object_id" text NULL,  "object_repr" varchar(200) NOT NULL, "change_message" text NOT NULL, "content_type_id" integer NULL REFERENCES  "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL REFERENCES

Name	Туре	Schema
		"accountapp_user" ("id") DEFERRABLE INITIALLY DEFERRED, "action_flag" smallint unsigned NOT NULL CHECK ("action_flag" >= 0))
id	integer	"id" integer NOT NULL
action_time	datetime	"action_time" datetime NOT NULL
object_id	text	"object_id" text
object_repr	varchar(200)	"object_repr" varchar(200) NOT NULL
change_message	text	"change_message" text NOT NULL
content_type_id	integer	"content_type_id" integer
user_id	integer	"user_id" integer NOT NULL
action_flag	smallint unsigned	"action_flag" smallint unsigned NOT NULL CHECK("action_flag" >= 0)
django_content _type		CREATE TABLE  "django_content_type" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT,  "app_label" varchar(100) NOT NULL, "model" varchar(100) NOT NULL)
id	integer	"id" integer NOT NULL
app_label	varchar(100)	"app_label" varchar(100) NOT NULL
model	varchar(100)	"model" varchar(100) NOT NULL
django_migratio ns		CREATE TABLE  "django_migrations" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app" varchar(255) NOT NULL, "name" varchar(255) NOT NULL,  "applied" datetime NOT NULL)
id	integer	"id" integer NOT NULL
арр	varchar(255)	"app" varchar(255) NOT NULL
name	varchar(255)	"name" varchar(255) NOT

Name	Type	Schema
		NULL
applied	datetime	"applied" datetime NOT NULL
django_session		CREATE TABLE "django_session" ("session_key" varchar(40) NOT NULL PRIMARY KEY, "session_data" text NOT NULL, "expire_date" datetime NOT NULL)
session_key	varchar(40)	"session_key" varchar(40) NOT NULL
session_data	text	"session_data" text NOT NULL
expire_date	datetime	"expire_date" datetime NOT NULL
masterapp_cred ential		CREATE TABLE "masterapp_credential" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "product" varchar(300) NULL, "username" varchar(100) NULL, "password" varchar(100) NULL, "created_at" datetime NOT NULL, "updated_at" datetime NOT NULL)
id	integer	"id" integer NOT NULL
product	varchar(300)	"product" varchar(300)
username	varchar(100)	"username" varchar(100)
password	varchar(100)	"password" varchar(100)
created_at	datetime	"created_at" datetime NOT NULL
updated_at	datetime	"updated_at" datetime NOT NULL
masterapp_cred ential_user		CREATE TABLE "masterapp_credential_user" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "credential_id" integer NOT NULL REFERENCES "masterapp_credential" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL REFERENCES "accountapp_user" ("id")

Name	Туре	Schema
		DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
credential_id	integer	"credential_id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
masterapp_cred ential_user_grou p		CREATE TABLE "masterapp_credential_user_group " ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "credential_id" integer NOT NULL REFERENCES "masterapp_credential" ("id") DEFERRABLE INITIALLY DEFERRED, "usergroup_id" integer NOT NULL REFERENCES "accountapp_usergroup" ("id") DEFERRABLE INITIALLY DEFERRABLE INITIALLY DEFERRABLE INITIALLY
id	integer	"id" integer NOT NULL
credential_id	integer	"credential_id" integer NOT NULL
usergroup_id	integer	"usergroup_id" integer NOT NULL
sqlite_sequence		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"

## Indices (25)

Name	Туре	Schema
accountapp_us er_groups_grou p_id_27db1783		CREATE INDEX "accountapp_user_groups_group_id_27db1783" ON "accountapp_user_groups" ("group_id")
group_id		"group_id"
		CREATE INDEX

Name	Туре	Schema
accountapp_us er_groups_user_ id_5cc42cbd		"accountapp_user_groups_user_id_5cc42cbd" ON "accountapp_user_groups" ("user_id")
user_id		"user_id"
accountapp_us er_groups_user_ id_group_id_69 53f1cc_uniq		CREATE UNIQUE INDEX "accountapp_user_groups_user_id_group_id_69 53f1cc_uniq" ON "accountapp_user_groups" ("user_id", "group_id")
user_id		"user_id"
group_id		"group_id"
accountapp_us er_user_permiss ions_permission _id_1a75c1eb		CREATE INDEX "accountapp_user_user_permissions_permission _id_1a75c1eb" ON "accountapp_user_user_permissions" ("permission_id")
permission_id		"permission_id"
accountapp_us er_user_permiss ions_user_id_f4 06cc6e		CREATE INDEX "accountapp_user_user_permissions_user_id_f40 6cc6e" ON "accountapp_user_user_permissions" ("user_id")
user_id		"user_id"
accountapp_us er_user_permiss ions_user_id_pe rmission_id_e16 405c7_uniq		CREATE UNIQUE INDEX "accountapp_user_user_permissions_user_id_per mission_id_e16405c7_uniq" ON "accountapp_user_user_permissions" ("user_id", "permission_id")
user_id		"user_id"
permission_id		"permission_id"
		CREATE INDEX

Name	Туре	Schema
accountapp_us er_user_type_id_ 13f6472c		"accountapp_user_user_type_id_13f6472c" ON "accountapp_user" ("user_type_id")
user_type_id		"user_type_id"
accountapp_us ergroup_user_us er_id_7881c996		CREATE INDEX "accountapp_usergroup_user_user_id_7881c996 " ON "accountapp_usergroup_user" ("user_id")
user_id		"user_id"
accountapp_us ergroup_user_us ergroup_id_2e4 146fe		CREATE INDEX "accountapp_usergroup_user_usergroup_id_2e41 46fe" ON "accountapp_usergroup_user" ("usergroup_id")
usergroup_id		"usergroup_id"
accountapp_us ergroup_user_us ergroup_id_user _id_c3936a21_u niq		CREATE UNIQUE INDEX "accountapp_usergroup_user_usergroup_id_user _id_c3936a21_uniq" ON "accountapp_usergroup_user" ("usergroup_id", "user_id")
usergroup_id		"usergroup_id"
user_id		"user_id"
auth_group_per missions_group _id_b120cbf9		CREATE INDEX "auth_group_permissions_group_id_b120cbf9" ON "auth_group_permissions" ("group_id")
group_id		"group_id"
auth_group_per missions_group _id_permission_i		CREATE UNIQUE INDEX "auth_group_permissions_group_id_permission_ id_0cd325b0_uniq" ON "auth_group_permissions" ("group_id", "permission_id")

Name	Туре	Schema
d_0cd325b0_un iq		
group_id		"group_id"
permission_id		"permission_id"
auth_group_per missions_permi ssion_id_84c5c 92e		CREATE INDEX "auth_group_permissions_permission_id_84c5c9 2e" ON "auth_group_permissions" ("permission_id")
permission_id		"permission_id"
auth_permissio n_content_type_ id_2f476e4b		CREATE INDEX "auth_permission_content_type_id_2f476e4b" ON "auth_permission" ("content_type_id")
content_type_id		"content_type_id"
auth_permissio n_content_type_ id_codename_0 1ab375a_uniq		CREATE UNIQUE INDEX "auth_permission_content_type_id_codename_0 1ab375a_uniq" ON "auth_permission" ("content_type_id", "codename")
content_type_id		"content_type_id"
codename		"codename"
django_admin_l og_content_typ e_id_c4bce8eb		CREATE INDEX "django_admin_log_content_type_id_c4bce8eb" ON "django_admin_log" ("content_type_id")
content_type_id		"content_type_id"
django_admin_l og_user_id_c56 4eba6		CREATE INDEX "django_admin_log_user_id_c564eba6" ON "django_admin_log" ("user_id")
user_id		"user_id"

Name	Туре	Schema
django_content_ type_app_label_ model_76bd3d 3b_uniq		CREATE UNIQUE INDEX "django_content_type_app_label_model_76bd3d 3b_uniq" ON "django_content_type" ("app_label", "model")
app_label		"app_label"
model		"model"
django_session_ expire_date_a5c 62663		CREATE INDEX "django_session_expire_date_a5c62663" ON "django_session" ("expire_date")
expire_date		"expire_date"
masterapp_cred ential_user_cred ential_id_82468 756		CREATE INDEX "masterapp_credential_user_credential_id_82468 756" ON "masterapp_credential_user" ("credential_id")
credential_id		"credential_id"
masterapp_cred ential_user_cred ential_id_user_id _a8d9f0e3_uniq		CREATE UNIQUE INDEX "masterapp_credential_user_credential_id_user_i d_a8d9f0e3_uniq" ON "masterapp_credential_user" ("credential_id", "user_id")
credential_id		"credential_id"
user_id		"user_id"
masterapp_cred ential_user_grou p_credential_id_ 93b7a218		CREATE INDEX "masterapp_credential_user_group_credential_id _93b7a218" ON "masterapp_credential_user_group" ("credential_id")
credential_id		"credential_id"
masterapp_cred		CREATE UNIQUE INDEX "masterapp_credential_user_group_credential_id _usergroup_id_bc7ac7a5_uniq" ON

Name	Туре	Schema
ential_user_grou p_credential_id_ usergroup_id_b c7ac7a5_uniq		"masterapp_credential_user_group" ("credential_id", "usergroup_id")
credential_id		"credential_id"
usergroup_id		"usergroup_id"
masterapp_cred ential_user_grou p_usergroup_id_ b5949245		CREATE INDEX "masterapp_credential_user_group_usergroup_id _b5949245" ON "masterapp_credential_user_group" ("usergroup_id")
usergroup_id		"usergroup_id"
masterapp_cred ential_user_user _id_bd65a6a7		CREATE INDEX "masterapp_credential_user_user_id_bd65a6a7" ON "masterapp_credential_user" ("user_id")
user_id		"user_id"

## Views (0)

Name Type Schema

## Triggers (0)

Name Type Schema