Source Code of Team Budget Planner

```
html lang="en">
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
  <title>Budget Planner</title>
    body {
      font-family: Arial, sans-serif;
      margin: 0;
      padding: 20px;
      align-items: center;
    h1 {
      align-items: center;
      margin: auto;
      padding: 8px;
    input[type="text"],
    input[type="number"] {
      width: 100%;
      padding: 10px;
      margin-bottom: 10px;
      border: 1px solid #ddd;
      border-radius: 4px;
      box-sizing: border-box;
      background-color: #fff;
      padding: 20px;
      box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
      width: 320px;
      margin-bottom: 20px;
      text-align: center;
     padding: 10px 20px;
      background-color: #4caf50;
      border: none;
    table {
      border-collapse: collapse;
      width: 100%;
     td {
      border: 1px solid #dddddd;
      text-align: left;
      padding: 8px;
      background-color: #f2f2f2;
      text-align: center;
      margin-top: 20px;
      padding: 10px;
      background-color: #000000;
```

```
border-radius: 4px;
<nav class="navbar bg-dark border-bottom border-body" data-bs-theme="dark">
 <div class="container-fluid">
   <a class="navbar-brand" href="#">TEAM BUDGET PLANNER</a>
   <h5><b>Add New Deal</b></h5>
   <label for="dealName">Deal Name:</label>
   <input type="text" id="dealName" /><br />
   <label for="expense">Expense:</label>
   <input type="number" id="expense" /><br />
   <button class="btn btn-secondary" onclick="addDeal()">Add Deal</button>
   Total Budget: 0
<h5><b>List of the Deals</b></h5>
Deal Name
   Expense
<footer>&copy; Copyright by Abhisek Dhal</footer>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js"></script>
 let deals = [];
 function addDeal() {
  let dealName = document.getElementById("dealName").value;
   let expense = parseFloat(document.getElementById("expense").value);
   let deal = {
     name: dealName.
     expense: expense,
   deals.push(deal);
   let totalBudget = calculateTotalBudget();
   document.getElementById(
      "totalBudget"
    ).innerText = `Total Budget: ${totalBudget}`;
   updateDealsTable();
   document.getElementById("dealName").value = "";
   document.getElementById("expense").value = "";
  function calculateTotalBudget() {
   for (let deal of deals) {
     total += deal.expense;
  function updateDealsTable() {
   let table = document.getElementById("dealsTable");
   table.innerHTML =
    for (let deal of deals) {
     table.innerHTML +=
                   ${deal.name}
```