



/api-docs

Explore

OpenAPI definition v0 OAS 3.0

/api-docs

Servers

http://localhost:8080 - Generated server url

employee-controller



GET

/employee/{id}

^

Parameters

Try it out

Name	Description
id * required integer(\$int64) (path)	<div>id</div>

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div>Controls Accept header.</div> <div>Example Value Schema<div>{ "empId": 0, "empName": "string", "empPhoneNumber": "string",</div></div>	No links

CodeDescriptionLinks

```
"empEmail": "string"
}
```

PUT /employee/{id}

Parameters

Try it out

NameDescription

id * required

integer(\$int64) (path)

id

Request body required

application/json

Example ValueSchema

```
{
  "empId": 0,
  "empName": "string",
  "empPhoneNumber": "string",
  "empEmail": "string"
}
```

Responses

CodeDescriptionLinks

200

OK

No links

Media type

/

Controls Accept header.

Example ValueSchema

```
{
  "empId": 0,
  "empName": "string",
  "empPhoneNumber": "string",
  "empEmail": "string"
}
```

DELETE

/employee/{id}

Parameters

Try it out

Name	Description
id * required	
integer(\$int64) (path)	id

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value

Schema

string

POST

/employee

Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{
  "empId": 0,
  "empName": "string",
  "empPhoneNumber": "string",
  "empEmail": "string"
}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "empId": 0, "empName": "string", "empPhoneNumber": "string", "empEmail": "string"}</pre></div>	No links

department-controller



GET /departments/{id}

Parameters

Try it out

Name	Description
<div>id * required</div> <div>integer(\$int64)</div> <div>(path)</div>	<div>id</div>

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div>	No links

Code

Description

Links

Example Value

Schema

```
{  
  "departmentId": 0,  
  "departmentName": "string",  
  "departmentCode": "string",  
  "departmentAddress": "string"  
}
```

PUT

/departments/{id}

⌵

DELETE

/departments/{id}

⌵

POST

/departments

⌴

Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{  
  "departmentId": 0,  
  "departmentName": "string",  
  "departmentCode": "string",  
  "departmentAddress": "string"  
}
```

Responses

Code

Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value

Schema

```
{  
  "departmentId": 0,
```

Code	Description	Links
	<pre>"departmentName": "string", "departmentCode": "string", "departmentAddress": "string" }</pre>	

user-controller



PUT

/api/v1/user/profile/{id}

Parameters

Try it out

Name	Description
id * required integer(\$int64) (path)	<div>id</div>

Request body required

application/json

Example Value

Schema

```
{
  "id": 0,
  "firstName": "string",
  "email": "string",
  "role": "ADMIN",
  "lastName": "string",
  "profilePicture": "string",
  "phoneNumber": "string"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value

Schema

Code	Description	Links
	<pre>{ "success": true, "message": "string", "data": {} }</pre>	

DELETE /api/v1/user/profile/{id} ^

Parameters

Try it out

Name	Description
id * required integer(\$int64) (path)	<div>id</div>

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div></div> <div><pre>{ "success": true, "message": "string", "data": {} }</pre></div>	No links

GET /api/v1/user/{userId}/profile ^

Parameters

Try it out

Name	Description
userId * required integer(\$int64)	<div>userId</div>

Name	Description
(path)	

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div>Controls Accept header.</div> <div>Example ValueSchema<pre>{ "success": true, "message": "string", "data": {} }</pre></div>	No links

registration-controller



POST

/register

^

Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{  "firstName": "string",  "lastName": "string",  "email": "string",  "password": "string",  "profilePicture": "string",  "phoneNumber": "string",  "role": "ADMIN"}
```


Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div><div>Controls Accept header.</div></div> <div>Example Value Schema</div> <div><pre>{ "success": true, "message": "string", "data": {}}</pre></div>	No links

POST /login

Parameters

Try it out

No parameters

Request body

required

application/json

Example Value Schema

```
{  "username": "string",  "password": "string"}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div><div>Controls Accept header.</div></div> <div>Example Value Schema</div>	No links

Code	Description	Links
	<pre>{ "jwtToken": "string", "message": "string", "success": true, "email": "string", "role": "string" }</pre>	

GET

/verifyRegistration

Parameters

Try it out

Name	Description
token * required string (query)	<div>token</div>

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div></div> <div>string</div>	No links

GET

/resendVerifytoken

Parameters

Try it out

Name

Description

token * required

string

(query)

token

Responses

Code

Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value

Schema

string

error-controller



GET /error/error

Try it out

Parameters

No parameters

Responses

Code

Description

Links

200

OK

No links

Media type

Code	Description	Links
	<div><div>*/*</div><div>Controls Accept header.</div><div>Example Value Schema</div><div><pre>{ "timestamp": "2024-02-23T08:59:35.607Z", "code": 0, "status": "string", "message": "string", "stackTrace": "string", "data": {}, "success": true}</pre></div></div>	

GET	/error	^
Parameters		Try it out
No parameters		
Responses		
Code	Description	Links
200	<div><div>OK</div><div>Media type</div><div><div>*/*</div><div>Controls Accept header.</div><div>Example Value Schema</div><div><pre>{ "additionalProp1": {}, "additionalProp2": {}, "additionalProp3": {}}</pre></div></div></div>	No links

PUT	/error	^
Parameters		Try it out
No parameters		

Responses

Code	Description	Links
200	<div><div>OK</div><div>Media type<div>*/*</div></div><div>Controls Accept header.</div><div><div>Example Value</div><div>Schema</div><div><pre>{ "additionalProp1": {}, "additionalProp2": {}, "additionalProp3": {}}</pre></div></div></div>	No links

POST /error

Try it out

Parameters

No parameters

Responses

Code	Description	Links
200	<div><div>OK</div><div>Media type<div>*/*</div></div><div>Controls Accept header.</div><div><div>Example Value</div><div>Schema</div><div><pre>{ "additionalProp1": {}, "additionalProp2": {}, "additionalProp3": {}}</pre></div></div></div>	No links

DELETE

/error

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div></div> <div><pre>{ "additionalProp1": {}, "additionalProp2": {}, "additionalProp3": {}}</pre></div>	No links

OPTIONS

/error

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div>	No links

Code	Description	Links
	<div>Example Value Schema</div> <pre>{ "additionalProp1": {}, "additionalProp2": {}, "additionalProp3": {}}</pre>	

HEAD

/error

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div>Controls Accept header.</div> <div>Example Value Schema</div> <pre>{ "additionalProp1": {}, "additionalProp2": {}, "additionalProp3": {}}</pre>	No links

PATCH

/error

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div><div>Controls Accept header.</div></div> <div><div>Example Value</div><div>Schema</div><div><pre>{ "additionalProp1": {}, "additionalProp2": {}, "additionalProp3": {}}</pre></div></div>	No links

Schemas ^

Employee

Department

UserProfile

ApiResponse

UserModel

JwtRequest

JwtResponse

ErrorResponse