

cd Command - Examples

cd [directory]

```
~/ ./. /.../.../workground git:>main cd [directory]
cd: directory placeholder usage

~/ ./. /.../.../workground git:>main |
```

cd /path/to/directory

```
~/ ./. /.../.../workground git:>main cd /path/to/directory
bash: cd: /path/to/directory: No such file or directory

~/ ./. /.../.../workground git:>main |
```

cd /var/log

```
/var/log git:>main cd /var/log

/var/log git:>main |
```

cd

```
~/ ./. /.../.../workground git:>main cd

~/ ./. /.../.../workground git:>main |
```

cd ~

```
~ git:>main cd ~

~ git:>main |
```

cd -

```
~/ ./. /.../.../workground git:>main cd -  
/bin/sh: line 1: cd: OLDPWD not set  
  
~/ ./. /.../.../workground git:>main |
```

cd ..

```
~/ ./. /.../.../workground git:>main cd ..  
  
~/ ./. /.../.../workground git:>main |
```

cd subdirectory

```
~/ ./. /.../.../workground/subdirectory git:>main cd subdirectory  
  
~/ ./. /.../.../workground/subdirectory git:>main |
```

cd Documents

```
~/ ./. /.../.../workground/Documents git:>main cd Documents  
  
~/ ./. /.../.../workground/Documents git:>main |
```

cd /absolute/path

```
~/ ./. /.../.../workground git:>main cd /absolute/path  
bash: cd: /path/to/directory: No such file or directory  
  
~/ ./. /.../.../workground git:>main |
```

cd /usr/local/bin

```
~/usr/local/bin git:>main cd /usr/local/bin  
~/usr/local/bin git:>main |
```

cd /var/l

```
~/usr/local/bin git:>main cd /var/l  
bash: cd: /var/l: No such file or directory  
~/usr/local/bin git:>main |
```

pwd

```
~/usr/local/bin git:>main pwd  
/home/elish4h/Rajagiri/Assignments/OS-With-Linux/Commands word files/command_pdfs/  
workground  
~/usr/local/bin git:>main |
```

cd "My Documents"

```
~/usr/local/bin git:>main cd "My Documents"  
~/usr/local/bin git:>main |
```

cd My\ Documents

```
~/usr/local/bin git:>main cd My\ Documents  
~/usr/local/bin git:>main |
```

cd .config

```
~/. /.../..workground/.config git:>main cd .config  
~/. /.../..workground/.config git:>main |
```

cd /

```
/ git:>main cd /  
/ git:>main |
```

cd /path/to/directory && ls

```
~/. /.../..workground git:>main cd /path/to/directory && ls  
bash: cd: /path/to/directory: No such file or directory  
~/. /.../..workground git:>main |
```

alias docs="cd ~/Documents"

```
~/. /.../..workground git:>main alias docs="cd ~/Documents"  
~/. /.../..workground git:>main |
```

cd Documents

```
~/. /.../..workground/Documents git:>main cd Documents  
~/. /.../..workground/Documents git:>main |
```

cd /

```
~/.../workground git:>main cd /  
~/.../workground git:>main |
```

cd Documents/geeksforgeeks/example

```
~/.../workground git:>main cd Documents/geeksforgeeks/example  
~/.../workground git:>main |
```

cd ~

```
~/.../workground git:>main cd ~  
~/.../workground git:>main |
```

cd ..

```
~/.../workground git:>main cd ..  
~/.../workground git:>main |
```

cd "My songs"

```
~/.../workground/"My songs" git:>main cd "My songs"  
~/.../workground/"My songs" git:>main |
```

cd My\ songs

```
~/.../workground/My\ songs git:>main cd My\ songs  
~/.../workground/My\ songs git:>main |
```