

echo Command - Examples

echo "Geeks for Geeks"

```
~/ ./. /.../.../workground git:>main echo "Geeks for Geeks"
Geeks for Geeks

~/ ./. /.../.../workground git:>main |
```

echo -e "Geeks \bfor \bGeeks"

```
~/ ./. /.../.../workground git:>main echo -e "Geeks \bfor \bGeeks"
Geeks  for  Geeks

~/ ./. /.../.../workground git:>main |
```

echo -e "Geeks \cfor Geeks"

```
~/ ./. /.../.../workground git:>main echo -e "Geeks \cfor Geeks"
Geeks

~/ ./. /.../.../workground git:>main |
```

echo -e "Geeks \nfor \nGeeks"

```
~/ ./. /.../.../workground git:>main echo -e "Geeks \nfor \nGeeks"
Geeks
for
Geeks

~/ ./. /.../.../workground git:>main |
```

echo -e "Geeks \tfor \tGeeks"

```
~/ ./. /.../.../workground git:>main echo -e "Geeks \tfor \tGeeks"
Geeks    for      Geeks

~/ ./. /.../.../workground git:>main |
```

echo -e "Geeks \rfor Geeks"

```
~/ ./. /.../.../workground git:>main echo -e "Geeks \rfor Geeks"
Geeks
for Geeks

~/ ./. /.../.../workground git:>main |
```

echo -e "Geeks \vfor \vGeeks"

```
~/ ./. /.../.../workground git:>main echo -e "Geeks \vfor \vGeeks"
Geeks □for □Geeks

~/ ./. /.../.../workground git:>main |
```

echo -e "\aGeeks for Geeks"

```
~/ ./. /.../.../workground git:>main echo -e "\aGeeks for Geeks"
□Geeks for Geeks

~/ ./. /.../.../workground git:>main |
```

echo *

```
~/ ./. /.../.../workground git:>main echo *  
a.txt backup b.txt capital c.txt -dashfile Dest_directory Documents d.txt e.txt file1 file2  
file_name fileName file_name2 -file.txt file.txt first_file_name Folder1 geeksforgeeks  
Geek.txt gfg jayesh1 -jayesh2 jayesh.txt jkj Linux merged_file.txt merged.txt My Documents  
My songs new newfile_name number second_file_name Src_directory Src_file1 Src_file2  
Src_file3 state state.txt subdirectory test  
  
~/ ./. /.../.../workground git:>main |
```

echo -n "Geeks for Geeks"

```
~/ ./. /.../.../workground git:>main echo -n "Geeks for Geeks"  
Geeks for Geeks  
  
~/ ./. /.../.../workground git:>main |
```

echo "Welcome GFG" > output.txt

```
~/ ./. /.../.../workground git:>main echo "Welcome GFG" > output.txt  
  
~/ ./. /.../.../workground git:>main |
```

echo "Append text" >> output.txt

```
~/ ./. /.../.../workground git:>main echo "Append text" >> output.txt  
  
~/ ./. /.../.../workground git:>main |
```