

locate Command - Examples

locate [OPTION]... PATTERN...

```
~/ ./. /.../workground git:>main locate [OPTION]... PATTERN...  
~/ ./. /.../workground git:>main |
```

locate sample.txt

```
~/ ./. /.../workground git:>main locate sample.txt  
/home/elish4h/.local/lib/python3.14/site-packages/nibabel/nicom/tests/data/  
asconv_sample.txt  
/home/elish4h/go/pkg/mod/github.com/clipperhouse/displaywidth@v0.9.0/testdata/sample.txt  
/home/elish4h/go/pkg/mod/github.com/clipperhouse/uax29/v2@v2.5.0/testdata/sample.txt  
/usr/share/perl5/vendor_perl/auto/share/dist/File-ShareDir/sample.txt  
/usr/share/perl5/vendor_perl/auto/share/dist/File-ShareDir/subdir/sample.txt  
  
~/ ./. /.../workground git:>main |
```

locate "*.html" -n 20

```
~/ ./. /.../workground git:>main locate "*.html" -n 20
/home/elish4h/.BurpSuite/dom-invader/css/bootstrap/svg/index.html
/home/elish4h/.BurpSuite/dom-invader/devtools/devtools.html
/home/elish4h/.BurpSuite/dom-invader/panels/augmented-dom.html
/home/elish4h/.BurpSuite/dom-invader/panels/dom-invader.html
/home/elish4h/.BurpSuite/dom-invader/panels/postmessage.html
/home/elish4h/.BurpSuite/dom-invader/settings/settings.html
/home/elish4h/.BurpSuite/navigation-recorder/background/offscreen.html
/home/elish4h/.BurpSuite/navigation-recorder/options/options.html
/home/elish4h/.BurpSuite/navigation-recorder/popup/popup.html
/home/elish4h/.BurpSuite/new-tab/newtab.html
/home/elish4h/.cache/ms-playwright-go/1.57.0/package/lib/vite/htmlReport/index.html
/home/elish4h/.cache/ms-playwright-go/1.57.0/package/lib/vite/recorder/index.html
/home/elish4h/.cache/ms-playwright-go/1.57.0/package/lib/vite/traceViewer/index.html
/home/elish4h/.cache/ms-playwright-go/1.57.0/package/lib/vite/traceViewer/snapshot.html
/home/elish4h/.cache/ms-playwright-go/1.57.0/package/lib/vite/traceViewer/uiMode.html
/home/elish4h/.cache/uv/archive-v0/DDdSXydDrSZtYzBN/setuptools/tests/indexes/
test_links_priority/external.html
/home/elish4h/.cache/uv/archive-v0/DDdSXydDrSZtYzBN/setuptools/tests/indexes/
test_links_priority/simple/foobar/index.html
/home/elish4h/.cache/uv/archive-v0/GoKFYV19MtWPckkr/setuptools/tests/indexes/
test_links_priority/external.html
/home/elish4h/.cache/uv/archive-v0/GoKFYV19MtWPckkr/setuptools/tests/indexes/
test_links_priority/simple/foobar/index.html
/home/elish4h/.cache/uv/archive-v0/0ec5tptY0X5-g6r9/tornado/test/static/dir/index.html

~/ ./. /.../workground git:>main |
```

locate -c [.txt]*

```
~/ ./. /.../workground git:>main locate -c [.txt]*
94923

~/ ./. /.../workground git:>main |
```

locate -i *SAMPLE.txt*

```
~/ ./. /.../workground git:>main locate -i *SAMPLE.txt*
/home/elish4h/.local/lib/python3.14/site-packages/nibabel/nicom/tests/data/
asconv_sample.txt
/home/elish4h/go/pkg/mod/github.com/clipperhouse/displaywidth@v0.9.0/testdata/sample.txt
/home/elish4h/go/pkg/mod/github.com/clipperhouse/uax29/v2@v2.5.0/testdata/sample.txt
/usr/share/perl5/vendor_perl/auto/share/dist/File-ShareDir/sample.txt
/usr/share/perl5/vendor_perl/auto/share/dist/File-ShareDir/subdir/sample.txt

~/ ./. /.../workground git:>main |
```

locate -i -0 *sample.txt*

```
~/ ./. /.../workground git:>main locate -i -0 *sample.txt*
/home/elish4h/.local/lib/python3.14/site-packages/nibabel/nicom/tests/data/
asconv_sample.txt/home/elish4h/go/pkg/mod/github.com/clipperhouse/displaywidth@v0.9.0/
testdata/sample.txt/home/elish4h/go/pkg/mod/github.com/clipperhouse/uax29/v2@v2.5.0/
testdata/sample.txt/usr/share/perl5/vendor_perl/auto/share/dist/File-ShareDir/sample.txt/
usr/share/perl5/vendor_perl/auto/share/dist/File-ShareDir/subdir/sample.txt

~/ ./. /.../workground git:>main |
```