

mv Command - Examples

mv [options(s)] [source_file_name(s)] [Destination_file_name]

```
~/. /.../..workground git:>main mv [options(s)] [source_file_name(s)]  
[Destination_file_name]  
/bin/sh: -c: line 1: syntax error near unexpected token `('`  
/bin/sh: -c: line 1: `mv [options(s)] [source_file_name(s)] [Destination_file_name]`  
  
~/. /.../..workground git:>main |
```

mv [source_file_name(s)] [Destination_file_name]

```
~/. /.../..workground git:>main mv [source_file_name(s)]  
[Destination_file_name]  
/bin/sh: -c: line 1: syntax error near unexpected token `('`  
/bin/sh: -c: line 1: `mv [source_file_name(s)] [Destination_file_name]`  
  
~/. /.../..workground git:>main |
```

mv jayesh_gfg geeksforgeeks

```
~/. /.../..workground git:>main mv jayesh_gfg geeksforgeeks  
mv: cannot stat 'jayesh_gfg': No such file or directory  
  
~/. /.../..workground git:>main |
```

mv [source_file_name(s)] [Destination_path]

```
~/. /.../..workground git:>main mv [source_file_name(s)] [Destination_path]  
/bin/sh: -c: line 1: syntax error near unexpected token `('`  
/bin/sh: -c: line 1: `mv [source_file_name(s)] [Destination_path]`  
  
~/. /.../..workground git:>main |
```

mv geeksforgeeks /home/jayeshkumar/jkj/

```
~/ ./. /.../workground git:>main mv geeksforgeeks /home/jayeshkumar/jkj/  
mv: cannot move 'geeksforgeeks' to '/home/jayeshkumar/jkj/': No such file or directory  
  
~/ ./. /.../workground git:>main |
```

mv [source_file_name_1] [source_file_name_2] [Destination_path]

```
~/ ./. /.../workground git:>main mv [source_file_name_1] [source_file_name_2]  
[Destination_path]  
mv: target '[Destination_path]': No such file or directory  
  
~/ ./. /.../workground git:>main |
```

mv gfg_1 gfg_2 /home/jayeshkumar/jkj/

```
~/ ./. /.../workground git:>main mv gfg_1 gfg_2 /home/jayeshkumar/jkj/  
mv: target '/home/jayeshkumar/jkj/': No such file or directory  
  
~/ ./. /.../workground git:>main |
```

mv [source_directory_name(s)] [Destination_directory_name]

```
~/ ./. /.../workground git:>main mv [source_directory_name(s)]  
[Destination_directory_name]  
/bin/sh: -c: line 1: syntax error near unexpected token `(`  
/bin/sh: -c: line 1: `mv [source_directory_name(s)] [Destination_directory_name]'  
  
~/ ./. /.../workground git:>main |
```

mv jkj new_gfg

```
~/ ./. /.../.../workground git:>main mv jkj new_gfg  
~/ ./. /.../.../workground git:>main |
```

***mv -i [source_file/directory_name(s)] [Destination_file/
directory_name/path]***

```
~/ ./. /.../.../workground git:>main mv -i [source_file/directory_name(s)]  
[Destination_file/directory_name/path]  
mv: overwrite '[Destination_file/directory_name/path]'? y  
~/ ./. /.../.../workground git:>main |
```

mv -i jayesh_gfg geeksforgeeks

```
~/ ./. /.../.../workground git:>main mv -i jayesh_gfg geeksforgeeks  
mv: overwrite 'geeksforgeeks'? y  
~/ ./. /.../.../workground git:>main |
```

***mv -f [source_file/directory_name(s)] [Destination_file/
directory_name/path]***

```
~/ ./. /.../.../workground git:>main mv -f [source_file/directory_name(s)]  
[Destination_file/directory_name/path]  
/bin/sh: -c: line 1: syntax error near unexpected token `('  
/bin/sh: -c: line 1: `mv -f [source_file/directory_name(s)] [Destination_file/  
directory_name/path]'  
~/ ./. /.../.../workground git:>main |
```

mv -f gfg geeksforgeeks

```
~/ ./. /.../workground git:>main mv -f gfg geeksforgeeks  
~/ ./. /.../workground git:>main |
```

***mv -n [source_file/directory_name(s)] [Destination_file/
directory_name/path]***

```
~/ ./. /.../workground git:>main mv -n [source_file/directory_name(s)]  
[Destination_file/directory_name/path]  
/bin/sh: -c: line 1: syntax error near unexpected token `('  
/bin/sh: -c: line 1: `mv -n [source_file/directory_name(s)] [Destination_file/  
directory_name/path]'  
  
~/ ./. /.../workground git:>main |
```

mv -n oldfile newfile

```
~/ ./. /.../workground git:>main mv -n oldfile newfile  
mv: cannot stat 'oldfile': No such file or directory  
  
~/ ./. /.../workground git:>main |
```

***mv -b [source_file/directory_name(s)] [Destination_file/
directory_name/path]***

```
~/ ./. /.../workground git:>main mv -b [source_file/directory_name(s)]  
[Destination_file/directory_name/path]  
/bin/sh: -c: line 1: syntax error near unexpected token `('  
/bin/sh: -c: line 1: `mv -b [source_file/directory_name(s)] [Destination_file/  
directory_name/path]'  
  
~/ ./. /.../workground git:>main |
```

mv -b first_file second_file

```
~/ ./. /.../workground git:>main mv -b first_file second_file
mv: cannot stat 'first_file': No such file or directory

~/ ./. /.../workground git:>main |
```

mv --version

```
~/ ./. /.../workground git:>main mv --version
mv (GNU coreutils) 9.10
Copyright (C) 2026 Free Software Foundation, Inc.
License GPLv3+: GNU GPL version 3 or later <https://gnu.org/licenses/gpl.html>.
This is free software: you are free to change and redistribute it.
There is NO WARRANTY, to the extent permitted by law.

Written by Mike Parker, David MacKenzie, and Jim Meyering.

~/ ./. /.../workground git:>main |
```