

rm Command - Examples

rm [OPTION]... FILE...

```
~/ ./. /.../.../workground git:>main rm [OPTION]... FILE...  
rm: cannot remove '[OPTION]...': No such file or directory  
rm: cannot remove 'FILE...': No such file or directory
```

```
~/ ./. /.../.../workground git:>main |
```

rm a.txt

```
~/ ./. /.../.../workground git:>main rm a.txt  
  
~/ ./. /.../.../workground git:>main |
```

rm b.txt c.txt

```
~/ ./. /.../.../workground git:>main rm b.txt c.txt  
  
~/ ./. /.../.../workground git:>main |
```

rm -i d.txt

```
~/ ./. /.../.../workground git:>main rm -i d.txt  
rm: remove regular file 'd.txt'? y  
  
~/ ./. /.../.../workground git:>main |
```

rm e.txt

```
~/ ./. /.../.../workground git:>main rm e.txt  
  
~/ ./. /.../.../workground git:>main |
```

rm -f e.txt

```
~/ ./. /.../.../workground git:>main rm -f e.txt  
~/ ./. /.../.../workground git:>main |
```

rm *

```
~/ ./. /.../.../workground git:>main rm *  
rm: invalid option -- 'a'  
Try 'rm ./-dashfile' to remove the file '-dashfile'.  
Try 'rm --help' for more information.  
  
~/ ./. /.../.../workground git:>main |
```

rm -r *

```
~/ ./. /.../.../workground git:>main rm -r *  
rm: invalid option -- 'a'  
Try 'rm ./-dashfile' to remove the file '-dashfile'.  
Try 'rm --help' for more information.  
  
~/ ./. /.../.../workground git:>main |
```

rm --version

```
~/ ./. /.../.../workground git:>main rm --version  
rm (GNU coreutils) 9.10  
Copyright (C) 2026 Free Software Foundation, Inc.  
License GPLv3+: GNU GPL version 3 or later <https://gnu.org/licenses/gpl.html>.  
This is free software: you are free to change and redistribute it.  
There is NO WARRANTY, to the extent permitted by law.  
  
Written by Paul Rubin, David MacKenzie, Richard M. Stallman,  
and Jim Meyering.  
  
~/ ./. /.../.../workground git:>main |
```

rm -file.txt

```
~/ ./. /.../workground git:>main rm -file.txt
rm: invalid option -- 'l'
Try 'rm ./-file.txt' to remove the file '-file.txt'.
Try 'rm --help' for more information.

~/ ./. /.../workground git:>main |
```

rm -- -file.txt

```
~/ ./. /.../workground git:>main rm -- -file.txt

~/ ./. /.../workground git:>main |
```