✅ Easy (10 Questions)

1.

What is a backdoor?
A) A secret way to access a system bypassing normal authentication
B) A firewall rule
C) An antivirus software
D) A network protocol
Answer: A
Explanation: Backdoors provide unauthorized access.

2.

What does DDoS stand for?
A) Distributed Denial of Service
B) Direct Denial of Service
C) Dynamic Denial of Service
D) Distributed Data of Service
Answer: A
Explanation: DDoS involves multiple sources flooding a target.

3.

What is biometric spoofing?
A) Faking biometric data to fool authentication systems
B) Encrypting biometrics
C) Collecting biometrics legally
D) Blocking biometric sensors
Answer: A
Explanation: Spoofing fakes biometric input.

4.

Which OS is known for its open-source nature and frequent targeting by hackers?
A) Linux
B) Windows
C) MacOS
D) Android
Answer: A
Explanation: Linux is open-source and widely used.

5.

What is the purpose of an IDS?
A) To detect suspicious or malicious activity
B) To block all traffic
C) To encrypt data
D) To replace firewalls
Answer: A
Explanation: IDS monitors and detects intrusions.

6.

A honeypot is used to:
A) Attract attackers to study their methods
B) Block network traffic
C) Encrypt communication
D) Store passwords securely
Answer: A
Explanation: Honeypots deceive attackers.

7.

A firewall's main function is to:
A) Control network traffic based on security rules
B) Detect intrusions
C) Back up data
D) Manage user accounts
Answer: A
Explanation: Firewalls filter traffic.

8.

What does a Linux backdoor do?
A) Provides hidden persistent access to attackers
B) Updates software automatically
C) Scans for viruses
D) Controls hardware devices
Answer: A
Explanation: Backdoors maintain hidden access.

9.

Which of the following is NOT a type of IDS?
A) NIDS
B) HIDS
C) FIDS
D) None of these
Answer: C
Explanation: FIDS is not a standard IDS type.

10.

What is a common tool used to detect Linux rootkits?
A) Chkrootkit
B) Nmap
C) Wireshark
D) Aircrack-ng
Answer: A
Explanation: Chkrootkit scans for rootkits.

🔹 Medium (20 Questions)

11.

Which type of DDoS attack floods a network with excessive traffic?
A) Volume-based attack
B) SQL Injection
C) Phishing
D) Cross-site scripting
Answer: A
Explanation: Volume attacks flood bandwidth.

12.

How do botnets contribute to DDoS attacks?
A) By using many compromised devices to send attack traffic
B) By encrypting data
C) By scanning for vulnerabilities
D) By stealing passwords
Answer: A
Explanation: Botnets coordinate many devices for attacks.

13.

Which biometric spoofing method uses fake fingerprints?
A) Presentation attack
B) Phishing
C) SQL Injection
D) Keylogging
Answer: A
Explanation: Presentation attacks fake biometric inputs.

14.

What is a common method attackers use to gain root access in Linux?
A) Privilege escalation
B) Password expiration
C) Software patching
D) Firewall installation
Answer: A
Explanation: Privilege escalation elevates permissions.

15.

Which of these is a Linux backdoor example?
A) Malicious kernel module
B) System update
C) Password change
D) Firewall rule
Answer: A
Explanation: Kernel modules can hide backdoors.

16.

What does signature-based IDS rely on?
A) Known attack patterns
B) User behavior
C) Network speed
D) Encryption algorithms
Answer: A
Explanation: Signature IDS matches known patterns.

17.

Which is a benefit of honeypots?
A) Gaining intelligence on attacker techniques
B) Encrypting network traffic
C) Blocking malware automatically
D) Running backups
Answer: A
Explanation: Honeypots attract and study attackers.

18.

Which firewall type tracks the state of network connections?
A) Stateful inspection firewall
B) Packet filtering firewall
C) Proxy firewall
D) Application firewall
Answer: A
Explanation: Stateful firewalls monitor connection states.

19.

Which is NOT a countermeasure to biometric spoofing?
A) Liveness detection
B) Multi-factor authentication
C) Using default passwords
D) Challenge-response tests
Answer: C
Explanation: Default passwords do not prevent spoofing.

20.

What is a cron job in Linux?
A) A scheduled task that can be used to run backdoors
B) A firewall rule
C) A type of malware
D) A virus scanner
Answer: A
Explanation: Cron jobs run scheduled scripts or commands.

21.

Which of the following is a common symptom of a Linux backdoor?
A) Unusual network traffic

B) Faster boot time
C) Regular system updates
D) Increased storage space
Answer: A
Explanation: Backdoors often generate suspicious traffic.

22.

What is the role of iptables in Linux?
A) It acts as a firewall to filter traffic
B) It scans for malware
C) It updates the kernel
D) It manages user accounts
Answer: A
Explanation: iptables manages Linux firewall rules.

23.

Which IDS type is installed on individual hosts?
A) HIDS
B) NIDS
C) FIDS
D) RIDS
Answer: A
Explanation: HIDS monitors activity on single systems.

24.

Which is a limitation of signature-based IDS?
A) Cannot detect new unknown attacks
B) Requires high bandwidth
C) Uses encryption
D) Works only on wireless networks
Answer: A
Explanation: Signature IDS needs known patterns.

25.

What is an advantage of anomaly-based IDS?
A) Can detect unknown attacks by spotting unusual behavior
B) Faster than signature IDS
C) Requires no configuration
D) Only monitors outgoing traffic
Answer: A
Explanation: Anomaly IDS detects new threats.

26.

What is the main purpose of a firewall in security?
A) Control access between networks
B) Detect malware
C) Encrypt data
D) Analyze logs

Answer: A
Explanation: Firewalls regulate network traffic.

27.

Which of these is an example of a hardware backdoor?
A) Malicious chip implanted on a motherboard
B) Password cracking software
C) Phishing attack
D) Rootkit
Answer: A
Explanation: Hardware backdoors are physical implants.

28.

Which tool can be used to monitor Linux system logs for suspicious activity?
A) Logwatch
B) Nmap
C) Burp Suite
D) Aircrack-ng
Answer: A
Explanation: Logwatch parses and reports on logs.

29.

Which port scanning method tries to avoid detection by sending packets without flags?
A) NULL scan
B) SYN scan
C) FIN scan
D) ACK scan
Answer: A
Explanation: NULL scans send no TCP flags to evade firewalls.

30.

What is the main function of a botnet in cyber attacks?
A) Coordinate multiple devices for malicious activities
B) Encrypt communications
C) Block malware
D) Back up data
Answer: A
Explanation: Botnets control many devices for attacks.

� Hard (10 Questions)

31.

What technique does an attacker use to maintain access after compromising a Linux system?

A) Installing a rootkit or backdoor
B) Changing the wallpaper
C) Updating software
D) Running antivirus
Answer: A
Explanation: Rootkits/backdoors ensure persistent access.

32.

Which of these best describes SYN flood attacks?
A) Sending many SYN requests without completing handshake to exhaust server resources
B) Encrypting data with SYN keys
C) Blocking SYN packets with a firewall
D) Stealing session tokens
Answer: A
Explanation: SYN floods cause resource exhaustion.

33.

What is the primary drawback of honeypots?
A) They can be used by attackers to launch attacks on others
B) They encrypt network traffic
C) They slow down legitimate users
D) They prevent phishing
Answer: A
Explanation: Attackers can use honeypots to pivot.

34.

How does a reverse shell backdoor operate?
A) The compromised system connects back to attacker's machine
B) The attacker connects directly to victim's IP
C) It blocks outgoing connections
D) It encrypts files
Answer: A
Explanation: Reverse shells bypass firewalls by initiating outbound connection.

35.

Which Linux kernel feature can attackers exploit to hide backdoors?
A) Kernel modules
B) User accounts
C) Network interfaces
D) Firewall rules
Answer: A
Explanation: Kernel modules can be loaded maliciously.

36.

Which method can help detect rootkits on Linux?
A) Comparing system binaries with known good versions
B) Increasing network speed
C) Changing passwords frequently

D) Updating the BIOS
Answer: A
Explanation: Integrity checks reveal unauthorized changes.

37.

What is the function of a Stateful firewall in relation to TCP connections?
A) Tracks connection states to allow or deny packets
B) Encrypts packets
C) Only filters IP addresses
D) Blocks all outgoing traffic
Answer: A
Explanation: Stateful firewalls track active connections.

38.

Which Linux tool helps automate integrity checking of system files?
A) Tripwire
B) Nmap
C) Metasploit
D) Wireshark
Answer: A
Explanation: Tripwire monitors file integrity.

39.

What is the main limitation of anomaly-based IDS?
A) High false positive rates
B) Cannot detect new attacks
C) Requires no configuration
D) Only works on Windows
Answer: A
Explanation: Anomaly IDS often flags benign behavior incorrectly.

40.

Which firewall technique can block unwanted outgoing and incoming connections?
A) Packet filtering
B) Encryption
C) Decryption
D) Logging only
Answer: A
Explanation: Packet filtering controls traffic flow.