

Started on Saturday, 27 January 2024, 12:48 PM**State** Finished**Completed on** Saturday, 27 January 2024, 1:34 PM**Time taken** 45 mins 55 secs**Grade** 22 out of 40 (55%)**Question 1**

Correct

Mark 1 out of 1

IKE uses _____.

Select one:

- ☐ A. Oakley
- ☐ B. SKEME
- ☐ C. ISAKMP
- ☒ D. All of the above ✓

The correct answer is: All of the above

Question 2

Correct

Mark 1 out of 1

If a company thinks that a user's Private key has been compromised, what should it do?

Select one:

- ☐ A. Turn the CA server on and off
- ☐ B. Shut down the CA server
- ☒ C. Revoke the person's key before expiration ✓
- ☐ D. Renew the person's key before expiration

The correct answer is: Revoke the person's key before expiration

Question 3

Correct

Mark 1 out of 1

What list does the Certificate Authority use when a Private key has become compromised?

Select one:

- ☐ A. Expiration list
- ☒ B. Revocation list ✓
- ☐ C. Schindler's list
- ☐ D. Outdated list

The correct answer is: Revocation list

Question 4

Incorrect

Mark 0 out of 1

Volatile data resides in ?

Select one:

- ☐ A. registries
- ☐ B. cache
- ☒ C. RAM ✗
- ☐ D. All of the above

The correct answer is: All of the above

Question 5

Correct

Mark 1 out of 1

Which of the following have the capability of spreading itself? It doesn't require the host and human support to spread

Select one:

- ☐ A. Virus
- ☐ B. Trojan
- ☒ C. Worm ✓
- ☐ D. Bug

The correct answer is: Worm

Question 6

Correct

Mark 1 out of 1

_____ is the process of dealing with a data breach or cyber attack, including how an organization attempts to control the consequences of such an incident.

Select one:

- ☐ A. Digital Forensics
- ☐ B. Live Data Collection
- ☒ C. Incident Response Methodology ✓
- ☐ D. Forensic Duplication

The correct answer is: Incident Response Methodology

Question 7

Incorrect

Mark 0 out of 1

When using AES, or the Rijndael encryption algorithm, which of the following is the maximum allowable key size?

Select one:

- ☐ A. 64 bits
- ☒ B. 128 bits ✗
- ☐ C. 256 bits
- ☐ D. 512 bits

The correct answer is: 256 bits

Question 8

Correct

Mark 1 out of 1

Which of the following applies to symmetric algorithms?

Select one:

- ☒ A. Client and server keys are similar or shared ✓
- ☐ B. Client and server keys are dissimilar (private and public)
- ☐ C. Even if a key is confiscated, symmetric algorithms are secure
- ☐ D. Confidentiality is not an issue with symmetric algorithms

The correct answer is: Client and server keys are similar or shared

Question 9

Incorrect

Mark 0 out of 1

Computer forensics also known as?

Select one:

- ☒ A. digital forensic science ✗
- ☐ B. computer crime
- ☐ C. computer forensic science
- ☐ D. computer forensics investigations

The correct answer is: computer forensic science

Question 10

Correct

Mark 1 out of 1

Choose the term which describes Digital forensics.

Select one:

- ☒ A. Science of collecting and analyzing evidence ✓
- ☐ B. process of Chasing the criminal
- ☐ C. Process of punishing the culprit
- ☐ D. preservation filtering and organization of evidence

The correct answer is: Science of collecting and analyzing evidence

Question 11

Incorrect

Mark 0 out of 1

In Computer intrusions the attacker will be leave multiple traces of their presence in:

Select one:

- ☐ A. File System
- ☐ B. Registry
- ☒ C. System Logs ✗
- ☐ D. All of the Above

The correct answer is: All of the Above

Question 12

Correct

Mark 1 out of 1

CCFP stands for?

Select one:

- ☐ A. Cyber Certified Forensics Professional
- ☒ B. Certified Cyber Forensics Professional ✓
- ☐ C. Certified Cyber Forensics Program
- ☐ D. Certified Cyber Forensics Product

The correct answer is: Certified Cyber Forensics Professional

Question 13

Incorrect

Mark 0 out of 1

CSIRT stand for _____.

Select one:

- ☐ A. Computer Security Incident Request Team
- ☐ B. Computer Security Incident Response Team
- ☒ C. Cyber Security Incident Response Team ✗
- ☐ D. None of the above

The correct answer is: Computer Security Incident Response Team

Question 14

Correct

Mark 1 out of 1

Which of the following is a standard for Information Security Management?

Select one:

- ☒ A. ISO17799 ✓
- ☐ B. X.509
- ☐ C. X.400
- ☐ D. PKCS #6

The correct answer is: ISO17799

Question 15

Incorrect

Mark 0 out of 1

Kerberos provides for _____.

Select one:

- ☐ A. Encryption
- ☐ B. SSO
- ☒ C. Remote Login ✖
- ☐ D. Local Login

The correct answer is: SSO

Question 16

Correct

Mark 1 out of 1

You are supposed to maintain three types of records. Which answer is not a record?

Select one:

- ☐ A. Chain of custody
- ☐ B. Documentation of the crime scene
- ☒ C. Searching the crime scene ✔
- ☐ D. Document your actions

The correct answer is: Searching the crime scene

Question 17

Correct

Mark 1 out of 1

The _____ attack can endanger the security of the Diffie-Hellman method if two parties are not authenticated to each other.

Select one:

- ☒ A. Man-in-the-middle attack ✔
- ☐ B. Ciphertext attack
- ☐ C. Plaintext attack
- ☐ D. None of the above

The correct answer is: Man-in-the-middle attack

Question 18

Correct

Mark 1 out of 1

Choose the process model whose goal is to completely describe the flow of information in a digital investigation.

Select one:

- ☐ A. The Physical Model
- ☐ B. The Staircase Model
- ☒ C. The Evidence Flow Model ✓
- ☐ D. The Subphase Model

The correct answer is: The Evidence Flow Model

Question 19

Incorrect

Mark 0 out of 1

Minimizing the number of incidents is a function of which of the following?

Select one:

- ☒ A. Incident response testing ✗
- ☐ B. Forensic analysis
- ☐ C. Risk management
- ☐ D. Security investments

The correct answer is: Risk management

Question 20

Correct

Mark 1 out of 1

_____ involves the preservation, identification, extraction, and documentation of computer evidence stored as data or magnetically encoded information.

Select one:

- ☒ A. Digital Forensics ✓
- ☐ B. Live Data Collection
- ☐ C. Incident Response Methodology
- ☐ D. Forensic Duplication

The correct answer is: Digital Forensics

Question 21

Correct

Mark 1 out of 1

Which of the following have key sizes of 128-bits, 192-bits, or 256-bits?

Select one:

- ☐ A. DES
- ☐ B. 3DES
- ☐ C. MD5
- ☒ D. AES ✓

The correct answer is: AES

Question 22

Correct

Mark 1 out of 1

Which of the following uses symmetric encryption when securing a Web site?

Select one:

- ☐ A. RSA
- ☒ B. SSL ✓
- ☐ C. ECC
- ☐ D. El Gamal

The correct answer is: SSL

Question 23

Incorrect

Mark 0 out of 1

After An Incident Responder Identifies That A Security Incident Is In Progress, What Is The Next Step In The Incident Response Process?

Select one:

- ☐ A. Preparation
- ☐ B. Recovery
- ☒ C. Eradication ✗
- ☐ D. Containment

The correct answer is: Containment

Question 24

Incorrect

Mark 0 out of 1

Which of the following is used for verifying whether a digital certificate is valid?

Select one:

- ☐ A. PKCS#11
- ☐ B. CRL
- ☒ C. S/MIME ✖
- ☐ D. IPSec

The correct answer is: CRL

Question 25

Incorrect

Mark 0 out of 1

How Many Rules in Digital forensic

Select one:

- ☐ A. 12
- ☐ B. 19
- ☒ C. 10 ✖
- ☐ D. 6

The correct answer is: 6

Question 26

Correct

Mark 1 out of 1

Which of the following types of cryptography is typically used to provide an integrity check?

Select one:

- ☐ A. Public key
- ☐ B. Asymmetric
- ☐ C. Symmetric
- ☒ D. Hash ✔

The correct answer is: Hash

Question 27

Correct

Mark 1 out of 1

You use mathematics to create a message digest, which is called a hashing algorithm. What do you use to encrypt this message digest before transmission?

Select one:

- ☒ A. A Private key ✓
- ☐ B. A Public key
- ☐ C. Kerberos
- ☐ D. PKI

The correct answer is: A Private key

Question 28

Correct

Mark 1 out of 1

When dealing with network security, C.I.A. is an acronym that implies which of the following?

Select one:

- ☒ A. Confidentiality, Integrity, and Availability ✓
- ☐ B. Confidentiality, Integrity, and Accountability
- ☐ C. Certification, Integrity, and Authentication
- ☐ D. Classified, Integrated, and Assessable

The correct answer is: Confidentiality, Integrity, and Availability

Question 29

Incorrect

Mark 0 out of 1

Which of the following attack types best describes a targeted attack that successfully obstructs functionality?

Select one:

- ☐ A. Spam Attack
- ☒ B. Malware Attack ✗
- ☐ C. DDoS Attack
- ☐ D. Killer Attack

The correct answer is: DDoS Attack

Question 30

Incorrect

Mark 0 out of 1

Which of the following describes APIs for devices such as smartcards that contain other cryptographic information?

Select one:

- ☐ A. PKCS #1
- ☐ B. PKCS #5
- ☒ C. PKCS #7 ✖
- ☐ D. PKCS #11

The correct answer is: PKCS #11

Question 31

Incorrect

Mark 0 out of 1

The first computer virus is _____.

Select one:

- ☒ A. Virus Bomb ✖
- ☐ B. Blaster
- ☐ C. Sasser
- ☐ D. Creeper

The correct answer is: Creeper

Question 32

Correct

Mark 1 out of 1

Which of the following techniques are used during computer forensics investigations?

Select one:

- ☐ A. Cross-drive analysis
- ☐ B. Live analysis
- ☐ C. Deleted files
- ☒ D. All of the above ✔

The correct answer is: All of the above

Question 33

Incorrect

Mark 0 out of 1

Choose the command that shows all Registry data in real time on a Windows computer.

Select one:

- ☐ A. PsReg
- ☐ B. RegMon
- ☒ C. RegExplorer ✖
- ☐ D. RegHandle

The correct answer is: RegMon

Question 34

Correct

Mark 1 out of 1

3DES (Triple Data Encryption Standard) is based on which of the following?

Select one:

- ☐ A. Hashing algorithm
- ☒ B. Symmetric key-based algorithm ✔
- ☐ C. Asymmetric key-based algorithm
- ☐ D. None of these

The correct answer is: Symmetric key-based algorithm

Question 35

Correct

Mark 1 out of 1

Which tool is used for analysis of forensic image?

Select one:

- ☒ A. FTK Imager ✔
- ☐ B. Flawfinder
- ☐ C. Nessus
- ☐ D. Openstego

The correct answer is: FTK Imager

Question 36

Correct

Mark 1 out of 1

Which of the following is true about Public Key Infrastructure?

Select one:

- ☒ A. PKI is a combination of digital certificates, public-key cryptography, and certificate authorities that provide enterprise wide security ✓
- ☐ B. PKI uses two-way symmetric key encryption with digital certificates, and Certificate Authority
- ☐ C. PKI uses private and public keys but does not use digital certificates
- ☐ D. PKI uses CHAP authentication

The correct answer is: PKI is a combination of digital certificates, public-key cryptography, and certificate authorities that provide enterprise wide security

Question 37

Incorrect

Mark 0 out of 1

In _____, there is a single path from the fully trusted authority to any certificate.

Select one:

- ☐ A. X.509
- ☒ B. PGP ✗
- ☐ C. KDC
- ☐ D. None of these

The correct answer is: X.509

Question 38

Incorrect

Mark 0 out of 1

Requesting for a certificate results into creation of a _____ file.

Select one:

- ☒ A. PKCS#7 ✗
- ☐ B. PKCS#9
- ☐ C. PKCS#10
- ☐ D. PKCS#12

The correct answer is: PKCS#10

Question 39

Incorrect

Mark 0 out of 1

Which of the following is not a Forensic Image Formats?

Select one:

- ☐ A. Complete Disk Image
- ☐ B. Partition Image
- ☐ C. OEM Image
- ☒ D. Logical Image ✖

The correct answer is: OEM Image

Question 40

Incorrect

Mark 0 out of 1

While creating digital envelope, we encrypt the ____ with the ____.

Select one:

- ☒ A. Sender's private key, one-time session key. ✖
- ☐ B. Receiver's public key, one-time session key.
- ☐ C. one-time session key, sender's public key.
- ☐ D. one-time session key, receiver's public key.

The correct answer is: one-time session key, receiver's public key.