

Question No: 1

Which of the following Microsoft Exchange server role provides POP3 and IMAP4 support to users ?

Options:

☐

Hub Transport

☐

Edge Transport

☐

Client Access

☐

Mail-Box Server

Question No: 2

Which of the following command will display the extended Access Control List associated with a file?

Options:

☐

setfacl

☐

getfacl

☐

getacl

☐

chmod

Question No: 3

Which of the following port is used by the HTTPS site in Windows 2008 IIS Server?

Options:

☐

TCP 80

☐

TCP 445

☐

UDP 443

☐

TCP 443

Question No: 5

rti instruction leads to

Options:

- ☐ switching CPU to priviliged mode
 - ☐ switching CPU to less priviliged mode
 - ☐ both a and b
 - ☐ none of the above
-

Question No: 6

In a non pre-emptive OS, a process may be pre-empted

Options:

- ☐ **in user-space**
 - ☐ in system-space
 - ☐ both 1 and 2
 - ☐ none of the above
-

Question No: 7

Which is not valid HTML?

Options:

- ☐ <frameset columns="16%,84%">
 - ☐ <frameset rows="16%,84%">
 - ☐ **<frameset table="100,100">**
 - ☐ <frameset cols="100,150">
-

Question No: 8

Elements and attributes names must be in _____.

Options:

☐

Lower case

☐

Upper case

☐

First element in lower case

☐

First element in upper case.

Question No: 9

shared memory section in a process is a

Options:

☐

private section

☐

shared section

☐

both a and b

☐

none of the above

Question No: 10

after fork data memory section is

Options:

☐

Duplicated

☐

Shared

☐

both a and b

☐

none of the above

Question No: 11

Which of the following file provides username and password based access to web page directory through apache web server?

Options:

☐

/etc/httpd/httpd.conf

☐

.htaccess

☐

/etc/hosts.deny

☐

/etc/httpd

Question No: 12

In a pre-emptive OS, a process may be pre-empted ?

Options:

☐

in user-space

☐

in system-space

☐

both a and b

☐

none of the above

Question No: 13

Which of the following statement is not true about disk quota feature in windows?

Options:

☐

Disk Quota is enabled on per drive basis

☐

Different Users can be assigned different quota limits

☐

Administrator user can be restricted to use disk space beyond their quota limit

☐

Users can be restricted to use any disk space after the quota limit is over

Question No: 14

Which option of ls command is used to display hidden files also?

Options:



-h



-v



-i



?a

Question No: 15

shmat is used to

Options:



create a shared memory object



connect a process and shared mem obj



both a and b



none of the above

Question No: 16

What will be the output of the program?

```
#include<stdio.h>
```

```
int main() {
```

```
const int x=5;
```

```
const int *ptrx;
```

```
ptrx = &x;
```

```
*ptrx = 10;      printf("%d\n", x);      return 0; }
```

Options:



A. 5



B. 10



C. Error



D. Garbage value

Question No: 17

What is the general syntax for inline image?

Options:



src=img



src=image



img src=file



image src=file

Question No: 18

in page based memory management, swap area is divided into

Options:



Page-frames



page slots



virtual pages



none of the above

Question No: 19

in a 64-bit Linux system, the max. scope for system virtual address-space is

Options:



1 GB



3GB



4GB



none of the above 256TB

Question No: 20

Which of the following squid command option helps in diagnosing any problems in squid.conf file?

Options:



-Z



-X



-C



-Z

Question No: 21

when a signal is generated for a process

Options:



signal pending field is modified



signal mask field is modified



both a and b



none of the above

Question No: 22

Can you combine the following two statements into one? `char *p; p = (char*) malloc(100);`

Options:



A. `char p = *malloc(100);`



B. `char *p = (char) malloc(100);`



C. `char *p = (char*)malloc(100);`



D. `char *p = (char *) (malloc*)(100);`

Question No: 23

In a 32-bit Linux system, the the default scope for system virtual address-space is

Options:



1 GB



3GB



4 GB



None of the above

Question No: 24

virtual memory is

Options:



swap area + 50% main-memory



Swap-area



both a & b



none of the above

Question No: 25

a semaphore object can have

Options:



one semaphore



two semaphores



n semaphores



all of the above

Question No: 26

What is (void*) 0?

Options:



A. Representation of NULL pointer



B. Representation of void pointer



C. Error



D. None of above

Question No: 27

The data structure required for Breadth First Traversal on a graph is

Options:



(A) queue



(B) stack



(C) array



(D) tree

Question No: 28

in a pre-emptive OS, a process may be pre-empted

Options:



in user-space



in system-space



both a and b



none of the above

Question No: 29

user-space and kernel space division of memory spaces is defined by

Options:



pte u/s bit



psw register of processor



pte P bit



none of the above

Question No: 30

What is the default value of TTL field in case of PING reply packet in Windows Environment?

Options:



128



64



256



32

Question No: 31

each process(in a process-model) has a

Options:



signal pending field



signal mask field



signal action table



all of the above

Question No: 32

Which of the following file is used by TCP WRAPPER to provide IP address based access to TCP based services?

Options:



/etc/hosts



/etc/hosts.IP



/etc/hosts.tcp



/etc/hosts.deny

Question No: 33

in zombie state of a process

Options:



pd is still maintained (process descriptor)



Page-tables are still maintained



both a and b



none of the above

Question No: 34

Which of the following command will update the group policy settings?

Options:



gprefresh



gpupdate



gpsend



Question No: 35

Which of the following is not logical operator?

Options:



A. &



B. &&



C. ||



D. !

Question No: 36

Where does swap space reside?

Options:



Disk



RAM



ROM



On-chip cache

Question No: 37

Which of the following facility will help you in putting restrictions on the use of external drives in Windows 2008 Environment?

Options:



NTFS Permissions



File Encryption



Disk Quota



Question No: 38

Declare the following statement? "A pointer to a function which receives nothing and returns nothing".

Options:



A. void *(ptr)*int;



B. void *(*ptr)()



C. void *(*ptr)(*)



D. void (*ptr)()

Question No: 39

page based memory management leads to

Options:



internal fragmentation



external fragmentation



both a and b



none of the above

Question No: 40

What will be the output of the program?

```
#include<stdio.h>
```

```
int main() {
```

```
const char *s = "";
```

```
char str[] = "Hello";
```

```
s = str;
```

```
while(*s)
```

```
printf("%c", *s++);
```

```
return 0;
```

```
}
```

Options:



A. Error



B. H



C. Hello



D. Hel

Question No: 41

Which of the following command is used to rename a file?

Options:



ls



mv



cp



rm

Question No: 42

Declare the following statement? "A pointer to a function which receives an int pointer and returns float pointer".

Options:



A. float *(ptr)*int;



B. float *(*ptr)(int)



C. float *(*ptr)(int*)



D. float (*ptr)(int)

Question No: 43

There are how many "browser safe colors"?

Options:



16 Million



216



256



None of the above

Question No: 44

Which of the following statement related to nice value is not true?

Options:



Only root user can assign a negative nice value to a process



A normal user can only increase the nice value to a higher positive value



Only root user can change the nice value



The positive nice value means less priority for a process

Question No: 45

pause() blocks a process

Options:



unconditionally



in a wait-queue



both a and b



none of the above

Question No: 46

execlp()/execvp()/execve() family of system calls

Options:



creates a duplicate process



creates and loads a new program



loads a new program



none of the above

Question No: 47

Which of the following step is not part of the Data Recovery Agent (DRA) creation process?

Options:



The user account of the DRA is added to the Power Users Group.



Using certmanager.msc the certificated is imported.



Using Cipher command certificates for DRA are generated.



Using secpol.msc command EFS policy is defined and user is added as DRA.

Question No: 48

A user named Jerry is given modify NTFS permission on a folder. The folder is shared with everyone having read permission. Which of the following access will Jerry enjoy when he tries to access the folder from the same machine?

Options:



Modify



Read



Write



Full Control

Question No: 49

maximum logical/virtual address-space of a process in a 32-bit computing system in running Linux operating system can be

Options:

- ☐ 1GB
 - ☐ 2GB
 - ☐ 3GB
 - ☒ 4GB
-

Question No: 50

Which of the following directory contains the log files of Linux OS and services also?

Options:

- ☐ /etc
 - ☐ /home
 - ☒ /var
 - ☐ /sbin
-

Question No: 51

How can you make a row stretch over 2 columns?

Options:

- ☒ `<td rowspan="2">`
 - ☐ `<td colspan="2">`
 - ☐ `<tr rowspan="2">`
 - ☐ `<tr colspan="2">`
-

Question No: 52

Which of the following ticket is issued to a user by Kerberos when a user log in to an active directory domain?

Options:



Service Ticket



Ticket Demand Ticket



Kerberos Ticket



Ticket Granting Ticket

Question No: 53

Which of the following DHCP option is required to be configured to support PXE boot client for Windows Deployment Server?

Options:



DHCP Option 68



DHCP Option 60



DHCP Option 90



None

Question No: 54

page fault is

Options:



a hw interrupt



a CPU exception



trap instruction



none of the above

Question No: 55

What will be the output of the program?

```
#include<stdio.h>
#include<stdlib.h>
union employee {
    char name[15];
    int age;
    float salary; };
const union employee e1;
int main() {
    strcpy(e1.name, "K");
    printf("%s %d %f", e1.name, e1.age, e1.salary);
    return 0; }
```

Options:

☐

A. Error: RValue required

☐

B. Error: cannot convert from 'const int *' to 'int *const'

☐

C. Error: LValue required in strcpy

☐

D. No error warning

Question No: 56

An operating system is _____.

Options:

☐

Integrated software

☐

CD-ROM software

☐

System software

☐

Application software

Question No: 57

How do you insert a dropdown list?

Options:

☐

`<input type="list">`



`<list>`



`<input type="select">`



`<select>`

Question No: 58

Which of the following command is used to know currently logged in user?

Options:



who am i



whomai



both 1& 2



None of the above

Question No: 59

What will be the output of the program? `#include<stdio.h>`

```
int main() {  
    int y=128;  
    const int x=y;  
    printf("%d\n", x);  
    return 0; }
```

Options:



A. 128



B. Garbage value



C. Error



D. 0

Question No: 60

after fork code memory section is

Options:



duplicated



shared



both a and b



none of the above

Question No: 61

Which of the following trust relationship is developed between the two child domains created within a domain tree in a forest?

Options:



One-Way Trust



Two-Way Transitive Trust



Two-Way



Manually Created Two-Way Trust

Question No: 62

What will be the output of the program?

```
#include<stdio.h>
int fun(int **ptr);
int main() {
    int i=10;
    const int *ptr = &i;
    fun(&ptr);
    return 0; }
int fun(int **ptr) {
    int j = 223;
    int *temp = &j;
    printf("Before changing ptr = %5x\n", *ptr);
    const *ptr = temp;
    printf("After changing ptr = %5x\n", *ptr);
    return 0; }
```

Options:



A. Address of i Address of j



B. 10 223



C. Error: cannot convert parameter 1 from 'const int **' to 'int **'



D. Garbage value

Question No: 63

a typical shared-memory IPC mechanism provides

Options:



shared virtual pages



shared page-frames



synchronization



all of the above

Question No: 64

pipe IPC mechanisms provides

Options:



uni-directional communication



bi-directional communication



a and b



none of the above

Question No: 65

Segment based memory management leads to

Options:



internal fragmentation



external fragmentation



1 & 2 both



none of the above

Question No: 66

segment based memory management leads to

Options:



internal fragmentation



external fragmentation



both a and b



none of the above

Question No: 67

Which of the following file contains user passwords in encrypted format?

Options:



/etc/shadow



/etc/passwd



/etc/password



/etc/useradd

Question No: 68

in a multithreading system

Options:



threads are scheduled



processes are scheduled



both a and b



none of the above

Question No: 69

default action for SIGSTOP signal is

Options:



termination of process (SIGKILL)



stopping of process



both a and b



none of the above

Question No: 70

Dispatcher or scheduler is invoked in the system

Options:



is called at the end of interrupt handler



is called at the end of a function call



is executed a process



is executed as thread

Question No: 71

Which of the following bit allows only owners to delete their files in a directory?

Options:



SUID



Sticky



SGID



Inode

Question No: 72

in a pre-emptive OS, a process may be pre-empted

Options:



in user-space



in system-space



both a and b



none of the above

Question No: 73

You have 3 nos. of 320 GB hard disks in a system. You configure RAID 5 (Data Striping with Distributed Parity) using these hard disks. What will be the effective storage size of this volume that will be used to store data?

Options:



320 GB



960 GB



640 GB



600 GB

Question No: 74

in a 32-bit Linux system, the the default scope for system virtual address-space is

Options:



1 GB



3GB



4GB



none of the above

Question No: 75

How do you add a comment into HTML?

Options:



<-Comment->



<--Comment-->



<!--Comment-->



<Comment/>

Question No: 76

Comment about following statement: <td rowspan="3">

Options:



Statement is wrong due to quoted value of attributes.



Statement is correct.



Depends on scenario.



None of the above

Question No: 77

swap area is

Options:



part of main memory



hard disk



both a and b



none of the above

Question No: 78

Which of the following command displays the 10 most resource using services?

Options:



Top



Ls ?all



Head



ps

Question No: 79

Declare the following statement? "A pointer to an array of three chars".

Options:



A. char *ptr[3]();



B. char (*ptr)*[3];



C. char (*ptr[3])();



D. char (*ptr)[3];

Question No: 80

code section in a process is a

Options:



private section



shared section



both a and b



none of the above

Question No: 81

On executing the below program what will be the contents of 'target.txt' file if the source file contains a line "To err is human"?

```
#include<stdio.h>
int main() {
int i, fss;
char ch, source[20] = "source.txt",
target[20]="target.txt", t;
FILE *fs, *ft;
fs = fopen(source, "r");
ft = fopen(target, "w");
while(1) {
ch=getc(fs);
if(ch==EOF)
break;
else {
fseek(fs, 4L, SEEK_CUR);
fputc(ch, ft);
}
}
return 0; }
```

Options:



A. r n



B. Trh



C. err



D. None of above

Question No: 82

Which of the following is not a necessary condition for a deadlock?

Options:



Mutual Exclusion



Circular wait

☐

No preemption of resources

☐

None of the above

Question No: 83

SIGKILL is a

Options:

☐

maskable signal

☐

Non-maskable signal

☐

both a and b

☐

none of the above

Question No: 84

a semaphore object uses the following lock for its atomicity

Options:

☐

a mutex

☐

a spin-lock

☐

both a and b

☐

none of the above

Question No: 85

semop is used for

Options:

☐

initializing semaphore values

☐

semaphore operations



both a and b



none of the above

Question No: 86

Which of the following command will restart the Linux machine?

Options:



init 0



init 6



init 5



init 3

Question No: 87

no. of threads in a process is decided by

Options:



system



developer



both a and b



none of the above

Question No: 88

Which of the following directory contains the configuration files for Ethernet interfaces on Red Hat Linux?

Options:



/etc/sysconfig



/etc/sysconfig/network-scripts



/etc/network



/etc/sysconfig/network

Question No: 89

You add a new hard disk to a Linux machine. You created 2 partitions on it. Now you want to permanently mount these partitions in the respective directories.

Which of the following file will you edit to add entries for mounting these partitions?

Options:



/etc/passwd



/etc/inittab



/etc/fstab



/etc/shadow

Question No: 90

after fork shared memory section is

Options:



duplicated



shared



both a and b



none of the above

Question No: 91

in page based memory management, main memory is divided into

Options:



page frames



page slots



virtual pages



none of the above

when a process or a thread tries to dereference NULL pointer

Options:



SIGSEGV is generated



SIGINT is generated



SIGTERM is generated



SIGKILL is generated

Question No: 93

_____are the HTML codes that control the appearance of the document contents.

Options:



Tags



Slashes



Properties



Code

Question No: 94

SIGSEGV is a

Options:



maskable signal



Non-maskable signal



both a and b



none of the above

Question No: 95

fork() system call

Options:



creates a duplicate process



creates and loads a new program



loads a new program



none of the above

What is the default lease period for IP address for wireless network clients in Microsoft DHCP server?

Options:



1 day



8 hours



8 Days



42 days

Question No: 97

Which one is correct?

Options:

- ☐ **Click Here**
 - ☐ **Click Here**
 - ☐ **Click Here**
 - ☐ **Click Here**
-

A semaphore object can have ..

Options:

- ☐ one semaphore
 - ☐ two semaphores
 - ☐ **n semaphores**
 - ☐ all of the above
-

Question No: 99

shared memory IPC mechanism is fastest because

Options:

- ☐ **it is in system space**
 - ☐ it is in user-space
 - ☐ all of the above
 - ☐ none of the above
-

shared memory IPC mechanism is fastest because

Options:

- ☐ **it is in system space**



it is in user-space



all of the above



none of the above

Question No: 100

virtual address-space of a process is maintained

Options:



address space descriptor of PD



page tables of PD



both a and b



none of the above

Question No: 101

The attribute used to choose the type of font in HTML is _____.

Options:



Character



Face



Text-type



All of the above

Which of the

Question No: 102

Which of the following signal is used by default by the kill command?

Options:



15



9



1



7

Question No: 103

Which of the following roles is not performed, by default, when the first domain controller is installed in Windows 2008 Active Directory Environment?

Options:



LDAP Server



Kerberos Server



Windows Deployment Server



DNS Server

Question No: 104

a minor page fault involves

Options:



a page frame allocation



a disk I/O



both a and b



none of the above

Question No: 104

a minor page fault involves

Options:



a page frame allocation



a disk I/O



both a and b



none of the above

Question No: 105

What will the SWAP macro in the following program be expanded to on preprocessing? Will the code compile? `#include<stdio.h> #define SWAP(a, b, c)(c=t; t=a, a=b, b=t) int main() { int x=10, y=20; SWAP(x, y, int); printf("%d %d\n", x, y); return 0; }`

Options:



A. It compiles



B. Compiles with a warning



C. Not compile



D. Compiles and prints nothing

Question No: 106

Which of the following value in IIS web site field allows you to run multiple web sites on single IP address and using same port?

Options:

☐

Site Name

☐

Host Name

☐

Header Value

☐

Description

Question No: 106

Which of the following value in IIS web site field allows you to run multiple web sites on single IP address and using same port?

Options:

☐

Site Name

☐

Host Name

☐

Header Value

☐

Description

Question No: 107

Declare the following statement? "An array of three pointers to chars".

Options:

☐

A. char *ptr[3]();

☐

B. char *ptr[3];

☐

C. char (*ptr[3])();

☐

D. char **ptr[3];

Question No: 108

How many domain controllers can work as global catalog server in a forest?

Options:



1



2



99



any number

Question No: 109

a binary semaphore's values are

Options:



0 or 1



0 or +ve(≥ 1)



both a and b



none of the above

Question No: 110

Choose the correct HTML code to left-align the content inside a table cell.

Options:



`<td leftalign>`



`<td valign="left">`



<tdleft>



<td align="left">

Options:



0 or 1



0 or +ve(>=1)



both a and b



none of the above

Question No: 112

The keyword used to transfer control from a function back to the calling function is

Options:



A. switch



B. goto



C. go back



D. return

Question No: 113

in a non pre-emptive OS, a process may be pre-empted

Options:



in user-space



in system-space



both a and b



none of the above

Question No: 114

Linux OS is a

Options:



monolithic OS



microkernel OS



both 1 and 2



none of the above

Question No: 115

Which of the following command will delete the entire directory structure?

Options:



rm ?f



rmdir



rm ?r



rmdir -f

Question No: 116

Waitpid(2000,NULL,0) system call

Options:



cleans up any child process



cleans up all children processes



both a and b



none of the above

Question No: 117

```
#include<stdio.h>
```

```
int main() {
```

```
FILE *fs, *ft, *fp;
```

```
fp = fopen("A.C", "r");
```

```
fs = fopen("B.C", "r");
```

```
ft = fopen("C.C", "r");
```

```
fclose(fp, fs, ft);
```

```
return 0; }
```

Options:



A. "A.C" "B.C" "C.C"



B. "B.C" "C.C"



C. "A.C"



D. Error in fclose()

Question No: 118

in stopped state of a process

Options:



pd is still maintained



Page-tables are still maintained



both a and b



none of the above

Question No: 118

in stopped state of a process

Options:



pd is still maintained



Page-tables are still maintained



both a and b



none of the above

Question No: 118

in stopped state of a process

Options:



pd is still maintained



Page-tables are still maintained



both a and b



none of the above

Question No: 118

in stopped state of a process

Options:



pd is still maintained



Page-tables are still maintained



both a and b



none of the above

Question No: 118

in stopped state of a process

Options:



pd is still maintained



Page-tables are still maintained



both a and b



none of the above

Question No: 124

Which of the following command is used to change the owner of a file or directory?

Options:



chgrp



chown



chmod



groupmod

Question No: 125

signal delivery is taken care by

Options:



kernel



shell



both a and b



none of the above

Question No: 125

signal delivery is taken care by

Options:



kernel



shell



both a and b



none of the above

Question No: 127

Which of the following statement is not true about the default configuration of vsftpd service?

Options:



All the users on the Linux system can access ftp service



Anonymous user login is allowed



All Linux users can upload files



Anonymous users can upload files

Question No: 128

default action for SIGTERM signal is

Options:

☐

termination of process

☐

stopping of process

☐

both a and b

☐

none of the above

Question No: 129

A 1000 MB hard disk has 512-byte sectors. Each track on the disk has 1000 sectors. The number of tracks on the disk is _____.

Options:

☐

1024

☐

2048

☐

512

☐

1000

Question No: 130

Which of the following file contains the user database on a standalone windows system?

Options:

☐

windows\SAM.USR

☐

windows\system\SAM

☐

windows\system32\SAM

☐

windows\system32\config\SAM

Question No: 131

Which of the following command creates a blank file without input?

Options:



touch



cat



vi



file

Question No: 132

a typical shared-memory IPC mechanism provides

Options:



shared virtual pages



shared page-frames



synchronization



all of the above

Question No: 133

data section in a process is a

Options:



private section



shared section



both a and b



none of the above

Question No: 134

Default action for SIGSEGV signal is

Options:



termination of process



stopping of process



both a and b



none of the above

Question No: 135

Which of the following file is used by NFS to store information about the shared directories?

Options:



/etc/exports



/etc/shared



/etc/nfs/exports



/etc/passwd

Question No: 137

Which part of the HTML document would you find your META tag information?

Options:



Body



Title



Form



Head

Question No: 138

hw interrupts are

Options:

☐

enabled in user-space

☐

enabled in system space

☐

both a and b

☐

none of the above

Question No: 139

threads share

Options:

☐

data section

☐

heap section

☐

both a and b

☐

none of the above

Question No: 140

exec() family of library calls (in turn, use execve() system call)

Options:

☐

creates a duplicate child process

☐

creates a duplicate child process and executes the same program

☐

replaces the current program with a new program, address space and page-tables

☐

all of the above

Question No: 141

What does the following declaration mean? `int (*ptr)[10]`

Options:



A. ptr is array of pointers to 10 integers



B. ptr is a pointer to an array of 10 integers



C. ptr is an array of 10 integers



D. ptr is an pointer to array

Question No: 142

Which of the following cannot be checked in a switch-case statement?

Options:



A. Character



B. Integer



C. Float



D. enum

Question No: 143

_____ is additional information placed within HTML brackets that control how the tab is used.

Options:



Adjective



Properties



Narratives



Descriptor

Question No: 144

the following are kernel threads

Options:



init



konsole



kswapd



shell

Question No: 145

Which of the following function is used to find the first occurrence of a given string in another string?

Options:



A. strchr()



B. strrchr()



C. strstr()



D. strnset()

Question No: 146

Which of the following file type will be created for the hard disk device?

Options:



Character



Special



directory



block

Question No: 147

in a modern Unix/Linux system, fork() system call :

Options:



duplicates the current process and creates a child process, including virtual address space and physical memory



duplicates the current process and creates a child process, including virtual address space and copy on write for physical memory



both a & b



all of the above

Question No: 148

Which of the following command displays the 10 processes that are consuming maximum resources?

Options:



ps



top



pstree



pstop

Question No: 149

. Which of the following registry hive contains the information and settings about Microsoft Windows itself and the other software installed on the system?

Options:



HKEY_LOCAL_MACHINE



HKEY_USERS



HKEY_CURRENT_USER



HKEY_CURRENT_CONFIG

Question No: 150

in a 32-bit Linux system, the the default scope for system virtual address-space is

Options:



1 GB



3GB



4 GB



None of the above

Question No: 151

In a circular linked list

Options:



(A) components are all linked together in some sequential manner.



(B) there is no beginning and no end.



(C) components are arranged hierarchically.



(D) forward and backward traversal within the list is permitted.

Question No: 152

logical pages are

Options:



permanently mapped to page frames



temporarily mapped to page-frames



both a and b



none of the above

Question No: 153

virtual memory is

Options:



swap area + 50% main-memory



Swap-area



both a & b



none of the above

Question No: 154

You have created a user named Jerry in a Linux machine. You want to add him to a group named managers as member. Which of the following command will you use to perform this task ?

Options:



useradd



groupadd



chgrp



usermod

Question No: 155

semaphore works in

Options:



uniprocessor systems



in multiprocessor systems



both a and b



none of the above

Question No: 156

Waitpid(2000,NULL,0) system call

Options:



cleans up any child process



cleans up all children processes



both a and b



none of the above

Question No: 157

Which of the following file streams is not opened automatically in a UNIX program?

Options:



Standard terminal



Standard input



Standard output



Standard error

Question No: 158

in a modern OS, the following memory-management is used

Options:



Page-based virtual memory



Segment-based virtual memory



both a and b



none of the above

Question No: 159

By default, Processes have

Options:



a process descriptor



virtual address descriptors



page-tables



all of the above

Question No: 160

What does fp point to in the program ?
`#include<stdio.h> int main() {
FILE *fp; fp=fopen("trial", "r"); return 0; }`

Options:



A. The first character in the file



B. A structure which contains a char pointer which points to the first character of a file.



C. The name of the file.



D. The last character in the file.

Question No: 161

Transfer of information to and from main memory takes place in terms of

_____.

Options:



Bytes



Words



Bits



Nibbles

Question No: 162

if a process terminated using SIGKILL

Options:



it is normal & successful termination



it is normal , but unsuccessful termination



both a and b



none of the above

Question No: 163

What does the GENERATOR meta tag tell?

Options:



What type of server your page is on



Which program was used to produce the page



Who designed the page



None of the above

Question No: 164

ptes of primary page table point to

Options:



secondary page-tables



page frames



both a and b



none of the above

Question No: 165

segment based memory management leads to

Options:



internal fragmentation



external fragmentation



a & b both



none of the above

Question No: 166

HTML uses _____.

Options:



pre-specified tags



user defined tags



tags only for linking



fixed tags defined by the language

Question No: 167

What do the following declaration signify? `int (*pf)();`

Options:



A. pf is a pointer to function.



B. pf is a function pointer.



C. pf is a pointer to a function which return int



D. pf is a function of pointer variable.

Question No: 168

Linux OS is a

Options:



monolithic OS



microkernel OS



both a and b



none of the above

Question No: 169

Who is making the Web Standards?

Options:



Microsoft



The World Wide Web Consortium



Netscape



All of the above

Question No: 170

spin-locks used with semaphores use

Options:



trap machine instruction



ret machine instruction



atomic machine instruction



none of the above

Question No: 171

ptes of secondary page-tables point to

Options:



secondary page-tables



page frames



both a and b



none of the above

Question No: 172

spin-locks used with semaphores use

Options:



trap machine instruction



ret machine instruction



atomic machine instruction



none of the above

Question No: 173

if a process terminated using SIGSEGV

Options:



it is normal & successful termination



it is normal , but unsuccessful termination



both a and b



none of the above

Question No: 174

Which of the following command will assign rwx permission to owner only?

Options:



chmod 400



chmod 770



chmod 007



chmod 700

Question No: 175

Which of the following file along with .cer is required for creating a Data Recovery Agent for Encrypting File System in windows?

Options:



.pfx



.pxe



.bat



.dll

Question No: 176

light weight process refers to

Options:



a thread



a kernel thread



both a and b



none of the above

Question No: 177

Which of the following variable value gives you the information about the successful execution of the previous command?

Options:



#



!



&



?

Question No: 178

if a process terminated using `exit(0)`

Options:



it is normal & successful termination



it is normal , but unsuccessful termination



both a and b



none of the above

Question No: 179

You have a Windows based Database server. As an administrator you are worried about disk that is used to store database getting unexpectedly full. Which of the following utility will help you track the free space on this disk?

Options:



Event Viewer



Windows Deployment Service



Performance Monitor



Audit Policies in Group Policy

Question No: 180

a page fault of an invalid virtual address leads to

Options:



termination of process



stopping of process



allocation of a new page-frame



none of the above

Question No: 181

Which of the following is not a chain in iptables firewall?

Options:



INPUT



OUTPUT



FORWARD



NAT

Question No: 182

in a 64-bit Linux system, the max. scope for system virtual address-space is

Options:



1 GB



3 GB



4 GB



none of the above

Question No: 183

What do the following declaration signify? `int *ptr[30];`

Options:



A. ptr is a pointer to an array of 30 integer pointers.



B. ptr is a array of 30 pointers to integers.



C. ptr is a array of 30 integer pointers.



D. ptr is a array 30 pointers.

Question No: 184

`shmdt` is used to

Options:



destroy a shared memory object



disconnect a process and shared memory object



both a and b



none of the above

Question No: 185

by default, Processes have

Options:



a process descriptor



virtual address descriptors



page-tables



all of the above

Question No: 186

What is the default permission given to a file created by the normal (Non-root) user?

Options:



rw-rw-rw-



rw-r-r--



rw-rw-r--



rw-rw----

Question No: 187

Which of the following command displays the top 10 lines of a file?

Options:



tail



head



top



cat

Question No: 188

Ctrl-C generates

Options:



SIGINT signal



SIGTSTP signal



both a and b



none of the above

Question No: 189

Virtual Memory _____

Options:



is an extremely large main memory



is an extremely large secondary memory



is a type of memory used in supercomputers



allows execution of processes that may not be completely in memory

Question No: 190

Which of the following hard disk is not supported for Windows OS installation?

Options:



MBR Disk



Dynamic Disk



GPT Disk



Basic Disk

Question No: 191

Which attribute is NOT valid for the <BODY> tag?

Options:



Leftmargin



Background



Vlink



Color

Question No: 192

id is used in

Options:



semop



semctl



both a and b



none of the above

Question No: 193

In a modern OS, the following memory-management is used

Options:



Page-based virtual memory



Segment-based virtual memory



both 1 and 2



none of the above

Question No: 194

a major page fault involves

Options:



a page frame allocation



a disk I/O



both a and b



none of the above

Question No: 195

which of the following is a conventional RTOS

Options:



a process descriptor



virtual address descriptors



page-tables



all of the above

Question No: 196

in page based memory management, virtual address-space is divided into

Options:



Page-frames



page slots



virtual pages



none of the above

Question No: 197

maximum logical/virtual address-space of a process in a 32-bit computing system in running Linux operating system can be

Options:



1GB



2GB



3GB



4GB

Question No: 198

Which of the following utility in windows 2008 provides a single management utility for administrators?

Options:



Server Manager



Server Panel



Domain Manager



Server Admin

Question No: 199

In page based memory management, swap area is divided into

Options:



Page-frames



page slots



virtual pages



none of the above

Question No: 200

In XHTML documents must be _____.

Options:



In paragraph



In bullets



Well formed



All of the above

Question No: 201

Which environment variable holds list of directories which can hold external commands?

Options:



LIST



PATH



EXTERNAL



EPATH

Question No: 202

Which of the following option is used for chmod or chown to recursively work on all sub directories?

Options:



-R



-r



-a



None of the

Question No: 203

hw context is saved in

Options:



User-space stack



System-space stack



both a and b



none of the above

Question No: 204

virtual pages are

Options:



permanently mapped to page frames



temporarily mapped to page-frames



both a and b



none of the above

Question No: 205

shared memory IPC mechanism is fastest because

Options:



it is in system space



it is in user-space



all of the above



none of the above

Question No: 206

waitpid(-1,NULL,0) system call

Options:



cleans up any child process



cleans up all children processes



both a and b



none of the above

Question No: 207

stack section of a process is a

Options:



private section



shared section



both a and b



none of the above

Question No: 208

user-space and kernel space division of memory spaces is defined by

Options:



pte u/s bit



psw register of processor



pte P bit



none of the above

Question No: 208

user-space and kernel space division of memory spaces is defined by

Options:



pte u/s bit



psw register of processor



pte P bit



none of the above

Question No: 209

in page based memory management, virtual address-space is divided into

Options:



Page-frames



page slots



virtual pages



none of the above

Question No: 210

Which of the following is not an operating system?

Options:



SuSE



Unix



OSD



DOS

Question No: 211

Which of the following command is used to apply sticky bit to a directory?

Options:



chmod -t



chmod -s



chmod +s



chmod +t

Question No: 212

Which of the following NTFS permission are the minimum permissions required for a user on a folder to copy files from that folder and paste them to another folder?

Options:

☐

Read & List Folder Content

☐

Read & Write

☐

Modify

☐

Read, Read & Execute, & Write

Question No: 213

key is used in

Options:

☐

semop

☐

semctl

☐

both a and b

☐

none of the above

Question No: 214

Which of the following option of sort command is used for numeric sort?

Options:

☐

-d

☐

-n

☐

-i

☐

None of the above

Question No: 215

system call APIs use

Options:



trap machine instruction



ret machine instruction



iret machine instruction



none of the above

Question No: 216

virtual terminal is

Options:



available in GUI



available in text mode



both a and b



none of the above

Question No: 217

Dispatcher or scheduler is invoked in the system

Options:



is called at the end of system call



is called at the end of a function call



is executed a process



is executed as thread

Question No: 218

Which of the following run-level of Linux allows a root login without authentication?

Options:



1



2



5



3

Question No: 219

virtual address-space of a process is maintained

Options:



address space descriptor of PD



page tables of PD



both a and b



none of the above

Question No: 220

The number of memory spaces implemented in modern OS

Options:



1



2



3



none of the above

Question No: 221

Which of the following iptables command will block an ftp access for a machine with the IP address 192.168.10.10. The command is to be given on the ftp server with IP address 192.168.10.251?

Options:

☐

iptables -A OUTPUT -d 192.168.10.251 -p tcp --dport 21 -j DROP

☐

iptables -A INPUT -s 192.168.10.10 -p tcp --dport 21 -j ACCEPT

☐

iptables -A OUTPUT -s 192.168.10.251 -p tcp --dport 21 -j DROP

☐

iptables -A INPUT -s 192.168.10.10 -p tcp --dport 21 -j DROP

Question No: 222

null pointer access leads to

Options:

☐

a hw interrupt

☐

a CPU exception

☐

trap instruction

☐

none of the above

Question No: 223

a page fault of a valid virtual address leads to

Options:

☐

termination of process

☐

stopping of process

☐

allocation of a new page-frame

☐

none of the above

Question No: 224

Which of the following isn't a feature/element from HTML5?

Options:



Canvas



Video



Close



Workers

Question No: 225

An HTML _____ helps you create an HTML file by inserting HTML codes for you as you work.

Options:



Editor



Builder



Coach



Monitor

Question No: 226

The following are kernel threads :

Options:



init



konsole



kswapd



shell

Question No: 227

system calls in OS enable

Options:

- ☐ access to system-space services
 - ☐ access to user-space services
 - ☐ both a and b
 - ☐ none of the above
-

Question No: 228

pseudo terminal is

Options:

- ☐ available in GUI
 - ☐ available in text mode
 - ☐ both a and b
 - ☐ none of the above
-

Question No: 229

a process semaphore object is in

Options:

- ☐ User-space
- ☐ both a and b
- ☐ System-space
- ☐ none of the above

Question No: 230

Page based memory management leads to

Options:



internal fragmentation



external fragmentation



both 1 & 2



none of the above

Question No: 231

What does vlink mean?

Options:



active link



virtual link



visited link



very good link

Question No: 232

Ctrl-Z generates

Options:



SIGINT signal



SIGTSTP signal



both a and b



none of the above

Question No: 233

You are trying to add a client computer running windows 7 into a domain. But you are getting an error "The domain controller for this domain could not be contacted". You try to ping to domain controller IP address from client and successfully receive reply. Which of the following could be the reason for the error?

Options:



The Client computer and the domain controller are in separate IP subnets.



The Group policy on domain controller is not properly configured.



The DHCP server is not configured properly.



The DNS server IP addresses on client computer are not configured correctly.

Question No: 234

shmctl is used to

Options:



destroy a shared memory object



disconnect a process and shared memory object



both a and b



none of the above

Question No: 235

Which of the following file type will be used to identify a pen drive in Linux?

Options:



character



ordinary



block



directory

Question No: 236

fork() system call

Options:



creates a duplicate process



creates and loads a new program



loads a new program



none of the above

Question No: 237

Which of the following protocol support is added by the samba service on Linux machine so that it can share files and printers with Windows machines?

Options:



SMB



FTP



NFS



NetBios

Question No: 238

Which of the following command displays the contents of a file?

Options:



chmod



cat



grep



ls -all

Question No: 238

Which of the following command displays the contents of a file?

Options:



chmod



cat



grep



ls -all

Question No: 239

The postfix form of $A*B+C/D$ is

Options:



(A) $*AB/CD+$



(B) $AB*CD/+$



(C) $A*BC+/D$



(D) $ABCD+/*$

Question No: 240

In a 64-bit Linux system, the max. scope for system virtual address-space is

Options:



1 GB



3 GB



4 GB



none of the above

Question No: 241

How will you free the allocated memory ?

Options:



A. remove(var-name);



B. free(var-name);



C. delete(var-name);



D. dalloc(var-name);

Question No: 242

What is the value of variable '\$?' when a command exits successfully?

Options:



1



10



0



Random

Question No: 243

execlp()/execvp()/execve() family of system calls

Options:



creates a duplicate process



creates and loads a new program



loads a new program



none of the above

Question No: 244

Which input type would allow a reader to select several options from a list of possibilities?

Options:

☐

Radio Buttons

☐

Checkboxes

☐

Form

☐

Text Field

Question No: 245

each process(in a process-model) has a

Options:

☐

signal pending field

☐

signal mask field

☐

signal action table

☐

all of the above

Question No: 246

How do you define font style of the text?

Options:

☐

<text style="Arial">

☐

☐

<text=Arial>

☐

<style="Arial">

Question No: 247

in page based memory management, main memory is divided into

Options:

☐

page frames

☐

page slots

☐

virtual pages

☐

none of the above

Question No: 248

page based memory management leads to

Options:

☐

internal fragmentation

☐

external fragmentation

☐

both a & b

☐

none of the above

Question No: 249

An operating system with multiprogramming capability is one that_____.

Options:

☐

allows several users to use the same program at once by giving each a slice of time

☐

loads several independent processes into memory and switches the CPU from one job to another as required

☐

runs programs over more than one processor



None of the above

Question No: 250

What will be the output of the program? `#include<stdio.h> int get(); int main() { const int x = get(); printf("%d", x); return 0; } int get() { return 20; }`

Options:



A. Garbage value



B. Error



C. 20



D. 0

Question No: 251

What will happen if in a C program you assign a value to an array element whose subscript exceeds the size of array?

Options:



A. The element will be set to 0.



B. The compiler would report an error.



C. The program may crash if some important data gets overwritten.



D. The array size would appropriately grow.

Question No: 252

How can we make an e-mail link?

Options:



`<a href="xxx@yyy">`



`<mail>xxx@yyy</mail>`





<mail href="xxx@yyy">

Question No: 253

semctl is used for

Options:



initializing semaphore values



semaphore operations



both a and b



none of the above

Question No: 254

pipe IPC mechanisms provides

Options:



uni-directional communication



bi-directional communication



a and b



none of the above

Question No: 255

System calls in OS enable :

Options:



access to system-space services



access to user-space services



both 1 and 2



none of the above

Question No: 256

system calls in OS enable

Options:



access to system-space services



access to user-space services



both a and b



none of the above

Question No: 257

What do the following declaration signify? `void *cmp();`

Options:



A. cmp is a pointer to an void type.



B. cmp is a void type pointer variable.



C. cmp is a function that return a void pointer.



D. cmp function returns nothing.

Question No: 258

in a modern OS, the following memory-management is used

Options:



Page-based virtual memory



Segment-based virtual memory



both a and b



none of the above
