

### **Linux Administration MCQ**

1. The dmesg command
  - a) Shows user login logoff attempts
  - b) Shows the syslog file for info messages
  - c) **kernel log messages**
  - d) Shows the daemon log messages
  
2. The signal sent to a process when the Ctrl-C key is pressed is
  - a) **KILL**
  - b) TSTP
  - c) TERM
  - d) INT
  
3. User id 0 is
  - a) An invalid user id
  - b) **The id of the root user**
  - c) The id of a user when the user's account is deleted
  - d) None of the above
  
4. Which command is used to record a user login session in a file
  - a) macro
  - b) read
  - c) **script**
  - d) none of the above
  
5. Which command is used to display the operating system name
  - a) os
  - b) Unix
  - c) kernel
  - d) **uname**
  
6. By default, a Linux user falls under which group?
  - a) staff
  - b) others
  - c) **same as userid (UPG)**
  - d) system
  
7. Which command is used to print a file
  - a) print
  - b) ptr
  - c) **lpr**
  - d) none of the above

8. Using which command you find resource limits to the session?

- a) rlimit
- b) ulimit
- c) setrlimit
- d) getrlimit

9. Which option of ls command used to view file inode number

- a) -l
- b) -o
- c) -a
- d) -i

10. find / -name '\*' will

- a) List all files and directories recursively starting from /
- b) List a file named \* in /
- c) List all files in / directory
- d) List all files and directories in / directory

11. You forget the root password. You decide to reboot using a boot disk. What do you need to do to recover the root password?

- a) Mount the main partition, edit the /etc/passwd file to remove the root password, reboot.
- b) Mount the root partition, edit the /etc/passwd file to remove the root password, reboot.
- c) Mount the main partition, edit the /tmp/passwd file to remove the root password, reboot.
- d) Mount the root partition, edit the /etc/passwds file to remove the root password, reboot
- e) none of the above

12. The previous system administrator put useless messages at login, what file do you edit to change the system message?

- a) /etc/motd
- b) /etc/str
- c) /etc/strtmps
- d) /etc/.conf

13. Which file does Linux use to resolve hostnames?

- a) /etc/hostname.conf
- b) /etc/dns.conf
- c) /etc/hosts.conf
- d) /etc/resolve.conf

14. What is bash?

- a) A kernel system call
- b) A command to delete multiple files
- c) A network bit format
- d) A command shell

15. You attempt to remove a directory, but Linux won't allow you, what is the most likely problem?
- a) The directory name contains illegal characters
  - b) You are not logged in as root
  - c) The hard disk is full
  - d) The directory is not empty
  - e) None are likely problems
16. From a command prompt, what does the command "ls" do?
- a) Lists the settings of the OS
  - b) Lists the contents of the directory
  - c) List command to list contents of files
  - d) Finnish words, means to direct a file to a port
  - e) None of the Above
17. Which command creates a file system?
- a) fdisk
  - b) crfs
  - c) mkfs
  - d) fs
18. The login shell is
- a) The shell program that runs when the user logs in
  - b) The shell program that authenticates the user while logging in
  - c) Common shell for all the users that belong to the same group
  - d) None of the above
19. What does the command "ps" do?
- a) Prints the directory
  - b) Shows what processes are running
  - c) Print status of LPT1
  - d) Produces system statistics
  - e) None of the above
20. You are working in Linux when a program hits a flaw and stops running. Which command can be used to end the process?
- a) kill
  - b) stop
  - c) end
  - d) wait
  - e) CTL-ALT-DEL

21. A user is logged into the Linux workstation, what is the best way to login to root from a shell prompt?

- a) login root
- b) chuser root
- c) su -
- d) root -

22. The encrypted password of a user is stored in

- a) /etc/shadow
- b) /etc/enpasswd
- c) /etc/.passwd
- d) /etc/passwd

23. Which command is used to bring the background process to foreground?

- a) bg
- b) fg
- c) background
- d) foreground

24. The command chmod 4777 a.out

- a) will set the suid bit of a.out
- b) will set the suid bit of a.out only if the command is issued by root
- c) is not a valid command
- d) will set the sticky bit of a.out

25. wtmp and utmp files contain:

- a) Temporary system data
- b) User login-logout log
- c) The user's command execution log
- d) The user's su and sudo attempts

26. Applications communicate with kernel by using:

- a) System Calls
- b) C Programs
- c) Shell Script
- d) Shell

27. Which of the following is considered as the super daemon in Unix?

- a) sysinit
- b) init
- c) inetd
- d) proc

28. Unix is which kind of Operating System?

- a) Multi User
- b) Multi Processes
- c) Multi Tasking
- d) All the above

29. Which command changes a file's group owner

- a) cgrp
- b) chgrp
- c) change
- d) group

30. Which command is used to display disk consumption of a specific directory

- a) du
- b) ds
- c) dd
- d) dds

31. Which command is used to perform backup in unix?

- a) backup
- b) cpio
- c) zip
- d) gzip

32. Which option of rm command is used to remove a directory with all its subdirectories

- a) -B
- b) -O
- c) -P
- d) -R

33. Which of these commands could you use to show one page of output at a time?

- a) less
- b) sed
- c) pause
- d) grep

34. Which of the following commands can be used to change default permissions for files and directories at the time of creation

- a) chmod
- b) chown
- c) umask
- d) chgrp

35. Which of the following is not a valid run-level

- a) S
- b) 0
- c) 8
- d) 1

36. On Linux, initrd is a file

- a) containing root file-system required during bootup
- b) Contains only scripts to be executed during bootup
- c) Contains root-file system and drivers required to be preloaded during bootup
- d) None of the above

37. Which is loaded into memory when system is booted?

- a) Kernel
- b) Shell
- c) Commands
- d) Script

38. A user creates a link to a file file1 using the following command “ln file1 file2”. Which of the following is not true?

- a) file1 and file2 have the same inode numbers
- b) The number of links for file1 is displayed as 1
- c) The number of links for file1 is displayed as 2
- d) The number of links for file2 is displayed as 2

39. Sticky bit can be set using following permission

- a) 0777
- b) 2666
- c) 4744
- d) 1711

40. nohup is used to

- a) automatically hang up the process after logout
- b) continue the process after logout
- c) create background process
- d) manually hang up the process after logout