

Status Finished**Started** Sunday, 12 January 2025, 6:00 PM**Completed** Sunday, 12 January 2025, 6:31 PM**Duration** 31 mins 58 secs**Marks** 33/40**Grade** 8 out of 10 (83%)**Question 1**

Correct

Mark 1 out of 1

In Metasploit, what does the term 'payload' refer to?

Select one:

- ☐ A. Malicious software installed on the target system
- ☒ B. A set of commands to control a compromised system ✔
- ☐ C. The data sent over a network during an attack
- ☐ D. A security feature that prevents exploitation

The correct answer is: A set of commands to control a compromised system

Question 2

Correct

Mark 1 out of 1

In the context of ethical hacking, what is the advantage of a reverse shell over a forward shell?

Select one:

- ☐ A. Reverse shells are faster in data transfer
- ☐ B. Forward shells are more secure
- ☒ C. Reverse shells bypass firewalls more easily ✔
- ☐ D. Forward shells provide better anonymity

The correct answer is: Reverse shells bypass firewalls more easily

Question 3

Correct

Mark 1 out of 1

What does a hash value represent in the context of static malware analysis?

Select one:

- ☐ A. The size of the malware file
- ☒ B. A unique identifier for the malware based on its content ✓
- ☐ C. The date and time of malware creation
- ☐ D. The location where the malware was first identified

The correct answer is: A unique identifier for the malware based on its content

Question 4

Correct

Mark 1 out of 1

What does static malware analysis primarily involve?

Select one:

- ☐ A. Executing malware in a controlled environment
- ☐ B. Analyzing the behavior of malware in real-time
- ☒ C. Examining the code and structure of malware without execution ✓
- ☐ D. Creating malware signatures based on network traffic

The correct answer is: Examining the code and structure of malware without execution

Question 5

Incorrect

Mark 0 out of 1

What does the term "SSID" stand for in the context of wireless networks?

Select one:

- ☐ A. Secure Server Identifier
- ☐ B. Service Set Identifier
- ☐ C. Signal Strength Indicator
- ☒ D. Secure Socket ID ✗

The correct answer is: Service Set Identifier

Question 6

Correct

Mark 1 out of 1

What information can be gathered from the header of a malware file during static analysis?

Select one:

- ☐ A. The malware's network communication patterns
- ☒ B. The file's size and type ✓
- ☐ C. The malware's behavior in a controlled environment
- ☐ D. The hash value of the malware sample

The correct answer is: The file's size and type

Question 7

Correct

Mark 1 out of 1

What is a common method to analyze network traffic for signs of malware communication?

Select one:

- ☐ A. Port scanning
- ☐ B. Wi-Fi sniffing
- ☒ C. Packet capture and analysis ✓
- ☐ D. Browser history analysis

The correct answer is: Packet capture and analysis

Question 8

Correct

Mark 1 out of 1

What is a forward shell in the context of ethical hacking?

Select one:

- ☐ A. A shell that moves data packets from source to destination
- ☒ B. A shell that allows an attacker to connect to a victim's machine ✓
- ☐ C. A shell that only works in a specific geographical location
- ☐ D. A shell used for encrypting sensitive information

The correct answer is: A shell that allows an attacker to connect to a victim's machine

Question 9

Correct

Mark 1 out of 1

What is Metasploit?

Select one:

- ☐ A. A hardware device for network monitoring
- ☒ B. An open-source penetration testing framework ✓
- ☐ C. A cryptographic algorithm for data encryption
- ☐ D. A web application firewall

The correct answer is: An open-source penetration testing framework

Question 10

Incorrect

Mark 0 out of 1

What is the Metasploit 'Meterpreter'?

Select one:

- ☐ A. A network scanner
- ☒ B. A payload delivery module ✗
- ☐ C. A command-line interface for Metasploit
- ☐ D. An advanced, extensible payload

The correct answer is: An advanced, extensible payload

Question 11

Correct

Mark 1 out of 1

What is the primary goal of malware analysis in ethical hacking?

Select one:

- ☐ A. To create new malware
- ☒ B. To identify and understand malicious software ✓
- ☐ C. To exploit vulnerabilities in software
- ☐ D. To initiate denial-of-service attacks

The correct answer is: To identify and understand malicious software

Question 12

Correct

Mark 1 out of 1

What is the primary objective of code review in malware analysis?

Select one:

- ☐ A. Analyzing malware behavior in real-time
- ☒ B. Identifying vulnerabilities in software ✓
- ☐ C. Creating malware signatures
- ☐ D. Detecting malware based on network traffic

The correct answer is: Identifying vulnerabilities in software

Question 13

Correct

Mark 1 out of 1

What is the primary purpose of a wireless access point (WAP) in a network?

Select one:

- ☐ A. To block unauthorized devices
- ☒ B. To connect wired and wireless networks ✓
- ☐ C. To encrypt data transmission
- ☐ D. To restrict network traffic

The correct answer is: To connect wired and wireless networks

Question 14

Correct

Mark 1 out of 1

What is the primary purpose of using a reverse shell in ethical hacking?

Select one:

- ☒ A. To initiate a connection from the attacker's machine to the victim's machine ✓
- ☐ B. To hide the attacker's identity
- ☐ C. To encrypt all communication between the attacker and the victim
- ☐ D. To automatically fix vulnerabilities on the victim's machine

The correct answer is: To initiate a connection from the attacker's machine to the victim's machine

Question 15

Correct

Mark 1 out of 1

What is the primary purpose of Wireless Intrusion Detection Systems (WIDS)?

Select one:

- ☐ A. To generate Wi-Fi passwords
- ☒ B. To detect and prevent unauthorized access to wireless networks ✓
- ☐ C. To improve wireless network speed
- ☐ D. To encrypt wireless communication

The correct answer is: To detect and prevent unauthorized access to wireless networks

Question 16

Incorrect

Mark 0 out of 1

What is the purpose of a Rogue Access Point in wireless security?

Select one:

- ☐ A. To enhance network performance
- ☒ B. To extend Wi-Fi coverage ✗
- ☐ C. To provide unauthorized access to the network
- ☐ D. To secure network communication

The correct answer is: To provide unauthorized access to the network

Question 17

Correct

Mark 1 out of 1

What is the purpose of dynamic analysis in malware analysis?

Select one:

- ☐ A. Identifying malware by examining its source code
- ☒ B. Analyzing the behavior of malware in a controlled environment ✓
- ☐ C. Reverse engineering malware to create antivirus signatures
- ☐ D. Classifying malware based on its characteristics

The correct answer is: Analyzing the behavior of malware in a controlled environment

Question 18

Correct

Mark 1 out of 1

What is the purpose of Metasploit's 'exploit' module?

Select one:

- ☐ A. To identify vulnerabilities in a system
- ☒ B. To execute an attack on a target system ✓
- ☐ C. To generate fake network traffic
- ☐ D. To encrypt communication between systems

The correct answer is: To execute an attack on a target system

Question 19

Correct

Mark 1 out of 1

What is the purpose of Metasploit's 'msfconsole' in ethical hacking?

Select one:

- ☐ A. To analyze network traffic
- ☐ B. To create phishing emails
- ☒ C. To manage and execute exploits ✓
- ☐ D. To perform DNS spoofing

The correct answer is: To manage and execute exploits

Question 20

Correct

Mark 1 out of 1

What is the purpose of Metasploit's 'msfvenom' tool?

Select one:

- ☒ A. To generate and encode payloads ✓
- ☐ B. To analyze network traffic
- ☐ C. To perform vulnerability scanning
- ☐ D. To automate phishing attacks

The correct answer is: To generate and encode payloads

Question 21

Correct

Mark 1 out of 1

In "White-box Testing," what information is available to the ethical hacker?

Select one:

- ☐ A. No information about the system
- ☐ B. Partial knowledge of the system internals
- ☒ C. Full knowledge of the system internals ✓
- ☐ D. Only knowledge about the network topology

The correct answer is: Full knowledge of the system internals

Question 22

Correct

Mark 1 out of 1

What distinguishes a "Compliance Audit" from other types of audits in ethical hacking?

Select one:

- ☐ A. It focuses on assessing the system's security controls.
- ☐ B. It is conducted by external ethical hacking teams.
- ☒ C. It evaluates adherence to legal and regulatory standards. ✓
- ☐ D. It primarily examines network vulnerabilities.

The correct answer is: It evaluates adherence to legal and regulatory standards.

Question 23

Correct

Mark 1 out of 1

What does "Gray-box Testing" involve in ethical hacking?

Select one:

- ☒ A. Combining both Black-box and White-box testing techniques ✓
- ☐ B. Testing only during twilight hours
- ☐ C. Using gray-colored tools for testing
- ☐ D. Focusing on physical security only

The correct answer is: Combining both Black-box and White-box testing techniques

Question 24

Correct

Mark 1 out of 1

What is Recon-ng primarily used for in ethical hacking?

Select one:

- ☐ A. Exploiting network vulnerabilities
- ☒ B. Conducting reconnaissance and information gathering ✓
- ☐ C. Decrypting encrypted passwords
- ☐ D. Launching DDoS attacks

The correct answer is: Conducting reconnaissance and information gathering

Question 25

Correct

Mark 1 out of 1

What is the primary goal of identifying the target of evaluation in ethical hacking?

Select one:

- ☐ A. To select the most popular software
- ☒ B. To focus efforts on specific systems or assets ✓
- ☐ C. To gather information about competitors
- ☐ D. To target all available networks simultaneously

The correct answer is: To focus efforts on specific systems or assets

Question 26

Correct

Mark 1 out of 1

Taking control of Admin functionality and Misusing sensitive data that they are unauthorized to access is:

Select one:

- ☒ A. Broken access control ✓
- ☐ B. XSS
- ☐ C. SQL injection
- ☐ D. ARP spoofing

The correct answer is: Broken access control

Question 27

Correct

Mark 1 out of 1

The intent of a _____ is to overkill the targeted server's bandwidth and other resources of the target website.

Select one:

- ☐ A. Phishing attack
- ☒ B. DOS attack ✓
- ☐ C. MITM attack
- ☐ D. Website attack

The correct answer is: DOS attack

Question 28

Correct

Mark 1 out of 1

The process of professionally or ethically hacking a message is called

Select one:

- ☐ A. Encryption
- ☐ B. Decryption
- ☐ C. Cryptography
- ☒ D. Penetration Testing ✓

The correct answer is: Penetration Testing

Question 29

Correct

Mark 1 out of 1

This attack can be deployed by infusing a malicious code in a website's comment section. What is "this" attack referred to here?

Select one:

- ☐ A. HTML Injection
- ☒ B. Cross Site Scripting (XSS) ✓
- ☐ C. Cross Site Request Forgery (XSRF)
- ☐ D. SQL injection

The correct answer is: Cross Site Scripting (XSS)

Question 30

Incorrect

Mark 0 out of 1

Understanding that multifactor authentication (MFA) is a best practice, which option should be avoided as a secondary authentication factor in MFA whenever possible?.

Select one:

- ☐ A. biometric authentication
- ☐ B. SMS message
- ☐ C. authenticator apps
- ☒ D. OAUTH Token ❌

The correct answer is: SMS message

Question 31

Incorrect

Mark 0 out of 1

Under which of the following Android is licensed?

Select one:

- ☐ A. Sourceforge
- ☐ B. Apache/MIT
- ☐ C. OSS
- ☒ D. IEEE ❌

The correct answer is: Apache/MIT

Question 32

Correct

Mark 1 out of 1

What is social engineering?

Select one:

- ☐ A. Using force to gain access to the information you need
- ☒ B. Using manipulation to deceive people that you are someone you are not to gain access to the information you need ✅
- ☐ C. Hacking either telecommunication or wireless networks to gain access to the information you need
- ☐ D. Using force to gain all the information available.

The correct answer is: Using manipulation to deceive people that you are someone you are not to gain access to the information you need

Question 33

Incorrect

Mark 0 out of 1

What is the most common cause of cyber incidents in organisations?

Select one:

- ☒ A. Vulnerabilities in software 
- ☐ B. Phishing
- ☐ C. Social Engineering
- ☐ D. Ransom ware

The correct answer is: Social Engineering

Question 34

Correct

Mark 1 out of 1

When a hacker attempts to attack a host via the Internet it is known as what type of attack?

Select one:

- ☐ A. Local access
- ☒ B. Remote attack 
- ☐ C. Physical access
- ☐ D. Internal attack

The correct answer is: Remote attack

Question 35

Incorrect

Mark 0 out of 1

When does static application security testing require access to source code?

Select one:

- ☐ A. never
- ☐ B. always
- ☒ C. only when assessing regulatory compliance 
- ☐ D. only if following the Agile model

The correct answer is: always

Question 36

Correct

Mark 1 out of 1

Which category includes XSS in OWASP Top 10 2021?

Select one:

- ☐ A. Broken Access Control
- ☐ B. Insecure Design
- ☐ C. Software and Data Integrity Failure
- ☒ D. Injection ✓

The correct answer is: Injection

Question 37

Correct

Mark 1 out of 1

Which malware changes an operating system and conceals its tracks?

Select one:

- ☐ A. Trojan horse
- ☐ B. virus
- ☐ C. worm
- ☒ D. rootkit ✓

The correct answer is: rootkit

Question 38

Correct

Mark 1 out of 1

Which of the following is not a type of application layer DoS?

Select one:

- ☐ A. HTTP flooding
- ☐ B. Slowloris
- ☒ C. TCP flooding ✓
- ☐ D. DNS query flooding

The correct answer is: TCP flooding

Question 39

Correct

Mark 1 out of 1

Which type of attack targets vulnerabilities associated with translating MAC addresses into IP addresses in computer networking?

Select one:

- ☐ A. CRL trapping
- ☐ B. DNS poisoning
- ☐ C. DDoS
- ☒ D. ARP spoofing ✓

The correct answer is: ARP spoofing

Question 40

Correct

Mark 1 out of 1

You are researching probable threats to your company's internet-facing web applications. Which organization should you reference as an authoritative source for information on web-based attack vectors?

Select one:

- ☐ A. EC-Council
- ☐ B. ISACA
- ☐ C. NIST
- ☒ D. OWASP ✓

The correct answer is: OWASP