

MOCK-CCEE-FCN (page 21 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=20&mdiscrollto=116.80000305175781

 **SUNBEAM**
Empowering new ideas. Accelerating new markets.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

FCN MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

MOCK-CCEE-FCN

Back

Time left 0:44:09 Hide

Question 21

Correct

Mark 1 out of 1

Flag question

Which statement(s) about IPv4 and IPv6 addresses are true?

1. An IPv6 address is 32 bits long, represented in hexadecimal

2. An IPv6 address is 128 bits long, represented in decimal

3. An IPv4 address is 32 bits long, represented in decimal

4. An IPv6 address is 128 bits long, represented in hexadecimal

☐ A. 1 and 3 only

☐ B. 2 only

☒ C. 3 and 4

☐ D. 2 and 4

The correct answer is:

3 and 4

Previous page

Next page

?

Type here to search



22°C Haze

11:08

23-11-2024

MOCK-CCEE-FCN (page 22 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=21&mdlscrollto=192

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

FCN MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

Question 22

Incorrect

Mark 0 out of 1

Flag question

Time left 0:43:06

Hide

Network 206.143.5.0 was assigned to the Acme Company to connect to its ISP. The administrator of Acme would like to configure one router with the commands to access the Internet. Which commands could be configured on the Gateway router to allow Internet access to the entire network?

1. Gateway(config)# ip route 0.0.0.0 0.0.0.0 206.143.5.2
2. Gateway(config)# router rip
3. Gateway(config-router)# network 206.143.5.0
4. Gateway(config-router)# network 206.143.5.0 default

☐ A. 1 only

☐ B. 3 only

☒ C. 1, 2 and 4

☐ D. 1 and 4

The correct answer is:

1 only

Previous page

Next page

Type here to search



India Forex Reserves...

11:09

23-11-2024

MOCK-CCEE-FCN (page 23 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=22&mdlscrollto=41.599998474121094

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

FCN MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

 **MOCK-CCEE-FCN**

Back

Question 23
Incorrect
Mark 0 out of 1
 Flag question

Time left 0:42:32

Hide

IANA stands for _____

☐ A. Internet Assigned Numbers Authority

☒ B. Internal Assigned Numbers Authority

☐ C. Internet Associative Numbers Authoritative

☐ D. Internal Associative Numbers Authority

The correct answer is:

Internet Assigned Numbers Authority

Previous page

Next page

Type here to search



India Forex Reserves...

11:09

23-11-2024

MOCK-CCEE-FCN (page 24 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=23&mdiscrollto=19.200000762939453

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

FCN MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

 **MOCK-CCEE-FCN**

Back

Question 24

Correct

Mark 1 out of 1

 Flag question

Time left 0:41:49

Hide

What command is used to stop RIP routing updates from exiting out an interface but still allow the interface to receive RIP route updates?

- ☐ A. `Router(config-if)# no routing`
- ☐ B. `Router(config-if)# passive-interface`
- ☒ C. `Router(config-router)# passive-interface s0` 
- ☐ D. `Router(config-router)# no routing updates`

The correct answer is:

`Router(config-router)# passive-interface s0`

Previous page

Next page



Type here to search



Air: Poor

11:10

23-11-2024

ENG

MOCK-CCEE-FCN (page 25 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=24&mdiscrollto=235.1999969482422

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

FCN MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

Question 25

Incorrect

Mark 0 out of 1

Flag question

Time left 0:40:58

Hide

The Corporate router receives an IP packet with a source IP address of 192.168.214.20 and a destination address of 192.168.22.3. Looking at the output from the Corporate router, what will the router do with this packet?

```
Corp#sh ip route
[output cut]
R 192.168.215.0 [120/2] via 192.168.20.2, 00:00:23, Serial0/0
R 192.168.115.0 [120/1] via 192.168.20.2, 00:00:23, Serial0/0
R 192.168.30.0 [120/1] via 192.168.20.2, 00:00:23, Serial0/0
C 192.168.20.0 is directly connected, Serial0/0
C 192.168.214.0 is directly connected, FastEthernet0/0
```

☐ A. The packet will be discarded.

☐ B. The packet will be routed out the S0/0 interface.

☒ C. The router will broadcast looking for the destination

☐ D. The packet will be routed out the Fa0/0 interface.

The correct answer is:

The packet will be discarded.

?

Type here to search



Air: Poor

11:11

23-11-2024

MOCK-CCEE-FCN (page 26 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=25&mdlscrollto=19.200000762939453

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

COSA-Linux MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

 **MOCK-CCEE-FCN**

Back

Time left 0:39:50 Hide

Question 26
Incorrect
Mark 0 out of 1
 Flag question

If your routing table has a static, a RIP, and an IGRP route to the same network, which route will be used to route packets by default?

- ☐ A. Any available route
- ☐ B. RIP route
- ☐ C. Static route
- ☒ D. IGRP route

The correct answer is:
Static route

Previous page

Next page

?

Type here to search



Watchlist ideas

11:12 23-11-2024

MOCK-CCEE-FCN (page 27 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=26&mdscrollto=148

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

FCN MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

Back

Question 27

Incorrect

Mark 0 out of 1

Flag question

Time left 0:38:02

Hide

Which of the following statements are true regarding the command `ip route 172.16.4.0 255.255.255.0 192.168.4.2`?

1. The command is used to establish a static route.

2. The default administrative distance is used.

3. The command is used to configure the default route.

4. The subnet mask for the source address is 255.255.255.0.

☐ A. 1 and 2

☐ B. 2 and 4

☐ C. 3 and 4

☒ D. All of the above

The correct answer is:

1 and 2

Previous page

Next page

?

Type here to search



22°C Haze

11:14

23-11-2024

MOCK-CCEE-FCN (page 28 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=27&mdiscrollto=105.5999984741211

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

FCN MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

Back

Question 28

Correct

Mark 1 out of 1

Flag question

Which of the following describe router functions?

☐ A. Packet switching

☐ B. Packet filtering

☐ C. Internetwork communication

☐ D. Path selection

☒ E. All of the above ✓

The correct answer is:

All of the above

Time left 0:37:27

Hide

Previous page

Next page

Type here to search



22°C Haze

11:14

23-11-2024

MOCK-CCEE-FCN (page 29 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=28&mdscrollto=0

 **SUNBEAM**
Empowering new ideas. Accelerating new markets.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

 **MOCK-CCEE-FCN**

Back

Question 29

Correct

Mark 1 out of 1

 Flag question

What are the decimal and hexadecimal equivalents for the binary number 70110111?

☐ A. 69/0x2102

☐ B. 183/B7 

☐ C. 173/A6

☐ D. 83/0xC5

The correct answer is:

183/B7

Time left 0:35:49

Hide

Previous page

Next page



Type here to search



22°C Haze

11:16

23-11-2024

ENG

MOCK-CCEE-FCN (page 30 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=29&mdiscrollto=198.39999389648438

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

FCN MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

Time left 0:34:33

Hide

Question 30

Incorrect

Mark 0 out of 1

Flag question

How does a host on an Ethernet LAN know when to transmit after a collision has occurred?

1. In a CSMA/CD collision domain, multiple stations can successfully transmit data simultaneously.
2. In a CSMA/CD collision domain, stations must wait until the media is not in use before transmitting.
3. You can improve the CSMA/CD network by adding more hubs.
4. After a collision, the station that detected the collision has first priority to resend the lost data.
5. After a collision, all stations run a random backoff algorithm. When the backoff delay period has expired, station can attempt to transmit data.

☐ A. 1 and 3

☒ B. 2 and 4

☐ C. 1,3 and 4

☐ D. 2 and 5

The correct answer is:

2 and 5

Previous page

Next page

Type here to search



22°C Haze

11:17

23-11-2024

MOCK-CCEE-FCN (page 31 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=30&mdlscrollto=216.8000030517578

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

FCN MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

Question 31

Correct

Mark 1 out of 1

Flag question

Time left 0:32:59

Hide

You type *show running-config* and get this output:

```
[output cut]

Line console 0

  Exec-timeout 1 35

  Password BIXPASSWD

  Login

[output cut]
```

What do the two numbers following the exec-timeout command mean?

- ☐ A. If no command has been typed in 35 seconds, the console connection will be closed.
- ☐ B. If no router activity has been detected in 1 hour and 35 minutes, the console will be locked out.
- ☒ C. If no commands have been typed in 1 minute and 35 seconds, the console connection will be closed.
- ☐ D. If you're connected to the router by a Telnet connection, input must be detected within 1 minute and 35 seconds or the connection will be closed.

The correct answer is:

If no commands have been typed in 1 minute and 35 seconds, the console connection will be closed

Type here to search



22°C Haze 11:19 23-11-2024

MOCK-CCEE-FCN (page 32 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=31&mdlscrollto=0



HomeDashboardMy courses

2

1

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

FCN MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

MOCK-CCEE-FCN

Back

Time left 0:32:15

Hide

Question 32

Incorrect

Mark 0 out of 1

Flag question

The configuration register setting of 0x2102 provides what function to a router?

☒ A. Tells the router to boot into ROM monitor mode

☐ B. Provides password recovery

☐ C. Tells the router for normal boot sequence

☐ D. Boots the IOS from a TFTP server

The correct answer is:

Tells the router for normal boot sequence

Previous page

Next page

?

Type here to search



22°C Haze

11:20

23-11-2024

ENG

MOCK-CCEE-FCN (page 33 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=32&mdlscrollto=0



Home Dashboard My courses

2

1

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

MOCK-CCEE-FCN

Back

Time left 0:31:24

Hide

Question 33

Correct

Mark 1 out of 1

Flag question

Which command would you place on interface connected to the Internet?

☐ A. *ip nat inside*

☒ B. *ip nat outside* ✓

☐ C. *ip outside global*

☐ D. *ip inside local*

The correct answer is:

ip nat outside

Type here to search

22°C Haze

11:20 23-11-2024

MOCK-CCEE-FCN (page 34 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=33&mdlscrollto=0



HomeDashboardMy courses

2

1

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

MOCK-CCEE-FCN

Back

Question 34

Incorrect

Mark 0 out of 1

Flag question

Time left 0:30:50

Hide

Which of the following does not lie in the Application Layer of the TCP/IP Model?

☒ A. HTTP

☐ B. SMTP

☐ C. RTP

☐ D. UDP

The correct answer is:

UDP

Previous page

Next page

?

Type here to search



22°C Haze

11:21

23-11-2024

ENG

MOCK-CCEE-FCN (page 35 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=34&mdlscrollto=0



Home Dashboard My courses

2

1

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

MOCK-CCEE-FCN

Back

Time left 0:30:16

Hide

Question 35

Incorrect

Mark 0 out of 1

Flag question

Which of the following term is used for the source IP of host before network address translation?

☐ A. Inside local

☒ B. Outside local

☐ C. Inside global

☐ D. Outside global

The correct answer is:

Inside local

Previous page

Next page

?

Type here to search



22°C Haze

11:22

23-11-2024

ENG

MOCK-CCEE-FCN (page 36 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=35&mdlscrollto=19.200000762939453



Home Dashboard My courses

2

1

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

FCN MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

MOCK-CCEE-FCN

Back

Time left 0:28:57 Hide

Question 36

Incorrect

Mark 0 out of 1

Flag question

You have an IP address of 172.16.13.5 with a 255.255.255.128 subnet mask. What is your class of address, subnet address, and broadcast address?

- A. Class A, Subnet 172.16.13.0, Broadcast address 172.16.13.127
- B. Class B, Subnet 172.16.13.0, Broadcast address 172.16.13.127
- C. Class B, Subnet 172.16.13.0, Broadcast address 172.16.13.255
- D. Class B, Subnet 172.16.0.0, Broadcast address 172.16.255.255**

The correct answer is:

Class B, Subnet 172.16.13.0, Broadcast address 172.16.13.127

Previous page

Next page

?

Type here to search



22°C Haze

11:23

23-11-2024

ENG

MOCK-CCEE-FCN (page 37 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=36&mdscrollto=0



HomeDashboardMy courses

2

1

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

MOCK-CCEE-FCN

Back

Time left 0:28:05

Hide

Question 37

Incorrect

Mark 0 out of 1

Flag question

The combination of _____ and _____ is often termed the local address of the local portion of the IP address.

☒ A. Network number and host number

☐ B. Network number and subnet number

☐ C. Subnet number and host number

☐ D. Host number

The correct answer is:

Subnet number and host number

Previous page

Next page

?

Type here to search



22°C Haze

11:24

23-11-2024

ENG

MOCK-CCEE-FCN (page 38 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=37&mdiscrollto=19.200000762939453

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

COSA-Linux MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

 **MOCK-CCEE-FCN**

Back

Question 38
Correct
Mark 1 out of 1


Time left 0:26:35

Hide

_____ is a collective term for a number of Ethernet Standards that carry traffic at the nominal rate of 100 Mbit/s against the original Ethernet speed of 10 Mbit/s.

- ☐ A. Ethernet
- ☒ B. Fast Ethernet 
- ☐ C. Gigabit Ethernet
- ☐ D. Gigabyte Ethernet

The correct answer is:
Fast Ethernet

Previous page

Next page



Type here to search



 22°C Haze  11:25 23-11-2024

MOCK-CCEE-FCN (page 39 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=38&mdlscrollto=56.79999923706055



Home Dashboard My courses

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

MOCK-CCEE-FCN

Back

Question 39

Incorrect

Mark 0 out of 1

Flag question

Time left 0:24:13

Hide

State whether true or false.

i) A connection oriented protocol can only use unicast addresses.

ii) The any cast concept is included in IPV6.

☐ A. True, True

☒ B. True, False

☐ C. False, True

☐ D. False, False

The correct answer is:

True, True

Previous page

Next page

?

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

FCN MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

Type here to search

Air: Poor

11:28

23-11-2024

MOCK-CCEE-FCN (page 40 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=39&mdiscrollto=420



Home Dashboard My courses

2

1

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

FCN MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

Question 40

Correct


Mark 1 out of 1

Flag question

Time left 0:22:48

Hide

A network administrator is connecting hosts A and B directly through their Ethernet interfaces, as shown in the illustration. Ping attempts between the hosts are unsuccessful. What can be done to provide connectivity between the hosts?



i. A crossover cable should be used in place of the straight-through cable.

ii. A rollover cable should be used in place of the straight-through cable.

iii. The subnet masks should be set to 255.255.255.192.

iv. A default gateway needs to be set on each host.

v. The subnet masks should be set to 255.255.255.0.

☐ A. i only

☐ B. ii only

☐ C. iii and iv only

☒ D. i and v only

Type here to search



Watchlist ideas

11:29 23-11-2024

MOCK-CCEE-FCN (page 1 of 40)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&mdlsrollto=175.1999969482422

 **SUNBEAM**
Empowering new ideas. Accelerating new markets.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

- FCN MCQ Allocation List
- COSA-Linux MCQ Allocation List

MOCK-CCEE

- MOCK-CCEE-FCN**
- MCQ Activity
 - 0824_DITISS_MCQ Database fo...
 - 0824_DITISS_MCQ Database fo...
- 0824 - LAB EXAM
- 0824 - Module End Marks
 - Python - Programming Concep...
 - DITISS-0824-COSA-Module-En...

Question 1
Incorrect
Mark 0 out of 1
[Flag question](#)

Transmission data rate is decided by _____

Time left 0:59:12

Hide

☐ A. network layer

☐ B. physical layer

☒ C. data link layer

☐ D. transport layer

The correct answer is:

physical layer

[Next page](#)

Type here to search



Morning news

10:53

23-11-2024

MOCK-CCEE-FCN (page 2 of 40)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=1&mdlscrollto=88

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

COSA-Linux MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

 **MOCK-CCEE-FCN**

Back

Time left 0:58:06 Hide

Question 2

Incorrect

Mark 0 out of 1

Flag question

What is route poisoning?

- A. It sends back the protocol received from a router as a poison pill, which stops the regular updates. The use of variable length subnet masks is permitted
- B. It is information received from a router that can't be sent back to the originating router. RIPv2 supports classless routing
- C. It prevents regular update messages from reinstating a route that has just come up
- D. It describes when a router sets the metric for a downed link to infinity(16hops for RIP)

The correct answer is:
It describes when a router sets the metric for a downed link to infinity(16hops for RIP)

Previous page

Next page

?

Type here to search



 20°C Haze  10:54 23-11-2024

MOCK-CCEE-FCN (page 3 of 40)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=2&mdlscrollto=0



HomeDashboardMy courses

2

1

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

MOCK-CCEE-FCN

Back

Question 3

Correct

Mark 1 out of 1

Flag question

In OSI model, when data is sent from device A to device B, the 5th layer to receive data at B is _____

☐ A. Application layer

☐ B. Transport layer

☐ C. Link layer

☒ D. Session layer

The correct answer is:
Session layer.

Time left 0:56:46

Hide

Previous page

Next page

Type here to search



20°C Haze

10:55

23-11-2024

MOCK-CCEE-FCN (page 4 of 40)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=3&mdlscrollto=0

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

 **MOCK-CCEE-FCN**

Back

Question 4

Incorrect

Mark 0 out of 1

 Flag question

Time left 0:56:03

Hide

Which of the following statements can be associated with OSI model?

☐ A. A structured way to discuss communication and easier to update systems in network communication

☐ B. One layer may duplicate lower layer functionality

☐ C. Functionality at one layer can be associated to information from another layer

☒ D. It is an application specific network model

The correct answer is:

A structured way to discuss communication and easier to update systems in network communication

Previous page

Next page

Type here to search



20°C Haze

10:56

23-11-2024

MOCK-CCEE-FCN (page 5 of 40)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=4&mdlscrollto=0

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

 **MOCK-CCEE-FCN**

Back

Question 5

Incorrect

Mark 0 out of 1

 Flag question

Time left 0:55:24

Hide

What does administrative distance rank?

☐ A. Metrics

☐ B. Sources of routing information

☐ C. Router reliability

☒ D. Best paths

The correct answer is:

Sources of routing information

Previous page

Next page

Type here to search



20°C Haze

10:56

23-11-2024

ENG

MOCK-CCEE-FCN (page 6 of 40)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=5&mdlscrollto=0

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

 **MOCK-CCEE-FCN**

Back

Time left 0:54:38 Hide

Question 6
Correct
Mark 1 out of 1


Which command is used to determine if an IP access list is enabled on a particular interface?

- A. `show access-lists`
- B. `show interface`
- C. `show ip interface` ✓
- D. `show interface access-lists`

The correct answer is:
`show ip interface`

Previous page

Next page

?

Type here to search



 20°C Haze  10:57 23-11-2024

MOCK-CCEE-FCN (page 7 of 40)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=6&mdlscrollto=0

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

 **MOCK-CCEE-FCN**

Back

Question 7

Correct

Mark 1 out of 1

Flag question

Time left 0:54:01

Hide

Which routing protocol has a maximum network diameter (hop count) of 15?

☐ A. RIPv1

☐ B. RIPv2

☐ C. EIGRP

☒ D. Both RIPv1 and RIPv2 

The correct answer is:
Both RIPv1 and RIPv2

Previous page

Next page

?

Type here to search



 20°C Haze  ENG 10:58 23-11-2024

MOCK-CCEE-FCN (page 8 of 40)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=7&mdlscrollto=64



Home Dashboard My courses

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

MOCK-CCEE-FCN

Back

Time left 0:52:54

Hide

Question 8

Incorrect

Mark 0 out of 1

Flag question

Two connected routers are configured with RIP routing. What will be the result when a router receives a routing update that contains a higher-cost path to a network already in its routing table?

- ☒ A. The updated information will be added to the existing routing table Debug IP rip
- ☐ B. The update will be ignored and no further action will occur
- ☐ C. The updated information will replace the existing routing table entry
- ☐ D. The existing routing table entry will be deleted from the routing table and all routers will exchange routing updates to reach convergence

The correct answer is:

The update will be ignored and no further action will occur

Previous page

Next page

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

FCN MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

Type here to search

20°C Haze

10:59

23-11-2024

MOCK-CCEE-FCN (page 9 of 40)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=8&mdlscrollto=0

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

FCN MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

 **MOCK-CCEE-FCN**

Back

Question 9

Incorrect

Mark 0 out of 1

Flag question

Time left 0:52:16

Hide

Which statement is true regarding classless routing protocol?

☐ A. The use of discontinuous networks is not allowed

☐ B. Use of variable length subnet masks is permitted

☒ C. RIPv1 is a classless routing protocol

☐ D. IGRP supports classes routing within the same autonomous system

The correct answer is:

Use of variable length subnet masks is permitted

Previous page

Next page

?

Type here to search



20°C Haze

11:00

23-11-2024

ENG

MOCK-CCEE-FCN (page 10 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=9&mdlscrollto=0

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

FCN MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

 **MOCK-CCEE-FCN**

Back

Question 10

Correct

Mark 1 out of 1

 Flag question

The DHCP server _____

☐ A. maintains a database of available IP addresses

☐ B. maintains the information about client configuration parameters

☐ C. grants a IP address when receives a request from a client

☒ D. all of the mentioned

The correct answer is:

all of the mentioned

Time left 0:51:52

Hide

Previous page

Next page



Type here to search



20°C Haze

11:00

23-11-2024

ENG

MOCK-CCEE-FCN (page 11 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=10&mdlscrollto=0



Home Dashboard My courses

2

1

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

MOCK-CCEE-FCN

Back

Time left 0:51:31

Hide

Question 11

Correct

Mark 1 out of 1

Flag question

DNS uses port _____ for sending data to the server.

☐ A. 66

☒ B. 53

☐ C. 68

☐ D. 69

The correct answer is:

53

Previous page

Next page

?

Type here to search



20°C Haze

11:00

23-11-2024

ENG

MOCK-CCEE-FCN (page 12 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=11&mdlscrollto=56.79999923706055



Home Dashboard My courses

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

MOCK-CCEE-FCN

Back

Question 12

Correct

Mark 1 out of 1

Flag question

Time left 0:51:05

Hide

Which layer provides the services to user?

☒ A. application layer ✓

☐ B. session layer

☐ C. presentation layer

☐ D. the design of the Internet for international profile sheets Internet space model hey does not lie in application layer physical layer

The correct answer is:

application layer

Previous page

Next page

?

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

FCN MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

Type here to search

20°C Haze

11:01

23-11-2024

MOCK-CCEE-FCN (page 13 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=12&mdlscrollto=0

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

 **MOCK-CCEE-FCN**

Back

Question 13

Incorrect

Mark 0 out of 1

 Flag question

EIGRP sends a hello message after every _____ seconds.

☐ A. 5 seconds (LAN), 60 seconds (WAN)

☐ B. 5 seconds (LAN), 5 seconds (WAN)

☒ C. 15s 

☐ D. 180s

The correct answer is:

5 seconds (LAN), 60 seconds (WAN)

Time left 0:50:39

Hide

Previous page

Next page



Type here to search



20°C Haze

11:01

23-11-2024

ENG

MOCK-CCEE-FCN (page 14 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=13&mdlscrollto=0

 **SUNBEAM**
Empowering new ideas. Accelerating new markets.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

 **MOCK-CCEE-FCN**

Back

Question 14

Incorrect

Mark 0 out of 1

Flag question

Time left 0:49:57

Hide

Which OSPF show command describes a list of OSPF adjacencies with other routers?

☐ A. Show ip ospf interface

☐ B. Show ip ospf

☒ C. Show ip route

☐ D. Show ip ospf neighbor

The correct answer is:

Show ip ospf neighbor

Previous page

Next page

?

Type here to search



20°C Haze

11:02

23-11-2024

ENG

MOCK-CCEE-FCN (page 15 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=14&mdlscrollto=0



Home Dashboard My courses

2

1

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

FCN MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

MOCK-CCEE-FCN

Back

Time left 0:48:59

Hide

Question 15

Incorrect

Mark 0 out of 1

Flag question

Which of the following is not a type of OSPF packet?

☐ A. Hello

☒ B. Database description

☐ C. Link-state response

☐ D. Link-state ACK

The correct answer is:

Link-state response

Previous page

Next page

?

Type here to search



20°C Haze

11:03

23-11-2024

ENG

MOCK-CCEE-FCN (page 16 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=15&mdlscrollto=0

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

COSA-Linux MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

 **MOCK-CCEE-FCN**

Back

Question 16

Correct

Mark 1 out of 1

Flag question

Time left 0:48:05

Hide

Which protocol reduces administrative overhead in a switched network by allowing the configuration of a new VLAN to be distributed to all the switches in a domain?

☐ A. STP

☒ B. VTP 

☐ C. DHCP

☐ D. ISL

The correct answer is:

VTP

Previous page

Next page

?

Type here to search



20°C Haze

11:04

23-11-2024

ENG

MOCK-CCEE-FCN (page 17 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=16&mdlscrollto=0

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

 **MOCK-CCEE-FCN**

Back

Question 17

Incorrect

Mark 0 out of 1

Flag question

Time left 0:47:39

Hide

Which of the following commands sets a trunk port on a 2960 switch?

☐ A. `trunk on`

☐ B. `trunk all`

☒ C. `switchport trunk on`

☐ D. `switchport mode trunk`

The correct answer is:

`switchport mode trunk`

Previous page

Next page

?

Type here to search



20°C Haze

11:04

23-11-2024

ENG

MOCK-CCEE-FCN (page 18 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=17&mdlscrollto=0

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

 **MOCK-CCEE-FCN**

Back

Time left 0:47:16

Hide

Question 18

Incorrect

Mark 0 out of 1

 Flag question

Which switching technology reduces the size of a broadcast domain?

☐ A. ISL

☒ B. 802.1Q

☐ C. VLANs

☐ D. STP

The correct answer is:
VLANs

Previous page

Next page



Type here to search



20°C Haze

11:05

23-11-2024

ENG

MOCK-CCEE-FCN (page 19 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=18&mdiscrollto=147.1999969482422

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

FCN MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

Back

Question 19

Incorrect

Mark 0 out of 1

Flag question

Time left 0:45:57

Hide

Which of the following would be good reasons to run NAT?

1. You need to connect to the Internet and your hosts don't have globally unique IP addresses.

2. You change to a new ISP that requires you to renumber your network.

3. You don't want any hosts connecting to the Internet.

4. You require two intranets with duplicate addresses to merge.

☐ A. 1, 2 and 4

☐ B. 2 and 4

☐ C. 3 only

☒ D. All of the above

The correct answer is:

1, 2 and 4

Previous page

Next page

?

Type here to search



20°C Haze

11:06

23-11-2024

ENG

MOCK-CCEE-FCN (page 20 of 4)

sunbeam.moodlecloud.com/mod/quiz/attempt.php?attempt=54617&cmid=1926&page=19&mdiscrollto=12

 **SUNBEAM**
Empowering new ideas. Accelerating new progress.

Home Dashboard My courses

Click here to Enter your Project...

Fundamentals of Computer ...

Internal Exams

MCQ Topic Allocation

COSIA-Linux MCQ Allocation List

COSA-Linux MCQ Allocation List

MOCK-CCEE

MOCK-CCEE-FCN

MCQ Activity

0824_DITISS_MCQ Database fo...

0824_DITISS_MCQ Database fo...

0824 - LAB EXAM

0824 - Module End Marks

Python - Programming Concep...

DITISS-0824-COSA-Module-En...

0824-PG-DITISS / MOCK-CCEE / MOCK-CCEE-FCN

 **MOCK-CCEE-FCN**

Back

Question 20

Correct

Mark 1 out of 1

 Flag question

Time left 0:44:53

Hide

Which of the following would be a good starting point for troubleshooting if your router is not translating?

- ☐ A. Reboot
- ☐ B. Call Cisco
- ☒ C. Check your interfaces for the correct configuration. ☺
- ☐ D. Run the *debug all* command

The correct answer is:

Check your interfaces for the correct configuration.

Previous page

Next page



Type here to search



 22°C Haze



ENG 11:07 23-11-2024