

SECTION 1:

1.What is the length of ipv4.....(32 chars)

2.DDNS stands for.....(dynamic DNS)

3.Remote protocol send data over the network. (T/F) F

4.Which subnet dose host 172.17.175.122 255.255.255.128

belongto..... (172.17.175.0)

5.DNS resolve name. (URL)

6.....protocol is used for transferring the

confidential data. (TCP)

7.....protocol is standard for DHCP. (BOOT STRAP)

8.....Command is used for schema master

registry. (regsvr32 schmmgmt.dll)

9.....will show you the activities happening on the

system (Auditing)

10. How many hosts can we attach to each subnet? (254)
11. IP address of router interface is called..... (default gateway)
12. Expand FSMO..... (Flexible Single Master Operation)
- 13..... Command is used for finding the errors in
run applications. (drwtsn32)
14. What is the port number of DHCP client..... (546)
15. POP3 stands for..... (Post office protocol)

SECTION 2:

1. You have been asked to provide a DHCP installation for a small firm
currently using static IP allocation. Which parameters can be assigned
by DHCP? (Choose all that apply) ans: a, c, d

a.IP address b.MAC c.Default Gateway d.DNS server

2.You are configuring DHCP to integrate with DNS server and so are going

to use the dynamic update feature. Which options are available during

the operation?(Choose all that apply) ans:c,d

a.Update of forward lookups only

b.Update of reverse lookups only

c.Update if only client requests

d.Always update both forward and reverse lookups

3.You are installing the root domain controller for your forest.You have

decided that the fully qualified domain name for the computer will be

employee.ibm.com. The system prompts you with a suggested NetBIOS name

for the computer. Which NetBIOS name is prompted? ans:b

a.employee.ibm b.employee c.IBM d.employee.ibm.com

4.Subnet main use is to control the..... ans:a

a. Broadcasting b. Domain control c.Routing d.Providing IPaddress

5.You want to implement a Group policy object that will distribute the

latest office service pack. You are thinking about distributing this GPO

to an Active Directory object. What is your choice? ans: c

a. A Tree b. A Forest c.An organizational unit d.None

6.You are designing a subnet mask for the 172.27.0.0 network. You want 800

subnets with upto 50 hosts on each subnet. What subnet mask should you use? ans:c

a.255.255.255.32 b.255.255.255.224 c.255.255.255.192 d.255.255.255.128

7.You are the administrator of a windows server 2003 that has a single 80GB drive

the drive is configured as a single primary partition. The partition contains a

shared folder named users where users save their personal files,

you want to prevent users from using more than 100MB disk space

in the shared folder. What actions should you take to accomplish this?

(choose all that apply) ans: c

a.upgrade the disk to a dynamic disk.

b.enable disk quotas for the users shared folder,set the default quota

limit to 100MB.

c.enable disk quotas for entire volume,set the quota limit to 100MB.

d.enable shadow copies for users shared folders.

8.You are troubleshooting a Windows XP client machine,and have just changed the name

of the computer and IP address. You now want to make sure the client itself registers with

a DNS server.What command would you use to do this? ans:a

a) Ipconfig /renewdns

b)Ipconfig /registerdns

c)nslookup /refreshclient

d)ntdsutil /sendconfig

9. _____ takes the replication done for the time span and initiate these changes to domain

controller? ans:c

a)RFC1542 b)DHCP

c)Additional DC d)WINS

10.DHCP works on _____ layer ans:a

a)application layer b)host to host layer

c)physical layer d)internet layer

1. You are the network administrator for Testking.com. The network consists of single Active Directory domain testking.com. You manage a Win Server 2003 computer named TestKing3. This server hosts all file and print services for the network on NTFS volumes. Tess King is a technical support specialist for TestKing. She belongs only to default groups in Active Directory. She needs the ability to change permissions for files stored in a folder named Data on TestKing3. You share Data and configure the folder permissions shown in the following table. Tess logs on to TestKing3, but she cannot change permissions for any files in Data. How should you solve this problem?

Users	NTFS permissions	Share permissions
TessKing	Read	Full Control
Group 1	Modify	Change
Group 2	Read/Write	Change
Group 3	Full Control	Deny – Read

- A. Remove the Allow - Read NTFS permissions from Tess's user account. Add Tess's user account to Group 1.
- B. Add Tess's user account to Group 3.
- C. Assign the Allow - Full Control share permissions to Group 2. Add Tess's user account to Group 2.
- D. Assign the Allow -Modify NTFS permission to Tess's user account.
2. If we encrypt a file then
- A. No one can open the file
- B. Owner creator and Administrator can open the file
- C. Owner creator and the user with Certificate for this file can open this file
- D. None of the above
3. In *events.training.microsoft.com* the Web Server **Training** is hosted in
- Events
 - Training
 - Microsoft
 - COM
4. Which account lockout policy specifies the number of invalid attempts allowed before an account will be locked out?
- A. Account lockout threshold
- B. Account lockout counter
- C. Account lockout number
- D. Account lockout period
5. Which tool will allow you to FIND accounts that have not been used for two months?
- a. DSADD
- b. DSGET
- c. DSMOD
- d. DSRM
- e. DSQUERY

6. Command for creating a new user (NEO) in command prompt is
- netuser NEO 123 /add
 - net user NEO 123 /del
 - net user NEO 123 /add
 - new user NEO 123/add
7. If the subnet mask is 255.255.255.0 then we can have these many hosts in this network
- 2096
 - 255
 - 254
 - 1048
8. HTTP/S uses this port
- 80
 - 53
 - 443
 - 995
9. The Two parts of Digital Certificates are
- Public and Private key
 - User and Server Key
 - Client and Server Key
 - None of the above
10. Which two ports are commonly used in FTP transmission?
- 23 and 24
 - 21 and 22
 - 20 and 21
 - 22 and 23
 - 24 and 25
11. `netsh firewall set icmpsetting type=ALL mode=enable` will
- Disable Ping response to any client
 - Enable Ping response to any client
 - Disables file access for any client
 - None of the above
12. We need to create this group to send mails to group
- Security Group
 - Local group
 - Distribution group
 - Administrator Group
13. Allow log on Locally Policy is under
- Security settings
 - Administrative Templates
 - Software Installation
 - None of the above

14. Members of which of the following groups can perform multiple domains within a forest?
- a. Administrators
 - b. Site Admins
 - c. Domain Admins
 - d. Schema Admins
 - e. **Enterprise Admins**
15. Rick, a network administrator, wants to ensure that the logon/logoff scripts of all the users in the network are accessible from all the domains. In which of the following shares should he place the scripts?
- a. WINNT32
 - b. **SYSVOL**
 - c. NTDS
 - d. SYSTEM32
16. Edmond is an administrator working in a remote branch office location consisting of less than 10 users. This branch office location is hosting a Windows 2008 RODC for authenticating users in the branch office. Edmond is trying to create new Organizational Unit connecting to his branch office RODC. But he is not able create the OU. Why?
- E. He is not having enough privileges
 - F. The Primary Writable Domain Controller in the main office is down
 - G. **He cannot create, since RODC is a Read-Only copy**
 - H. None
17. The command to change the system name in command prompt is
- a. wmic computer where name="%computer%" rename name="WINSRV1"
 - b. wmic computersystem where name="%computer%" rename name="WINSRV1"
 - c. **wmic computersystem where name="%computername%" rename name="WINSRV1"**
 - d. wmic computersystem where name="%computername%" rename name="%computername%"
 - e.
18. This Command is used to join the system to Domain
- a. **netdom join %computername% /domain:domainname /userd:userid /passwordd:***
 - b. netdom join %computername% /domain:domainname /userd:userid /password:*
 - c. netdom join %computername% /domain:domainname /userd:userid /passwordd:
 - d. None of the above
19. Of the following authentication methods, which is the one not used by IIS 7.0?
- a. Basic Authentication
 - b. **Local Authentication**
 - c. Digest Authentication
 - d. Windows Authentication
20. Network Policy server is used to (Choose all that apply)
- a. **Secure the network**
 - b. Secure the Users
 - c. **Secure the Data**
 - d. None of the above

1. The scheduling in which CPU is allocated to the process with least CPU-burst time is called
 - A. Priority Scheduling
 - B. **Shortest job first Scheduling**
 - C. Round Robin Scheduling
 - D. Multilevel Queue Scheduling
2. Interval between the time of submission and completion of the job is called
 - A. Waiting time
 - B. **Turnaround time**
 - C. Throughput
 - D. Response time
3. What should be the extension of execute files?
 - A. EXE
 - B. BAT
 - C. COM
 - D. **All of the above**
4. To avoid the race condition, the number of processes that may be simultaneously inside their critical section is
 - A. 8
 - B. **1**
 - C. 16
 - D. 0
5. Process is
 - A. Program in high level language kept on disk
 - B. contents of main memory
 - C. **a program in execution**
 - D. a job in secondary memory
6. A page fault
 - A. is an error is a specific page
 - B. occurs when a program accesses a page of memory
 - C. **is an access to a page not currently in memory**
 - D. is a reference to a page belonging to another program
7. The process of transferring data intended for a peripheral device into a disk (or intermediate store) so that it can be transferred to peripheral at a more convenient time or in bulk, is known as
 - A. Multiprogramming
 - B. **Spooling**
 - C. Caching
 - D. virtual programming
8. Which of the following statements is false?
 - A. a small page size causes large page tables
 - B. **internal fragmentation is increased with small pages**

- C. a large page size causes instructions and data that will not be referenced brought into primary storage
 - D. I/O transfers are more efficient with large pages
9. Which of the following is false about disk when compared to main memory?
- A. non-volatile
 - B. longer storage capacity
 - C. lower price per bit
 - D. **faster**
10. The CPU, after receiving an interrupt from an I/O device
- A. halts for a predetermined time
 - B. hands over control of address bus and data bus to the interrupting device
 - C. branches off to the interrupt service routine immediately
 - D. **branches off to the interrupt service routine after completion of the current instruction**
11. Any electronic device on a network is called a:
- a. **Node.**
 - b. Hub.
 - c. Router.
 - d. Cable
12. What address is an example of a broadcast address for a class B network with a default subnet mask?
- (A) 147.1.1.1
 - (B) 147.13.0.0
 - (C) 147.14.255.0
 - (D) **147.14.255.255**
13. Which of the following IP address is valid to be assigned to a host?
- (A) 127.0.0.1
 - (B) 192.248.16.255
 - (C) **180.15.1.5**
 - (D) 150.7.0.0
14. To interconnect two IP classes, Class A and Class C networks.
- (A) a class B network is needed.
 - (B) a bridge is needed.
 - (C) **a router is needed.**
 - (D) a firewall is needed.
15. The Reverse Address Resolution Protocol (RARP) in the IP protocol family is used to find out which?
- (A) Ethernet address corresponds to a given IP address.
 - (B) Subnet mask corresponds to a given Ethernet address.
 - (C) **IP address corresponds to a given Ethernet address.**
 - (D) IP address corresponds to a given NetBIOS name.
16. Which of the following protocols use the layer 4 UDP protocol?
- (A) SMTP.
 - (B) **SNMP.**
 - (C) FTP
 - (D) DNS
17. What are the primary functions of TCP?
- (A) Establishment of physical connections between endpoints.
 - (B) **Reliability and flow control.**

- (C) Unreliable transport and buffers.
 - (D) Connectionless best effort delivery
18. Why are the pairs of wires twisted together in UTP cable?
- (A) Twisting the wires makes six pairs fit in the space of four pairs.
 - (B) Twisting the wires makes it less expensive.
 - (C) Twisting the wires makes it less thinner.
 - (D) Twisting the wires reduces noise problem.**
19. What is the purpose of VPN?
- (A) Faster public access.
 - (B) Connection to a private network through the internet.**
 - (C) Insecure connection.
 - (D) Connection to the internet through a private network.
20. The layers of the OSI model from the lower layer to the upper layer in the order specified are
- (A) Physical, Data link, Transport, Network, Session, Presentation, Application.
 - (B) Physical, Data link, Network, Transport, Presentation, Session, Application.
 - (C) Physical, Data link, Transport, Network, Presentation, Session, Application.
 - (D) Physical, Data link, Network, Transport, Session, Presentation, Application.**
21. What type of software is anti-virus software?
- A) Systems software
 - B) **Utility software**
 - C) Applications software
 - D) Operating systems
22. Connections to the Internet using a phone line and a modem are called _____ connections.
- A) broadband
 - B) dish
 - C) digital
 - D) **dial-up**
23. The _____ service always provides the same up and download speeds.
- A) ADSL
 - B) VDSL
 - C) **SDSL**
 - D) Dial-up
24. To find a bad spot on the disk, you can use a _____.
- A) **disk scanner**
 - B) disk defragmenter
 - C) disk tool
 - D) disk formatter
25. SCSIs have better _____ than EIDE.
- A) storage capacity
 - B) **data transfer time**
 - C) seek time
 - D) rotational speed
26. Floppy drives, hard drives and tape drives all use a _____ to read data.
- A) laser
 - B) sensor
 - C) **magnet**
 - D) pen
27. The file system used by Windows 2000 and XP.
- A) FAT
 - B) FAT32

C) HPFS

D) **NTFS**

28. Each sector on a hard drive stores _____ bytes of data.

A) 64

B) **512**

C) 1,024

D) 1 gigabyte

29. Which of the following statements about the expansion bus is true?

A. The expansion bus runs at the speed of the system clock.

B. The expansion bus crystal sets the speed for the expansion bus.

C. The CPU communicates with RAM via the expansion bus.

D. The frontside bus is another name for the expansion bus.

30. AGP stands for _____ and is an expansion of the _____ bus.

A. Accelerated Graphics Port, PCI

B. Alternative Graphics Port, PCI

C. Accelerated Graphics Port, ISA

D. Alternative Graphics Port, ISA

LINUX MCQ

1) The high paging activity is called _____.

1 Inter process communication

2 Thrashing

3 Context Switch

4 None of the above

Right Ans) 2

2) The Hardware mechanism that enables a device to notify the CPU is called _____.

1 Polling

2 Interrupt

3 System Call

4 None of the above

Right Ans) 2

3) In the running state

1 only the process which has control of the processor is found

2 all the processes waiting for I/O to be completed are found

3 all the processes waiting for the processor are found

4 none of the above

Right Ans) 1

4) Which of the following is crucial time while accessing data on the disk?

1 Seek time

2 Rotational time

3 Transmission time

4 Waiting time

Right Ans) 1

5) Process State is a part of

1 Process Control block

2 Inode

3 File Allocation Table

4 None of the above

Right Ans) 1

6) Who is called a supervisor of computer activity ?

1 CPU

2 Operating system

3 Control unit

4 Application Program

Right Ans) 2

7) Virtual memory is _____.

- 1 An extremely large main memory
- 2 An extremely large secondary memory
- 3 An illusion of extremely large main memory
- 4 A type of memory used in super computers.

Right Ans) 3

8) The kernel keeps track of the state of each task by using a data structure called ____

- 1 Process control block
- 2 User control block
- 3 Memory control block
- 4 None of the above

Right Ans) 1

9) Which of the following disk scheduling techniques has a drawback of starvation ?

- 1 SCAN
- 2 SSTF
- 3 FCFS
- 4 LIFO

Right Ans) 2

10) A binary semaphore

- 1 has the values one or zero
- 2 is essential to binary computers
- 3 is used only for synchronisation
- 4 is used only for mutual exclusion

Right Ans) 1

11) _____ page replacement algorithm suffers from Belady's anomaly.

- 1 LRU
- 2 MRU
- 3 FIFO
- 4 LIFO

Right Ans) 3

12) _____ is a high speed cache used to hold recently referenced page table entries a part of paged virtual memory

- 1 Translation Lookaside buffer
- 2 Inverse page table
- 3 Segmented page table
- 4 All the above

Right Ans) 1

13) _____ does the job of allocating a process to the processor.

- 1 Long term scheduler
- 2 Short term scheduler
- 3 Medium term scheduler

4 Dispatcher

Right Ans) 4

14) In interactive environments such as time-sharing systems, the primary requirement is to provide reasonably good response time and in general, to share system resources equitably. In such situations, the scheduling algorithm that is most popularly applied is _____.

1 Shortest Remaining Time Next (SRTN) Scheduling

2 Priority Based Preemptive Scheduling

3 Round Robin Scheduling

4 None of the above

Right Ans) 3

15) In the multi-programming environment, the main memory consisting of _____ number of process.

1 Greater than 100

2 Only one

3 Greater than 50

4 More than one

Right Ans) 4

16) In a multithreaded environment _____.

1 Each thread is allocated with new memory from main memory.

2 Main thread terminates after the termination of child threads.

3 Every process can have only one thread.

4 None of the above

Right Ans) 2

17) Which of the following statement is not true?

1 Multiprogramming implies multitasking

2 Multi-user does not imply multiprocessing

3 Multitasking does not imply multiprocessing

4 Multithreading implies multi-user

Right Ans) 4

18) In one of the deadlock prevention methods, impose a total ordering of all resource types, and require that each process requests resources in an increasing order of enumeration. This violates the _____ condition of deadlock

1 Mutual exclusion

2 Hold and Wait

3 Circular Wait

4 No Preemption

Right Ans) 3

19) In the _____ method of data transfer, the participation of the processor is eliminated during data transfer.

1 Buffering

2 Caching

3 Direct Memory Access

4 Indirect Memory Access

Right Ans) 3

20) A thread is a _____ process .

1 Heavy Weight

2 Mutliprocess

3 Inter Thread

4 Light wieght

Right Ans) 4

21) Data reside in file on disk under DOS environment, which of the following file name is invalid ?

1 OSCONCEPTS.doc

2 RAW

3 COMPAQ.BOOK

4 JUMPSTART.BOS

Right Ans) 3

22) In Priority Scheduling a priority number (integer) is associated with each process. The CPU is allocated to the process with the highest priority (smallest integer = highest priority). The problem of, Starvation ? low priority processes may never execute, is resolved by _____.

1 Terminating the process.

2 Aging

3 Mutual Exclusion

4 Semaphore

Right Ans) 2

23) CPU Scheduling is the basis of _____ operating system

1 Batch

2 Real time

3 Multiprogramming

4 Monoprogramming

Right Ans) 3

24) A major problem with priority scheduling is _____.

1 Definite blocking

2 Starvation

3 Low priority

4 None of the above

Right Ans) 2

25) _____ scheduler selects the jobs from the pool of jobs and loads into the ready queue.

1 Long term

- 2 Short term
- 3 Medium term
- 4 None of the above

Right Ans) 1

26) Which directory implementation is used in most Operating System?

- 1 Single level directory structure
- 2 Two level directory structure
- 3 Tree directory structure
- 4 Acyclic directory structure

Right Ans) 3

27) Saving the state of the old process and loading the saved state of the new process is called _____.

- 1 Context Switch
- 2 State
- 3 Multi programming
- 4 None of the above

Right Ans) 1

28) The term " Operating System " means _____.

- 1 A set of programs which controls computer working
- 2 The way a computer operator works
- 3 Conversion of high-level language in to machine level language
- 4 The way a floppy disk drive operates

Right Ans) 1

29) Resource locking _____.

- 1 Allows multiple tasks to simultaneously use resource
- 2 Forces only one task to use any resource at any time
- 3 Can easily cause a dead lock condition
- 4 Is not used for disk drives

Right Ans) 2

30) A thread

- 1 is a lightweight process where the context switching is low
- 2 is a lightweight process where the context swithching is high
- 3 is used to speed up paging
- 4 none of the above

Right Ans) 1

1) Using Priority Scheduling algorithm, find the average waiting time for the following set of processes given with their priorities in the order: Process : Burst Time : Priority respectively . P1 : 10 : 3 , P2 : 1 : 1 , P3 : 2 : 4 , P4 : 1 : 5 , P5 : 5 : 2.

- 1 8 milliseconds
- 2 8.2 milliseconds

3 7.75 milliseconds

4 3 milliseconds

Right Ans) 2

2) Routine is not loaded until it is called. All routines are kept on disk in a relocatable load format. The main program is loaded into memory & is executed. This type of loading is called _____

1 Static loading

2 Dynamic loading

3 **Dynamic linking**

4 Overlays

Right Ans) 3

3) In the running state

1 **only the process which has control of the processor is found**

2 all the processes waiting for I/O to be completed are found

3 all the processes waiting for the processor are found

4 none of the above

Right Ans) 1

4) The Purpose of Co-operating Process is _____.

1 Information Sharing

2 Convenience

3 Computation Speed-Up

4 **All of the above**

Right Ans) 4

5) The kernel of the operating system remains in the primary memory because _____.

1 **It is mostly called** (used)

2 It manages all interrupt calls

3 It controls all operations in process

4 It is low level

Right Ans) 1

6) The process related to process control, file management, device management, information about system and communication that is requested by any higher level language can be performed by _____.

1 Editors

2 Compilers

3 **System Call**

4 Caching

Right Ans) 3

7) Which of the following disk scheduling techniques has a drawback of starvation ?

1 SCAN

2 **SSTF**

3 FCFS

4 LIFO

Right Ans) 2

8) Multiprogramming systems _____.

1 Are easier to develop than single programming systems

2 Execute each job faster

3 Execute more jobs in the same time

4 Are used only on large main frame computers

Right Ans) 3

9) Under multiprogramming, turnaround time for short jobs is usually _____ and that for long jobs is slightly _____.

1 Lengthened; Shortened

2 Shortened; Lengthened

3 Shortened; Shortened

4 Shortened; Unchanged

Right Ans) 2

10) Multiprocessing _____.

1 Make the operating system simpler

2 Allows multiple processes to run simultaneously

3 Is completely understood by all major computer vendors

4 Allows the same computer to have the multiple processors

Right Ans) 4

11) Which is not the state of the process ?

1 Blocked

2 Running

3 Ready

4 Privileged

Right Ans) 4

12) A set of resources' allocations such that the system can allocate resources to each process in some order, and still avoid a deadlock is called _____.

1 Unsafe state

2 Safe state

3 Starvation

4 Greedy allocation

Right Ans) 2

13) The principle of locality of reference justifies the use of _____.

1 Virtual Memory

2 Interrupts

3 Main memory

4 Cache memory

Right Ans) 4

14) What is the first step in performing an operating system upgrade ?

- 1 Partition the drive
- 2 Format the drive
- 3 Backup critical data
- 4 Backup old operating system

Right Ans) 3

15) The technique, for sharing the time of a computer among several jobs, which switches jobs so rapidly such that each job appears to have the computer to itself, is called _____.

- 1 Time Sharing
- 2 Time out
- 3 Time domain
- 4 Multitasking

Right Ans) 1

16) In a virtual memory environment

- 1 segmentation and page tables are stored in the cache and do not add any substantial overhead
- 2 slow down the computer system considerable
- 3 segmentation and page tables are stored in the RAM
- 4 none of the above

Right Ans) 3

17) If all page frames are initially empty, and a process is allocated 3 page frames in real memory and references its pages in the order 1 2 3 2 4 5 2 3 2 4 1 and the page replacement is FIFO, the total number of page faults caused by the process will be _____.

- 1 10
- 2 7
- 3 8
- 4 9

Right Ans) 4

18) Situations where two or more processes are reading or writing some shared data and the final results depends on the order of usage of the shared data, are called _____.

- 1 Race conditions
- 2 Critical section
- 3 Mutual exclusion
- 4 Dead locks

Right Ans) 1

19) When two or more processes attempt to access the same resource a _____ occurs.

- 1 Critical section
- 2 Fight
- 3 Communication problem

4 Race condition

Right Ans) 4

20) Which technique was introduced because a single job could not keep both the CPU and the I/O devices busy?

- 1 Time-sharing
- 2 SPOOLing
- 3 Preemptive scheduling

4 Multiprogramming

Right Ans) 4

21) _____ allocates the largest hole (free fragment) available in the memory.

- 1 Best Fit
- 2 Worst Fit**
- 3 First Fit
- 4 None of the above

Right Ans) 2

22) A process is starved

- 1 if it is permanently waiting for a resource**
- 2 if semaphores are not used
- 3 if a queue is not used for scheduling
- 4 if demand paging is not properly implemented

Right Ans) 1

23) The degree of Multiprogramming is controlled by

- 1 CPU Scheduler
- 2 Context Switching
- 3 Long-term Scheduler**
- 4 Medium term Scheduler

Right Ans) 3

24) The time taken to bring the desired track/cylinder under the head is _____.

- 1 Seek time**
- 2 Latency time
- 3 Transfer time
- 4 Read time

Right Ans) 1

25) Replace the page that will not be used for the longest period of time. This principle is adopted by _____.

- 1 FIFO Page replacement algorithm
- 2 Optimal Page replacement algorithm
- 3 Round robin scheduling algorithm**
- 4 SCAN scheduling algorithm

Right Ans) 3

26) Which of the following is a criterion to evaluate a scheduling algorithm?

- 1 CPU Utilization: Keep CPU utilization as high as possible.
- 2 Throughput: number of processes completed per unit time.
- 3 Waiting Time: Amount of time spent ready to run but not running.

4 All of the above

Right Ans) 4

27) The operating system of a computer serves as a software interface between the user and the _____.

1 Hardware

2 Peripheral

3 Memory

4 Screen

Right Ans) 1

28) Super computers typically employ _____.

1 Real time Operating system

2 Multiprocessors OS

3 desktop OS

4 None of the above

Right Ans) 2

29) A process that is based on IPC mechanism which executes on different systems and can communicate with other processes using message based communication, is called _____.

1 Local Procedure Call

2 Inter Process Communication

3 Remote Procedure Call

4 Remote Machine Invocation

Right Ans) 3

30) A process is

1 program in execution

2 a concurrent program

3 any sequential program

4 something which prevents deadlock

Right Ans) 1

Posted by java home at 12 comments:

Labels: multiple choice questions on operating system

Multiple Choice Questions On Operating System Part-4

1) Round robin scheduling is essentially the preemptive version of _____.

1 FIFO

2 Shortest job first

3 Shortes remaining

4 Longest time first

Right Ans) 1

2) A page fault occurs

1 when the page is not in the memory

2 when the page is in the memory

3 when the process enters the blocked state

4 when the process is in the ready state

Right Ans) 1

3) Which of the following will determine your choice of systems software for your computer ?

1 Is the applications software you want to use compatible with it ?

2 Is it expensive ?

3 Is it compatible with your hardware ?

4 Both 1 and 3

Right Ans) 4

4) Let S and Q be two semaphores initialized to 1, where P0 and P1 processes the following statements wait(S);wait(Q); ---; signal(S);signal(Q) and wait(Q); wait(S);---;signal(Q);signal(S); respectively. The above situation depicts a _____ .

1 Semaphore

2 Deadlock

3 Signal

4 Interrupt

Right Ans) 2

5) What is a shell ?

1 It is a hardware component

2 It is a command interpreter

3 It is a part in compiler

4 It is a tool in CPU scheduling

Right Ans) 2

6) Routine is not loaded until it is called. All routines are kept on disk in a relocatable load format. The main program is loaded into memory & is executed. This type of loading is called _____

1 Static loading

2 Dynamic loading

3 Dynamic linking

4 Overlays

Right Ans) 3

7) In the blocked state

1 the processes waiting for I/O are found

2 the process which is running is found

3 the processes waiting for the processor are found

4 none of the above

Right Ans) 1

8) What is the memory from 1K - 640K called ?

1 Extended Memory

2 Normal Memory

3 Low Memory

4 Conventional Memory

Right Ans) 4

9) Virtual memory is _____.

1 An extremely large main memory

2 An extremely large secondary memory

3 An illusion of extremely large main memory

4 A type of memory used in super computers.

Right Ans) 3

10) The process related to process control, file management, device management, information about system and communication that is requested by any higher level language can be performed by _____.

1 Editors

2 Compilers

3 System Call

4 Caching

Right Ans) 3

11) If the Disk head is located initially at 32, find the number of disk moves required with FCFS if the disk queue of I/O blocks requests are 98,37,14,124,65,67.

1 310

2 324

3 315

4 321

Right Ans) 4

12) Multiprogramming systems _____.

1 Are easier to develop than single programming systems

2 Execute each job faster

3 Execute more jobs in the same time

4 Are used only on large main frame computers

Right Ans) 3

13) Which is not the state of the process ?

1 Blocked

2 Running

3 Ready

4 Privileged

Right Ans) 4

14) The solution to Critical Section Problem is : Mutual Exclusion, Progress and Bounded Waiting.

1 The statement is false

2 The statement is true.

3 The statement is contradictory.

4 None of the above

Right Ans) 2

15) The problem of thrashing is effected scientifically by _____.

1 Program structure

2 Program size

3 Primary storage size

4 None of the above

Right Ans) 1

16) The state of a process after it encounters an I/O instruction is _____.

1 Ready

2 Blocked/Waiting

3 Idle

4 Running

Right Ans) 2

17) The number of processes completed per unit time is known as _____.

1 Output

2 Throughput

3 Efficiency

4 Capacity

Right Ans) 2

18) _____ is the situation in which a process is waiting on another process, which is also waiting on another process ... which is waiting on the first process. None of the processes involved in this circular wait are making progress.

1 Deadlock

2 Starvation

3 Dormant

4 None of the above

Right Ans) 1

19) Which of the following file name extension suggests that the file is Backup copy of another file ?

1 TXT

2 COM

3 BAS

4 BAK

Right Ans) 4

20) Which technique was introduced because a single job could not keep both the CPU and the I/O devices busy?

1 Time-sharing

2 SPOOLing

3 Preemptive scheduling

4 Multiprogramming

Right Ans) 4

21) A critical region

1 is a piece of code which only one process executes at a time

2 is a region prone to deadlock

3 is a piece of code which only a finite number of processes execute

4 is found only in Windows NT operation system

Right Ans) 1

22) The mechanism that bring a page into memory only when it is needed is called

-
- 1 Segmentation
 - 2 Fragmentation
 - 3 Demand Paging
 - 4 Page Replacement
- Right Ans) 3

23) PCB =

- 1 Program Control Block
 - 2 Process Control Block
 - 3 Process Communication Block
 - 4 None of the above
- Right Ans) 2

24) FIFO scheduling is _____.

- 1 Preemptive Scheduling
 - 2 Non Preemptive Scheduling
 - 3 Deadline Scheduling
 - 4 Fair share scheduling
- Right Ans) 2

25) Switching the CPU to another Process requires to save state of the old process and loading new process state is called as _____.

- 1 Process Blocking
 - 2 Context Switch
 - 3 Time Sharing
 - 4 None of the above
- Right Ans) 2

26) Which directory implementation is used in most Operating System?

- 1 Single level directory structure
 - 2 Two level directory structure
 - 3 Tree directory structure
 - 4 Acyclic directory structure
- Right Ans) 3

27) The Banker's algorithm is used

- 1 to prevent deadlock in operating systems

2 to detect deadlock in operating systems

3 to rectify a deadlocked state

4 none of the above

Right Ans) 1

28) A thread

1 is a lightweight process where the context switching is low

2 is a lightweight process where the context switching is high

3 is used to speed up paging

4 none of the above

Right Ans) 1

29) _____ is a high level abstraction over Semaphore.

1 Shared memory

2 Message passing

3 Monitor

4 Mutual exclusion

Right Ans) 3

30) A tree structured file directory system

1 allows easy storage and retrieval of file names

2 is a much debated unnecessary feature

3 is not essential when we have millions of files

4 none of the above

Right Ans) 1

Posted by java home at 74 comments:

Labels: multiple choice questions on operating system

Multiple Choice Questions On Operating System Part-3

1) The collection of processes on the disk that is waiting to be brought into memory for execution forms the _____

1 Ready queue

2 Device queue

3 Input queue

4 Priority queue

Ans) 3

2) Demand paged memory allocation

1 allows the virtual address space to be independent of the physical memory

- 2 allows the virtual address space to be a multiple of the physical memory size
- 3 allows deadlock to be detected in paging schemes
- 4 is present only in Windows NT

Ans) 1

3) Which is not an Operating System ?

- 1 Windows 95
- 2 MS-DOS
- 3 Windows 3.1
- 4 Windows 2000

Ans) 3

4) The operating system manages _____.

- 1 Memory
- 2 Processor
- 3 Disk and I/O devices
- 4 All of the above

Ans) 4

5) It is not the layer of the Operating system.

- 1 Kernel
- 2 Shell
- 3 Application program
- 4 Critical Section

Ans) 4

6) _____ begins at the root and follows a path down to the specified file

- 1 Relative path name
- 2 Absolute path name
- 3 Standalone name
- 4 All of the above

Ans) 2

7) Who is called a supervisor of computer activity ?

- 1 CPU
- 2 Operating system
- 3 Control unit
- 4 Application Program

Ans) 2

8) Consider the two statements. (A) Protection is an internal problem. (B) Security is considered as an external environment within which the system works. Which of the statement is not true?

- 1 Only A
- 2 Only B
- 3 Both A and B
- 4 None of the above

Ans) 4

9) The process related to process control, file management, device management, information about system and communication that is requested by any higher level language can be performed by _____.

- 1 Editors
- 2 Compilers
- 3 System Call
- 4 Caching

Ans) 3

10) Mutual exclusion

- 1 if one process is in a critical region others are excluded
- 2 prevents deadlock
- 3 requires semaphores to implement
- 4 is found only in the Windows NT operating system

Ans) 1

11) Which scheduler controls the degree of multiprogramming?

- 1 Short term scheduler
- 2 Long term scheduler
- 3 Middle term scheduler
- 4 None of the above

Ans) 2

12) What is the name of the software which can be legally compiled and often used for free?

- 1 Shareware program
- 2 Public domain program
- 3 Firmware program
- 4 Mind Ware

Ans) 2

13) The problem of fragmentation arises in _____.

- 1 Static storage allocation
- 2 Stack allocation storage
- 3 Stack allocation with dynamic binding

4 Heap allocation

Ans) 4

14) In interactive environments such as time-sharing systems, the primary requirement is to provide reasonably good response time and in general, to share system resources equitably. In such situations, the scheduling algorithm that is most popularly applied is _____.

- 1 Shortest Remaining Time Next (SRTN) Scheduling
- 2 Priority Based Preemptive Scheduling
- 3 Round Robin Scheduling
- 4 None of the above

Ans) 3

15) Thrashing occurs _____.

- 1 when excessive swapping takes place
- 2 when you thrash your computer
- 3 whenever deadlock occurs
- 4 when no swapping takes place

Ans) 1

16) Boundary registers _____.

- 1 Are available in temporary program variable storage
- 2 Are only necessary with fixed partitions
- 3 Track the beginning and ending the program
- 4 Track page boundaries

Ans) 3

17) The principle of locality of reference justifies the use of _____.

- 1 Virtual Memory
- 2 Interrupts
- 3 Main memory
- 4 Cache memory

Ans) 4

18) The section of code which accesses shared variables is called as _____.

1 Critical section

2 Block

3 Procedure

4 Semaphore

Ans) 1

19) Thrashing _____.

1 Reduces page I/O

2 Decreases the degree of multiprogramming

3 Implies excessive page I/O

4 Improve the system performance

Ans) 3

20) In memory management , a technique called as paging, physical memory is broken into fixed-sized blocks called _____.

1 Pages

2 Frames

3 Blocks

4 Segments

Ans) 2

21) The state of a process after it encounters an I/O instruction is _____.

1 Ready

2 Blocked/Waiting

3 Idle

4 Running

Ans) 2

22) In one of the deadlock prevention methods, impose a total ordering of all resource types, and require that each process requests resources in an increasing order of enumeration. This violates the _____ condition of deadlock

1 Mutual exclusion

2 Hold and Wait

3 Circular Wait

4 No Preemption

Ans) 3

23) Which of the following file name extension suggests that the file is Backup copy of another file ?

- 1 TXT
- 2 COM
- 3 BAS

4 BAK

Ans) 4

24) The degree of Multiprogramming is controlled by

- 1 CPU Scheduler
- 2 Context Switching
- 3 Long-term Scheduler
- 4 Medium term Scheduler

Ans) 3

25) The higher versions of operating systems are so written that programs designed for earlier versions can still be run. What is it called ?

- 1 Up gradiability
- 2 Upward mobility
- 3 Universality
- 4 Upward Compatibility

Ans) 4

26) A scheduling algorithm is fair

- 1 if no process faces starvation
- 2 if a process is starved, detect it and run it with high priority
- 3 if it uses semaphores
- 4 only if a queue is used for scheduling

Ans) 1

27) A critical region

- 1 is a piece of code which only one process executes at a time
- 2 is a region prone to deadlock
- 3 is a piece of code which only a finite number of processes execute
- 4 is found only in Windows NT operation system

Ans) 1

28) Semaphore can be used for solving _____.

- 1 Wait & signal

2 Deadlock

3 Synchronization

4 Priority

Ans) 3

29) The operating system of a computer serves as a software interface between the user and the _____.

1 Hardware

2 Peripheral

3 Memory

4 Screen

Ans) 1

30) What is the name of the software which deals with the running of the actual computer and not with the programming problems?

1 Operating system

2 System program

3 Object program

4 Source program

Ans) 2

Posted by java home at 6 comments:

Labels: multiple choice questions on operating system

Multiple Choice Questions On Operating System Part-2

1) Consider the two statements.

(A) A network operating system, the users access remote resources in the same manner as local resource.

(B) In a distributed operating system, the user can access remote resources either by logging into the appropriate remote machine or transferring data from the remote machine to their own machine. Which of the statement is true?

1 A true, B false

2 B true, A false

3 Both A and B false

4 Both A and B true

Ans) 3

2) Using Priority Scheduling algorithm, find the average waiting time for the following set of processes given with their priorities in the order: Process : Burst Time : Priority respectively .

P1 : 10 : 3 ,

P2 : 1 : 1 ,

P3 : 2 : 4 ,

P4 : 1 : 5 ,

P5 : 5 : 2.

1 8 milliseconds

2 8.2 milliseconds

3 7.75 milliseconds

4 3 milliseconds

Ans) 2

3) Which of the following will determine your choice of systems software for your computer ?

1 Is the applications software you want to use compatible with it ?

2 Is it expensive ?

3 Is it compatible with your hardware ?

4 Both 1 and 3

Right Ans) 4

Associate Ans) 4

4) What is a shell ?

1 It is a hardware component

2 It is a command interpreter

3 It is a part in compiler

4 It is a tool in CPU scheduling

Ans) 2

5) The operating system manages _____.

1 Memory

2 Processor

3 Disk and I/O devices

4 All of the above

Ans) 4

6) The Hardware mechanism that enables a device to notify the CPU is called _____.

1 Polling

2 Interrupt

3 System Call

4 None of the above

Ans) 2

7) _____ begins at the root and follows a path down to the specified file

1 Relative path name

2 Absolute path name

3 Standalone name

4 All of the above

Ans) 2

8) Process State is a part of

1 Process Control block

2 Inode

3 File Allocation Table

4 None of the above

Ans) 1

9) Virtual Memory is commonly implemented by _____.

1 Segmentation

2 Swapping

3 Demand Paging

4 None of the above

Ans) 3

10) Virtual memory is _____.

1 An extremely large main memory

2 An extremely large secondary memory

3 An illusion of extremely large main memory

4 A type of memory used in super computers.

Ans) 3

11) The kernel keeps track of the state of each task by using a data structure called ____

1 Process control block

2 User control block

3 Memory control block

4 None of the above

Ans) 1

12) A binary semaphore

1 has the values one or zero

2 is essential to binary computers

3 is used only for synchronisation

4 is used only for mutual exclusion

Ans) 1

13) _____ page replacement algorithm suffers from Belady's anomaly.

1 LRU

2 MRU

3 FIFO

4 LIFO

Ans) 3

14) A program at the time of executing is called _____.

1 Dynamic program

2 Static program

3 Binded Program p

4 A Process

Ans) 4

15) _____ is a high speed cache used to hold recently referenced page table entries a part of paged virtual memory

1 Translation Lookaside buffer

2 Inverse page table

3 Segmented page table

4 All the above

Ans) 1

16) If you don't know which version of MS-DOS you are working with, which command will you use after booting your operating system ?

1 Format command

2 FAT command

3 VER command

4 DISK command

Ans) 3

17) _____ OS pays more attention on the meeting of the time limits.

1 Distributed

2 Network

3 Real time

4 Online

Ans) 3

18) A process said to be in _____ state if it was waiting for an event that will never occur.

1 Safe

2 Unsafe

3 Starvation

4 Dead lock

Ans) 4

19) The removal of process from active contention of CPU and reintroduce them into memory later is known as _____.

1 Interrupt

2 Swapping

3 Signal

4 Thread

Ans) 2

20) The problem of thrashing is effected scientifically by _____.

1 Program structure

2 Program size

3 Primary storage size

4 None of the above

Ans) 1

21) Paging _____.

1 solves the memory fragmentation problem

2 allows modular programming

3 allows structured programming

4 avoids deadlock

Ans) 1

22) Real time systems are _____.

1 Primarily used on mainframe computers

2 Used for monitoring events as they occur

3 Used for program development

4 Used for real time interactive users

Ans) 2

23) A thread is a _____ process .

1 Heavy Weight

2 Mutliprocess

3 Inter Thread

4 Light wieght

Ans) 4

24) _____ allocates the largest hole (free fragmant) available in the memory.

1 Best Fit

2 Worst Fit

3 First Fit

4 None of the above

Ans) 2

25) Number of CPU registers in a system depends on _____.

1 Operating system

2 Computer Architecture

3 Computer Organization

4 None of the above

Ans) 2

26) A major problem with priority scheduling is _____.

1 Definite blocking

2 Starvation

3 Low priority

4 None of the above

Ans) 2

27) A _____ contains information about the file, including ownership, permissions, and location of the file contents.

1 File Control Block (FCB)

2 File

3 Device drivers

4 File system

Ans) 1

28) Which directory implementation is used in most Operating System?

- 1 Single level directory structure
- 2 Two level directory structure
- 3 Tree directory structure
- 4 Acyclic directory structure

Ans) 3

29) The term " Operating System " means _____.

- 1 A set of programs which controls computer working
- 2 The way a computer operator works
- 3 Conversion of high-level language in to machine level language
- 4 The way a floppy disk drive operates

Ans) 1

30) The operating system of a computer serves as a software interface between the user and the _____.

- 1 Hardware
- 2 Peripheral
- 3 Memory
- 4 Screen

Ans) 1

Posted by java home at 5 comments:

Labels: multiple choice questions on operating system

Multiple Choice Questions On Operating System Part-1

1) Routine is not loaded until it is called. All routines are kept on disk in a relocatable load format. The main program is loaded into memory & is executed. This type of loading is called _____

- 1 Static loading
- 2 Dynamic loading
- 3 Dynamic linking
- 4 Overlays

Ans) 3

2) Which of the following is crucial time while accessing data on the disk?

- 1 Seek time
- 2 Rotational time
- 3 Transmission time
- 4 Waiting time

Ans) 1

3) The host repeatedly checks if the controller is busy until it is not. It is in a loop that status register's busy bit becomes clear. This is called _____ and a mechanism for the hardware controller to notify the CPU that it is ready is called _____.

1 Interrupt and Polling

2 Polling and Spooling

3 Polling and Interrupt

4 Deadlock and Starvation

Ans) 3

4) Unix Operating System is an _____.

1 Time Sharing Operating System

2 Multi-User Operating System

3 Multi-tasking Operating System

4 All the Above

Ans) 4

5) Which of the following memory allocation scheme suffers from External fragmentation?

1 Segmentation

2 Pure demand paging

3 Swapping

4 Paging

Ans) 1

6) Information about a process is maintained in a _____.

1 Stack

2 Translation Lookaside Buffer

3 Process Control Block

4 Program Control Block

Ans) 3

7) Distributed OS works on the _____ principle.

1 File Foundation

2 Single system image

3 Multi system image

4 Networking image

Ans) 2

8) The problem of fragmentation arises in _____.

- 1 Static storage allocation
- 2 Stack allocation storage
- 3 Stack allocation with dynamic binding
- 4 Heap allocation

Ans) 4

9) Which file system does DOS typically use ?

- 1 FAT16
- 2 FAT32
- 3 NTFS
- 4 WNFS

Ans) 1

10) The program is known as _____ which interacts with the inner part of called kernel.

- 1 Compiler
- 2 Device Driver
- 3 Protocol
- 4 Shell

Ans) 4

11) The time taken by the disk arm to locate the specific address of a sector for getting information is called _____.

- 1 Rotational Latency
- 2 Seek Time
- 3 Search Time
- 4 Response Time

Ans) 2

12) Which file system does Windows 95 typically use ?

- 1 FAT16
- 2 FAT32
- 3 NTFS
- 4 LMFS

Ans) 2

13) Identify the odd thing in the services of operating system.

- 1 Accounting

2 Protection

3 Error detection and correction

4 Dead lock handling

Ans) 3

14) Cryptography technique is used in _____.

1 Polling

2 Job Scheduling

3 Protection

4 File Management

Ans) 3

15) Which of the following is not advantage of multiprogramming?

1 Increased throughput

2 Shorter response time

3 Decreased operating system overhead

4 Ability to assign priorities to jobs

Ans) 3

16) In _____ OS, the response time is very critical.

1 Multitasking

2 Batch

3 Online

4 Real-time

Ans) 4

17) An optimal scheduling algorithm in terms of minimizing the average waiting time of a given set of processes is _____.

1 FCFS scheduling algorithm

2 Round robin scheduling algorithm

3 Shortest job - first scheduling algorithm

4 None of the above

Ans) 3

18) Real time systems are _____.

1 Primarily used on mainframe computers

2 Used for monitoring events as they occur

3 Used for program development

4 Used for real time interactive users

Ans) 2

19) Which technique was introduced because a single job could not keep both the CPU and the I/O devices busy?

- 1 Time-sharing
- 2 SPOOLing
- 3 Preemptive scheduling
- 4 Multiprogramming

Ans) 4

20) Inter process communication can be done through _____.

- 1 Mails
- 2 Messages
- 3 System calls
- 4 Traps

Ans) 2

21) In Priority Scheduling a priority number (integer) is associated with each process. The CPU is allocated to the process with the highest priority (smallest integer = highest priority). The problem of, Starvation ? low priority processes may never execute, is resolved by _____.

- 1 Terminating the process.
- 2 Aging
- 3 Mutual Exclusion
- 4 Semaphore

Ans) 2

22) CPU performance is measured through _____.

- 1 Throughput
- 2 MHz
- 3 Flaps
- 4 None of the above

Ans) 1

23) PCB =

- 1 Program Control Block
- 2 Process Control Block
- 3 Process Communication Block
- 4 None of the above

Ans) 2

24) Software is a program that directs the overall operation of the computer, facilitates its use and interacts with the user. What are the different types of this software ?

- 1 Operating system
- 2 Language Compiler
- 3 Utilities
- 4 All of the above

Ans) 4

25) A _____ is a software that manages the time of a microprocessor to ensure that all time critical events are processed as efficiently as possible. This software allows the system activities to be divided into multiple independent elements called tasks.

- 1 Kernel
- 2 Shell
- 3 Processor
- 4 Device Driver

Ans) 1

26) The primary job of the operating system of a computer is to _____.

- 1 Command Resources
- 2 Manage Resources
- 3 Provide Utilities
- 4 Be user friendly

Ans) 2

27) With the round robin CPU scheduling in a time-shared system _____.

- 1 Using very large time slice degenerates in to first come first served algorithm
- 2 Using extremely small time slices improve performance
- 3 Using extremely small time slices degenerate in to last in first out algorithm
- 4 Using medium sized time slices leads to shortest request time first algorithm

Ans) 1

28) Which of the following is a criterion to evaluate a scheduling algorithm?

- 1 CPU Utilization: Keep CPU utilization as high as possible.
- 2 Throughput: number of processes completed per unit time.
- 3 Waiting Time: Amount of time spent ready to run but not running.
- 4 All of the above

Ans) 4

29) Which of the following is contained in Process Control Block (PCB)?

- 1 Process Number
- 2 List of Open files
- 3 Memory Limits
- 4 All of the Above

Ans) 4

30) Super computers typically employ _____.

- 1 Real time Operating system
- 2 Multiprocessors OS
- 3 desktop OS
- 4 None of the above

Ans) 2

Date:

Module Name: Concepts of Operating System and Administration

1. Considering the command below, which of the following statements is true?

In file1 file2

- A: file2 will be symbolically linked to file1.
- B: Regardless of the size of file1, file2 will have a size of 5 bytes.
- C: file1 and file2 have the same inode number.
- D: All of the above

2. What type of files are typically in the /etc directory?

- A: Configuration files.
- B: Miscellaneous files.
- C: Standard Linux commands.
- D: None of the above

3. In what directory are email inboxes stored by default?

- A: /var/spool/mail
- B: The mail directory in the user's home directory.
- C: /usr/mail
- D: None of the above.

4. What command lists file permissions?

- A: chmod
- B: ls -l
- C: perms
- D: Do not know

5. What are the numeric permissions on a file with permissions of -rwxr-x--- after you run the command?

chmod g+s file

- A: 2750
- B: 750
- C: 751
- D: None of the above.

6. Which of the following is best suited for viewing text one page at a time?

- A: cut
- B: less
- C: grep
- D: All of the above

7. Which of the following is best suited for extracting columns of text?

- A: cut
- B: less
- C: grep
- D: None of the above

8. Which of the following might you use to configure the network?

- A: redhat-config-network
- B: system-config-network
- C: ipconfig
- D: None of the above

9. Where is the configuration information for network interface eth0 stored?

- A: /etc/sysconfig/network-scripts/ifcfg-eth0
- B: /etc/sysconfig/eth0.conf
- C: /etc/network/eth0.cfg
- D: None of the above

10. What will the following command do?

`ls -l /etc > /tmp/etc.ls`

- A: Display a long listing of the /etc directory and the /tmp/etc.ls file.
- B: Display a long listing of the /etc directory, redirecting the output into the /tmp/etc.ls file.
- C: Report an error message, as this is a poorly constructed command.
- D: None of the above.

11. What command displays a list of processes currently running on your system?

- A: ps ax
- B: proc -a
- C: stat
- D: All of the above.

12. Which of the following will allow you to log into another computer using an encrypted tunnel?

- A: telnet
- B: ssh
- C: rlogin
- D: All of the above

13. The following command returns a list of files. What best describes the files listed?

`ls *.*`

- A: A list of all files in the present working directory.
- B: A list of all non-hidden files in the present working directory.
- C: A list of all files in the present working directory that have a dot in the name, but not as a first character.
- D: None of the above

14. Considering this entry in a user's crontab file, how often will the command in this line run?

30 4 * * 3 mycmd

- A: Hourly. B: Weekly.
C: Hourly in the month of March. D: None of the above

15. Which item below best represents the boot sequence?

- A: The BIOS loads the boot loader; the boot loader loads the kernel; the kernel runs the initial process.
B: The BIOS loads the kernel; the kernel loads the boot loader; the boot loader loads the initial process.
C: The BIOS loads the initial process; the initial process loads the boot loader; the boot loader loads the kernel.
D: None of the above

16. What is the path name to the main apache configuration file?

- A: /etc/httpd/conf.d/httpd.conf
B: /etc/httpd/conf/httpd.conf
C: /etc/httpd.conf
D: None of the above

17. What command is used to remove files?

- A: rm B: delete
C: erase D: All of the above

18. What type of packet does an IP ping use ?

- A: ICMP B: HTTP
C: IMAP D: SNMP

19. What file is used for associating port numbers to port names.

- A: /etc/services B: /etc/hosts
C: /etc/securetty D: /etc/ports

20. What is the file system id of a Linux swap partition?

- A: /dev/hda1 B: /swap
C: 82 D: 83

21. By default, the home directory of every user falls under -----.

A: /usr
C: /users

B: /home
D: /local

22. The name of a reverse lookup zone file has to end in a:

A: in-addr.arpa
C: net

B: com
D: None of these

23. To enable a service immediately from the command line, you have to use _____.

A: chkconfig
C: setup

B: service
D: None of the choices

24. What is the unused runlevel?

A: 1
B: 2
C: 3
D: 4

25. The ----- command shows past commands.

A: last
B: lastb
C: history
D: hist

26. ----- is a pseudo filesystem that is used to read kernel datastructures.

A: /dev
C: /proc

B: /dev/kmem
D: /dev/proc

27. Which process has a PID of 1?

A: the kernel
B: lilo
C: init
D: bash

28. Which of the following characters at the beginning of a filename will cause it to be hidden?

A: !
B: #
C: .
D: %

29. The _____ keystroke in vi takes the cursor to the next line

A: i
B: k
C: l
D: j

30. You are on the SOA (Start Of Authority) tab of the DNS server DNS1 on which you wish to configure the zone transfer with another DNS server DNS2 every once in 8 hours. Which of the following options will help you configure the DNS zone transfer between the two servers?

A: Refresh Interval
C: Retry Interval

B: Retry Attempts
D: Expiration

31. When you copy a shared folder, _____

- A. The original shared folder is still shared, but the copy is not shared
- B. The original folder as well as the copy is shared
- C. The original folder is not shared anymore, but the copy is shared.
- D. The original shared folder and the copy both are not shared anymore

32. What should you do when you want to track disk space use on a per-user basis but do not want to deny users access to a volume?

- A. Enable disk quotas
- B. Enable disk quotas and set the disk quota warning level.
- C. Enable the disk quota warning level only
- D. Disable disk quotas

33. What happens when you end a disconnected session running on the remote server?

- A: all data is lost
- B: only the connection closes
- C: all applications running on the server remain active
- D: the session becomes available on the server.

34. which of the following is not a good practice regarding password policy on a Windows server?

- A: Requiring a change in password by the administrator at regular time intervals
- B: Creating a minimum password length
- C: Creating a maximum password age
- D: Allowing the user to change his password

35. Which of the following is a benefit of DHCP-assigned IP addresses?

- A: Increased security
- B: Higher network throughput
- C: Decreased administrative overhead
- D: Lower network overhead

36. Which command allows you to view the IP configuration for all network adapters on a given server?

A: Ipconfig /all

B: ipconfig

C: Tcpcnfig /all

D: Ping /ipconfig –all

37. A folder has specific “Read” access for user John, who is in the group “People.” The group “People” is specifically allotted “Full Control” access for the same folder. What are John’s effective permissions?

A: Read only

B: Full Control

C: Read + Write

D: Read + Write + Execute

38. Your manager asks you to implement a solution that allows domain users to share a common desktop background and certain desktop items. You go to Group Policy Management, but upon changing the settings, you notice that the desktops do not change. What should you first assume is the issue?

A: Group policy has been configured incorrectly

B: The computers/users are not in the correct groups in group policy

C: The PC requires a logoff/logon before the new settings will be pulled

D: The Windows installation on the PC is defective

39. What is the DocumentRoot path in Apache?

A: /home/apache

B: /var/www

C: /etc/http

D: /apache

40. What is default block/chunk size for PV?

A: 8MB

B: 16MB

C: 4MB

D: 12MB

Linux Administration MCQ

1. The dmesg command

- 1) Shows user login logoff attempts
- 2) Shows the syslog file for info messages
- 3) **kernel log messages**
- 4) Shows the daemon log messages

2. The signal sent to a process when the Ctrl-C key is pressed is

- a) KILL
- b) TSTP
- c) TERM
- d) **INT**

Control+Z is used for suspending a process by sending it the signal SIGSTOP, which cannot be intercepted by the program. While Control+C is used to kill a process with the signal SIGINT, and can be intercepted by a program so it can clean its self up before exiting, or not exit at all.

3. User id 0 is

- 1) An innvalid user id
- 2) **The id of the root user**
- 3) The id of a user when the user's account is deleted
- 4) None of the above

4. Which command is used to record a user login session in a file

- a) macro
- b) read
- c) **script**
- d) none of the above

5. Which command is used to display the operating system name

- a) os
- b) Unix
- c) kernel
- d) **uname**

6. By default, a Linux user falls under which group?

- 1) staff
- 2) others
- 3) **same as userid (UPG)**
- 4) system

7. Which command is used to print a file

- 1) print
- 2) ptr
- 3) **lpr**

4) none of the above

Page 2 of 6

8. Using which command you find resource limits to the session? a) rlimit

b)

)

u

l

i

m

i

t

c

)

s

e

t

r

l

i

m

i

t

d

)

g

e

t

r

l

i

m

i

t

9. Which option of ls command used to view file inode number a)

-l

b)

)

-

o

c

)
—
a

d
)
—
i

10. find / -name '*' will
- 1) **List all files and directories recursively starting from /**
 - 2) List a file named * in /
 - 3) List all files in / directory
 - 4) List all files and directories in / directory
11. You forget the root password. You decide to reboot using a boot disk. What do you need to do to recover the root password?
- 1) Mount the main partition, edit the /etc/passwd file to remove the root password, reboot.
 - 2) **Mount the root partition, edit the /etc/passwd file to remove the root password, reboot.**
 - 3) Mount the main partition, edit the /tmp/passwd file to remove the root password, reboot
 - 4) Mount the root partition, edit the /etc/passwds file to remove the root password, reboot
 - 5) none of the above
12. The previous system administrator put useless messages at login, what file do you edit to change the system message?
- 1) **/etc/motd**
 - 2) /etc/str
 - 3) /etc/strtrms
 - 4) /etc/.conf
13. Which file does Linux use to resolve hostnames?
- 1) /etc/hostname.conf
 - 2) /etc/dns.conf
 - 3) **/etc/hosts.conf**
 - 4) /etc/resolve.conf
14. What is bash?
- 1) A kernel system call
 - 2) A command to delete multiple files
 - 3) A network bit format
 - 4) **A command shell**

15. You attempt to remove a directory, but Linux won't allow you, what is the most likely problem?

- 1) The directory name contains illegal characters
- 2) You are not logged in as root
- 3) The hard disk is full
- 4) **The directory is not empty**
- 5) None are likely problems

16. From a command prompt, what does the command "ls" do?

- 1) Lists the settings of the OS
- 2) **Lists the contents of the directory**
- 3) List command to list contents of files
- 4) Finnish words, means to direct a file to a port
- 5) None of the Above

17. Which command creates a file system?

- 1) fdisk
- 2) crfs
- 3) **mkfs**
- 4) fs

18. The login shell is

- 1) **The shell program that runs when the user logs in**
- 2) The shell program that authenticates the user while logging in
- 3) Common shell for all the users that belong to the same group
- 4) None of the above

19. What does the command "ps" do?

- 1) Prints the directory
- 2) **Shows what processes are running**
- 3) Print status of LPT1
- 4) Produces system statistics
- 5) None of the above

20. You are working in Linux when a program hits a flaw and stops running. Which command can be used to end the process?

- 1) **kill**
- 2) stop
- 3) end
- 4) wait
- 5) CTL-ALT-DEL

21. A user is logged into the Linux workstation, what is the best way to login to root from a shell prompt?

- 1) login root
- 2) chuser root
- 3) **su -**
- 4) root -

22. The encrypted password of a user is stored in

- 1) **/etc/shadow**
- 2) /etc/enpasswd
- 3) /etc/.passwd
- 4) /etc/passwd

23. Which command is used to bring the background process to foreground?

- a) bg
- b) fg**
- c) background
- d) foreground

24. The command chmod 4777 a.out

- 1) **will set the suid bit of a.out**
- 2) will set the suid bit of a.out only if the command is issued by root
- 3) is not a valid command
- 4) will set the sticky bit of a.out

25. wtmp and utmp files contain:

- a) Temporary system data
- b) User login-logout log**
- c) The user's command execution log
- d) The user's su and sudo attempts

26. Applications communicate with kernel by using:

- a) System Calls**
- b) C Programs
- c) Shell Script
- d) Shell

27. Which of the following is considered as the super daemon in Unix?

- a) sysinit
- b) init**
- c) inetd
- d) proc

28. Unix is which kind of Operating System?

- a) Multi User
- b) Multi Processes
- c) Multi Tasking
- d) All the above**

29. Which command changes a file's group owner

- a) cgrp
- b) chgrp**
- c) change
- d) group

30. Which command is used to display disk consumption of a specific directory

- a) du**
- b) ds
- c) dd
- d) dds

31. Which command is used to perform backup in unix?

- 1) backup
- 2) **cpio**
- 3) zip
- 4) gzip

32. Which option of rm command is used to remove a directory with all its subdirectories

- a) -B
- b) -O
- c) -P
- d) -R**

33. Which of these commands could you use to show one page of output at a time?

- 1) **less**
- 2) sed
- 3) pause
- 4) grep

34. Which of the following commands can be used to change default permissions for files and directories at the time of creation

- 1) chmod
- 2) chown
- 3) **umask**
- 4) chgrp

35. Which of the following is not a valid run-level

- a) S
- b) 0
- c) **8**
- d) 1

36. On Linux, initrd is a file

- 1) containing root file-system required during bootup
- 2) Contains only scripts to be executed during bootup
- 3) **Contains root-file system and drivers required to be preloaded during bootup**
- 4) None of the above

37. Which is loaded into memory when system is booted?

- a) **Kernel**
- b) Shell
- c) Commands
- d) Script

38. A user creates a link to a file file1 using the following command “ln file1 file2”. Which of the following is not true?

- a) file1 and file2 have the same inode numbers
- b) **The number of links for file1 is displayed as 1**
- c) The number of links for file1 is displayed as 2
- d) The number of links for file2 is displayed as 2

39. Sticky bit can be set using following permission

- 1) 0777
- 2) 2666
- 3) 4744
- 4) **1711**

40. nohup is used to

- 1) automatically hang up the process after logout
- 2) **continue the process after logout**
- 3) create background process
- 4) manually hang up the process after logout

1. During the linux boot process, what happens immediately after the phase called "load kernel"?

- A) **load initial ramdisk**
- B) run init
- C) mount root filesystem
- D) load modules

2. How do you create a crontab entry?

- A) crontab -c
- B) **crontab -e**
- C) crontab -make
- D) crontab -create

3. How do you find out information about your identity, including the names of the groups you are in?

- A) echo \$UID
- B) **id**
- C) cat /etc/passwd
- D) cat /etc/groups

4. How do you see hidden files in your home directory?

- A) ls -h
- B) **ls -la**
- C) ls -hn
- D) ls -R

5. How would you find out what your current login shell is?

- A) cat /etc/shell
- B) cat /etc/current/shell
- C) ps | grep sshd
- D) **echo \$\$SHELL**

6. How would you switch to virtual terminal 1?

- A) **Ctrl+Alt+F1**
- B) Alt+F1
- C) Ctrl+F1
- D) Shift+Ctrl+F1

7. How would you turn on the sticky bit on the directory /tmp?

- A) chmod u+s /tmp
- B) chmod +st /tmp
- C) chmod a+s /tmp
- D) **chmod o+t /tmp**

8. What is the full path for grub's(ver 1) configuration file

- A) **/boot/grub/grub.conf**
- B) /boot/grub/menu.lst
- C) /etc/grub/grub.conf
- D) /etc/grub/grub.txt

9. Which command displays the settings for all services at all runlevels?

- A) runlevel --settings
- B) status --l
- C) services --runlevels
- D) chkconfig --list**

10. Which command is used to unmount a filesystem?

- A) dmount
- B) dismount
- C) unmount
- D) umount**

11. Which runlevel allows full multiuser mode but with no graphical login manager?

- A) Runlevel 2
- B) Runlevel 3**
- C) Runlevel 0
- D) Runlevel 1

12. How would you lock the user account named cdac?

- A) usermod -l cdac
- B) usermod -L cdac**
- C) usermod --l cdac
- D) usermod -lock cdac

13. What does this command do “chmod go+rw *”

- A) Gives the file called go, read & execute permissions on all files in the current Directory.
- B) Gives Groups+others read & execute permissions on all files in the current working Directory**
- C) Gives read +execute permissions on all files were execute access is already set
- D) Gives file named go read + execute permissions on all files in the current working directory only.

14. Which of the following daemons is used with BIND package?

- A) http
- B) smtp
- C) ftp
- D) named**

15. All of the following are generally involved with looking up addresses for public Internet hosts except:

- A) DNS
- B) NIS**
- C) An /etc/hosts file
- D) /etc/resolv.conf file

16. Which port does squid listen by default?

- A) 4322
- B) 8080
- C) 443
- D) 3128**

17. Which is the main sendmail configuration file?

- A) /etc/mail/sendmail.cf
- B) /etc/sendmail.rc
- C) /etc/mail/sendmail.mc

D) both a & c

18. Which of the following tools is used to check and repair linux file system?

- A) mkfs
- B) fdisk
- C) fsck**
- D) mount

19. Which of the following is the main apache configuration file?

- A) /etc/apache.conf
- B) /etc/http/config.ini
- C) /etc/http/httpd.conf
- D) /etc/http/conf/httpd.conf**

20. How many primary partitions can exist on a single drive?

- A) 2
- B) 4**
- C) 16
- D) none of the above

21. Which daemon is used to setup firewall on a Linux system?

- A) smb
- B) named
- C) route
- D) iptables**

22. In which file it can be specified which users or network can access the system via ftp?

- A) /etc/ftpusers
- B) /etc/hosts.allow**
- C) /etc/hosts
- D) all of the above

23. Which file specifies the order in which to use specified name services?

- A) /etc/services
- B) /etc/resolv.conf
- C) /etc/nsswitch.conf**
- D) /etc/hosts

24. Which of the following client daemons finds and stores information about NIS domain and server

- A) ypwhich
- B) ybind**
- C) ypcat
- B) yppoll

25. The Dynamic Host Configuration Protocol (DHCP) is a computer networking protocol used by hosts (DHCP clients) to retrieve _____ assignments and other configuration information.

- A) IP address**
- B) Classless Inter-Domain Routing
- C) IPv6
- D) IPv4

26. Sendmail is a

- A) MDA
- B) MTA**
- C) Mail client
- D) MUA

27. What is the default port of NTP server?

- A) 443
- B) 80
- C) 3128
- D) 123**

28. Which one of the following files is used by the NFS server to specify which file system can be mounted on a client?

- A) /etc/filesystems
- B) /etc/exports**
- C) /usr/bin/showmount
- D) /usr/sbin/exportfs

29. A user would like for personal e-mail to be redirected to another system. Which one of the following files may be modified in order to perform this action?

- A) /etc/aliases
- B) /\$HOME/.forward**
- C) /etc/sendmail.cf
- D) /etc/netsvc.conf

30. All of the following services are controlled by inetd except:

- A) nfsd
- B) ftpd
- C) telnetd
- D) pop3d**

31. What is the PID of init? Select one.

- A) 0**
- B) 1
- C) 2
- D) undefined

32. How can you query the RPM database for a list of all installed RPM packages? Select one.

- A) rpm -q
- B) rpm -qa**
- C) rpm -a
- D) rpm -al

33. Which of the following statements is not true about an X server? Select one.

- A) An X server is a high-performance system offering graphical programs over a network.
- B) An X server sends its graphical output to a window manager.
- C) An X server is under the control of a window manager.**
- D) A window manager is under the control of an X server.

34. Which of the following is a reasonable size for a swap partition for a Linux workstation with 128 MB RAM? Select one.

- A) 1 KB
- B) 0.5 MB**
- C) 100 MB
- D) 5 GB

35. What is the startx command? Select one.

- A) A script included with XFree86 to make startup user friendly.
- B) A script used to start xdm.**
- C) A compiled binary program that directly launches the X server.
- D) A configuration file created by X configuration tools such as XF86Config.

36. You need to change some settings on your Apache server. Which is the best tool to use for logging in remotely?

- A) rsh
- B) ssh**
- C) rlogin
- D) telnet

37. Where is the configuration information for network interface eth0 stored?

- A) /etc/network/eth0.cfg
- B) /etc/network-scripts/eth0.cfg
- C) /etc/sysconfig/network
- D) /etc/sysconfig/network-scripts/ifcfg-eth0**

38. What is the source file if you want to install the same configuration that you have on your current system on several computers

- A) /anaconda-ks.cfg
- B) /root/ks.cfg
- C) /ks.cfg
- D) /root/anaconda-ks.cfg**

39. Which command is used to set user and group quotas?

- A) /sbin/usrquota
- B) /sbin/edquota**
- C) /sbin/quotaon
- D) /sbin/quota

40. The default umask for a non-privileged user on a Red Hat system is:

- A) 777
- B) 222
- C) 022**
- D) 755

41. What is the default filesystem type under the current version of Red Hat?

- A) ext3
- B) reiserfs
- C) ext4**
- D) none of the above

42. Which of the following is not a type of iptables chain?

- A) FORWARD
- B) INPUT
- C) QUEUE**
- D) OUTPUT

43. Which of the following is not a common network authentication scheme?

- A) NIS
- B) LDAP
- C) autofs**
- D) NIS+

44. What is the name of the tool that configures a network authentication scheme?

- A) systemauth
- B) userconfig
- C) authconfig**
- D) none of the above

45. Most daemon log messages get logged to:

- A) /var/log/daemonname, where daemonname is the name of the daemon.**
- B) /var/log/messages
- C) /var/log/dmesg
- D) none of the above

46. Which file is used to configure squid?

- A) /usr/bin/squid/squid.conf
- B) /etc/squid.conf
- C) /etc/squid/squid.conf**
- D) /etc/squid/squid.properties

47. What is the default port number of ssh.

- A) 21
- B) 22**
- C) 23
- D) 80

48. Suppose you want to view the man page for the gshadow file format. How might you do that?

- A) `man gshadow --file`
- B) `man 5 gshadow`**
- C) `man gshadow format`
- D) `man gshadow`

49. NFS can be used to share which types of information? Please select all the correct answers.

- A) Home file space**
- B) Group file space**
- C) Network addressing
- D) Commonly used programs**

50. When does Linux make RPC requests? Please select the best answer.

- A) When user programs need remotely stored information**
- B) When you request network addressing information
- C) When you request system user information
- D) When user programs need locally stored information

Answer Keys

1. A
2. B
3. B
4. B
5. D
6. A
7. D
8. A
9. D
10. D
11. B
12. B
13. B
14. D
15. B
16. D
17. D
18. C
19. D
20. B
21. D
22. B
23. C
24. B
25. A
26. B
27. D
28. B
29. B
30. D
31. A
32. B
33. C
34. B
35. B
36. B
37. D
38. D
39. B
40. C
41. C
42. C
43. C
44. C
45. A
46. C
47. B
48. B
49. A, B & D

Date:

Module Name: Concepts of Operating System and Administration

1. Considering the command below, which of the following statements is true?

`ln file1 file2`

- A: file2 will be symbolically linked to file1.
- B: Regardless of the size of file1, file2 will have a size of 5 bytes.
- C: file1 and file2 have the same inode number.
- D: All of the above

2. What type of files are typically in the /etc directory?

- A: Configuration files.
- B: Miscellaneous files.
- C: Standard Linux commands.
- D: None of the above

3. In what directory are email inboxes stored by default?

- A: /var/spool/mail
- B: The mail directory in the user's home directory.
- C: /usr/mail
- D: None of the above.

4. What command lists file permissions?

- A: chmod
- B: ls -l
- C: perms
- D: Do not know

5. What are the numeric permissions on a file with permissions of -rwxr-x--- after you run the command?

`chmod g+s file`

- A: 2750
- B: 750
- C: 751
- D: None of the above.

6. Which of the following is best suited for viewing text one page at a time?

- A: cut
- B: less
- C: grep
- D: All of the above

7. Which of the following is best suited for extracting columns of text?

A: cut B: less C: grep D: None of the above

8. Which of the following might you use to configure the network?

A: redhat-config-network B: **system-config-network**
C: ipconfig D: None of the above

9. Where is the configuration information for network interface eth0 stored?

A: **/etc/sysconfig/network-scripts/ifcfg-eth0**
B: /etc/sysconfig/eth0.conf
C: /etc/network/eth0.cfg
D: None of the above

10. What will the following command do?

`ls -l /etc > /tmp/etc.ls`

A: Display a long listing of the /etc directory and the /tmp/etc.ls file.
B: Display a long listing of the /etc directory, redirecting the output into the /tmp/etc.ls file.
C: Report an error message, as this is a poorly constructed command.
D: None of the above.

11. What command displays a list of processes currently running on your system?

A: **ps ax** B: proc -a
C: stat D: All of the above.

12. Which of the following will allow you to log into another computer using an encrypted tunnel?

A: telnet B: **ssh**
C: rlogin D: All of the above

13. The following command returns a list of files. What best describes the files listed?

`ls *.*`

A: A list of all files in the present working directory.
B: **A list of all non-hidden files in the present working directory.**
C: A list of all files in the present working directory that have a dot in the name, but not as a first character.
D: None of the above

14. Considering this entry in a user's crontab file, how often will the command in this line run?

30 4 * * 3 mycmd

- A: Hourly.
- B: Weekly.
- C: Hourly in the month of March.
- D: None of the above

15. Which item below best represents the boot sequence?

- A: The BIOS loads the boot loader; the boot loader loads the kernel; the kernel runs the initial process.
- B: The BIOS loads the kernel; the kernel loads the boot loader; the boot loader loads the initial process.
- C: The BIOS loads the initial process; the initial process loads the boot loader; the boot loader loads the kernel.
- D: None of the above

16. What is the path name to the main apache configuration file?

- A: /etc/httpd/conf.d/httpd.conf
- B: /etc/httpd/conf/httpd.conf
- C: /etc/httpd.conf
- D: None of the above

17. What command is used to remove files?

- A: rm
- B: delete
- C: erase
- D: All of the above

18. What type of packet does an IP ping use ?

- A: ICMP
- B: HTTP
- C: IMAP
- D: SNMP

19. What file is used for associating port numbers to port names.

- A: /etc/services
- B: /etc/hosts
- C: /etc/securetty
- D: /etc/ports

20. What is the file system id of a Linux swap partition?

- A: /dev/hda1
- B: /swap
- C: 82
- D: 83

21. By default, the home directory of every user falls under -----.

A: /usr
C: /users
B: /home
D: /local

22. The name of a reverse lookup zone file has to end in a:

A: in-addr.arpa
C: net
B: com
D: None of these

23. To enable a service immediately from the command line, you have to use _____.

A: chkconfig
C: setup
B: service
D: None of the choices

24. What is the unused runlevel?

A: 1
B: 2
C: 3
D: 4

25. The ----- command shows past commands.

A: last
B: lastb
C: history
D: hist

26. ----- is a pseudo filesystem that is used to read kernel datastructures.

A: /dev
C: /proc
B: /dev/kmem
D: /dev/proc

27. Which process has a PID of 1?

A: the kernel
B: lilo
C: init
D: bash

28. Which of the following characters at the beginning of a filename will cause it to be hidden?

A: !
B: #
C: .
D: %

29. The _____ keystroke in vi takes the cursor to the next line

A: i
B: k
C: l
D: j

30. You are on the SOA (Start Of Authority) tab of the DNS server DNS1 on which you wish to configure the zone transfer with another DNS server DNS2 every once in 8 hours. Which of the following options will help you configure the DNS zone transfer between the two servers?

A: Refresh Interval
C: Retry Interval

B: Retry Attempts
D: Expiration

31. When you copy a shared folder, _____

- A. The original shared folder is still shared, but the copy is not shared
- B. The original folder as well as the copy is shared
- C. The original folder is not shared anymore, but the copy is shared.
- D. The original shared folder and the copy both are not shared anymore

32. What should you do when you want to track disk space use on a per-user basis but do not want to deny users access to a volume?

- A. Enable disk quotas
- B. Enable disk quotas and set the disk quota warning level.
- C. Enable the disk quota warning level only
- D. Disable disk quotas

33. What happens when you end a disconnected session running on the remote server?

- A: all data is lost
- B: only the connection closes
- C: all applications running on the server remain active
- D: the session becomes available on the server.

34. which of the following is not a good practice regarding password policy on a Windows server?

- A: Requiring a change in password by the administrator at regular time intervals
- B: Creating a minimum password length
- C: Creating a maximum password age
- D: Allowing the user to change his password

35. Which of the following is a benefit of DHCP-assigned IP addresses?

- A: Increased security
- B: Higher network throughput
- C: Decreased administrative overhead
- D: Lower network overhead

36. Which command allows you to view the IP configuration for all network adapters on a given server?

A: Ipconfig /all
C: Tcpcnfig /all

B: ipconfig
D: Ping /ipconfig -all

37. A folder has specific "Read" access for user John, who is in the group "People." The group "People" is specifically allotted "Full Control" access for the same folder. What are John's effective permissions?

A: Read only
C: Read + Write

B: Full Control
D: Read + Write + Execute

38. Your manager asks you to implement a solution that allows domain users to share a common desktop background and certain desktop items. You go to Group Policy Management, but upon changing the settings, you notice that the desktops do not change. What should you first assume is the issue?

A: Group policy has been configured incorrectly
B: The computers/users are not in the correct groups in group policy
C: The PC requires a logoff/logon before the new settings will be pulled
D: The Windows installation on the PC is defective

39. What is the DocumentRoot path in Apache?

A: /home/apache
C: /etc/http

B: /var/www
D: /apache

40. What is default block/chunk size for PV?

A: 8MB
C: 4MB

B: 16MB
D: 12MB

Q.1) A process stack does not contain

- a) function parameters
- b) local variables
- c) return addresses
- d) PID of child process

Q.2) The percentage of times a page number is found in the TLB is known as :

- a) miss ratio
- b) miss percent
- c) hit ratio
- d) none of the above

- Q.3)** In paged memory systems, if the page size is increased, then the internal fragmentation generally :
- a) becomes less
 - b) becomes more
 - c) remains constant
 - d) none of the above
- Q.4)** Round Robin Scheduling is the preemptive version of _____.
- a) Shortest job first
 - b) FIFO
 - c) MultiQueue Feedback
 - d) Shortest Deadline first
- Q.5)** Which is not the state of a Process.
- a) Blocked
 - b) Running
 - c) Privileged
 - d) Ready
- Q.6)** FIFO Scheduling is
- a) Shortest job Scheduling
 - b) Non Preemptive Scheduling
 - c) Fairshare Scheduling
 - d) Preemptive Scheduling
- Q.7)** The number of process completed per unit time is known as _____.
- a) Latency
 - b) Execution time
 - c) Waiting time
 - d) Throughput
- Q.8)** A print server program available in linux os is
- a) cups
 - b) dovecot
 - c) postfix
 - d) cup
- Q.9)** Using which protocol a client program submits jobs to a print server.
- a) IPP
 - b) POP
 - c) IMAP

d) PPP

Q.10) Match the following

- | | |
|----------------------|------------------------|
| 1) Scheduler/Spooler | A) Print Server Client |
| 2) Filter | B) Jobs |
| 3) firefox | C) Printer |
| 4) backends | D) Data Conversion |

- a) 1-B,2-D,3-A,4-C
- b) 1-C,2-D,3-A,4-B**
- c) 1-B,2-C,3-D,4-A
- d) 1-D,2-A,3-B,4-C

Q.11) Match the following

- | | |
|------------|---------|
| 1) dovecot | A) CIFS |
| 2) postfix | B) IPP |
| 3) cups | C) SMTP |
| 4) samba | D) IMAP |

- a) 1-B,2-C,3-A,4-D
- b) 1-D,2-C,3-B,4-A
- c) 1-B,2-A,3-D,4-C
- d) 1-C,2-D,3-A,4-B

Q.12) Which protocol is used to send mails from mail client to mail server

- a) POP
- b) SMTP**
- c) IMAP
- d) HTTP

Q.13) Which protocol is used to download mails from mail server

- a) IMAP**
- b) SMTP
- c) Thunderbird
- d) Dovecot

Q.14) Which program is used to share files and printers between unix and windows machines

- a) samba
- b) dovecot
- c) cups
- d) winscp

Q.15) Which protocol/functionality is not implemented by samba

- a) NetBIOS
- b) CISF
- c) IPP
- d) NTLM

Q.16) Which program implements the CISF protocol

- a) dovecot
- b) postfix
- c) samba
- d) cups

Q.17) Which program can act as a MTA(Mail Transfer Agent)

- a) dovecot
- b) postfix
- c) samba
- d) Thunderbird

Q.18) What command is used to halt a Linux system?

- a) init 0
- b) Shutdown -t
- c) Shutdown -g -y0
- d) Ctrl+Alt+Del

Q.19) What can be used to set up a firewall on a Linux system?

- a) netstat
- b) route
- c) trace
- d) ipchains

Q.20) Which program is used to automatically install Red Hat Linux on identical hardware?

- a) bzimage.img
- b) tar
- c) ghost
- d) mkkickstart
- e) None of the above

Q.21) What command is used to copy a file?

- a) tar
- b) cpio
- c) cp
- d) copy

Q.22) What command do you use to add routes to a Linux router?

- a) addroute
- b) route
- c) netstat
- d) net

Q.23) Which of the following command is used to mount NFS filesystems?

- a) nfsmount
- b) knfsd
- c) mount
- d) All of the above

Q.24) Which of the following NIS clients returns the name of the NIS server used by the NIS client? (B)

- a) ypwhich
- b) ypbind
- c) ypcat
- d) yppoll

Q.25) In events.training.microsoft.com the Web Server Training is hosted in

- a) Events
- b) Training
- c) Microsoft

d) COM

Q.26) Which account lockout policy specifies the number of invalid attempts allowed before an account will be locked out?

- a) Account lockout threshold
- b) Account lockout counter
- c) Account lockout number
- d) Account lockout period

Q.27) Which tool will allow you to FIND accounts that have not been used for two months?

- a) DSADD
- b) DSGET
- c) DSMOD
- d) DSRM
- e) DSQUERY

Q.28) Command for creating a new user (NEO) in command prompt is

- a) etuser NEO 123 /add
- b) net user NEO 123 /del
- c) net user NEO 123 /add
- d) new user NEO 123/add

Q.29) If the subnet mask is 255.255.255.0 then we can have these many hosts in this network

- a) 2096
- b) 255
- c) 254
- d) 1048

Q.30) HTTP/S uses this port

- a) 80
- b) 53
- c) 443
- d) 995

Q.31) The Two parts of Digital Certificates are

- a) Public and Private key
- b) User and Server Key

- c) Client and Server Key
- d) None of the above

Q.32) netsh firewall set icmpsetting type=ALL mode=enable will

- a. Disable Ping response to any client
- b. Enable Ping response to any client
- c. Disables file access for any client
- d. None of the above

Q.33) We need to create this group to send mails to group

- a. Security Group
- b. Local group
- c. Distribution group
- d. Administrator Group

Q.34) Allow log on Locally Policy is under

- a. Security settings
- b. Administrative Templates
- c. Software Installation
- d. None of the above

Q.35) Members of which of the following groups can perform multiple domains within a forest?

- a. Administrators
- b. Site Admins
- c. Domain Admins
- d. Schema Admins
- e. Enterprise Admins

Q.36) Of the following authentication methods, which is the one not used by IIS 7.0?

- a. Basic Authentication
- b. Local Authentication
- c. Digest Authentication
- d. Windows Authentication

Q.37) Which of the following statements is not true ?

- a) File Descriptor is a non negative integer.
- b) A file descriptor can be used for opening or creating a file.
- c) All open files are referred to by file descriptors.
- d) A file can not have multiple descriptors in any case.

Q.38) Which of the following is false statement?

- a) It is possible for one thread to execute 'wait' method on a semaphore and another thread to execute 'post' method on the same semaphore.
- b) It is possible for one thread to execute 'lock' method on a mutex and another thread to execute 'unlock' method on the same mutex.
- c) Mutex is a system resource.
- d) Synchronization is a technique for protection of critical region.

Q.39) Which of the following segments in the memory layout is initialized by the kernel to arithmetic zero or null pointers before the program starts executing?

- a) Stack.
- b) Uninitialized data segment.
- c) Initialized data segment.
- d) Text segment.

Q.40) A socket is named using system call ____?

- a) socket
- b) bind
- c) listen
- d) accept

Q.1) What is interprocess communication?

- A. communication within the process
- B. communication between two process**
- C. communication between two threads of same process
- D. none of the above

Q.2) The ____ table contains the base address of each page in physical memory.

- A. process
- B. memory
- C. page**
- D. frame

Q.3) With paging there is no _____ fragmentation.

- A. internal**
- B. external
- C. both a) and b)

D. none of the above

Q.4) Thrashing _____ the CPU utilization.

A. increases

B. keeps constant

C. decreases

D. none of the above

Q.5) In the blocked state

A. the processes waiting for I/O are found

B. the processes which is running is found

C. the processes waiting for the processor are found

D. none of the above

Q.6) PCB is

A. Program Control Block

B. Process Control Block

C. Program Communication Block

D. Process Communication Block

Q.7) File type can be represented by

A. file name

B. file extension

C. file identifier

D. none of the above

Q.8) What script is run for setting bash global defaults for all users?

A. /etc/.profile

B. /etc/.bashrc

C. /etc/.log

D. /etc/profile

Q.9) Who founded the Linux Kernel?

A. Bill Gates

B. Ben Thomas

C. Richard Stallman

D. Linus Torvalds

Q.10) Which of the following is not a part of default Red Hat Linux email system?

A. Pine

B. The MTA

C. The MUA

D. procmail

Q.11) In what file can you specify which users are not allowed to access a system via FTP?

A. /etc/ftpusers

B. /etc/hosts.deny

C. /etc/ftpaccess

D. All of the above

Q.12) Which program is used to schedule particular jobs or programs at particular times on the system?

A. vi

B. Outlook

C. Scheduler

D. cron

Q.13) Which command can force all buffers to disk?

A. save

B. sync

C. edbuff

D. flush

Q.14) How many extended partitions can exist on one drive?

A. 16

B. 4

C. 2

D. 1

E. None of the above

Q.15) What file contains the list of port numbers (and associated names) monitored by inetd?

A. /etc/services

B. /etc/nsorder

C. /etc/nsswitch.conf/

D. /etc/hosts

E. None of the above

Q.16) The location for subdirectories for local programs and executables for user and administrative commands, is:

A. /usr

B. /tmp

C. /opt

D. /mnt

Q.17) Which of the following is not a filter command?

A. sort

B. wc

C. grep

D. cat

Q.18) What command is used to assign executable permission to all of the files named "report"?

A. chmod ugo + x report

B. chmod u + x report

C. chmod ugo + rw report

D. chmod ugo + r report

Q.19) LILO

A. stands for Linux loader

B. is the Linux boot loader

C. is a tool used to boot the Kernel on x86 hardware

D. All of the above

Q.20) What command is used to set user and group quotas?

A. /sbin/usrquota

B. /sbin/edquota

C. /sbin/quotaon

D. /sbin/quota

Q.21) Which of the following subdirectory(ies) contains the system boot scripts.

A. /dev

B. /bin

C. /etc

D. /home

Q.22) What of the following tool is used to check and repair Linux file systems?

A.mkfs

B.fdisk

C.fsck

D.mount

Q.23) Where can system and mail logs be found in Red Hat Linux?

A. /var/log

B. /etc/log

C. /mail

D. All of the above

Q.24) What TCP/IP protocol is used for transferring electronic mail messages from one machine to another?

A. FTP

B. SNMP

C. SMTP

D. RPC

Q.25) Which is the authentication protocol used by Windows Server 2008?

A. Kerberos

B. LDAP

C. TCP/IP

D. HTTP

Q.26) What tool is used to enable Remote Desktop on a Server?

A. Terminal Services Manager

B. Terminal Services Configuration

C. System properties in Control Panel

D. Terminal Services Licensing.

Q.27) What are the minimum NTFS permissions required to allow users to open documents and to run the programs stored in a shared folder?

A. Full Control

B. Modify

C. Write

D. Read and Execute

Q.28) Which of the following must be done to generate a log resource access for a file or folder?

A. Configure NTFS permissions to allow the system account to audit resource access.

B. Configure audit entries to specify the types of access to audit.

C. Enable the Audit Privileges Use Policy.

D. Enable the Audit Object Access Policy.

Q.29) Which of the following are the valid criteria for security log filters to identify specific file and folder access events? Select all that apply.

A. The date of the event

B. The user that generated the event

C. The type of object access that generated the event

- D. Success or failure audit

Q.30) How do you make a profile mandatory?

- A. Configure the permissions on the folder Security property sheet to deny write permission.
- B. Configure the permission on the folders sharing property sheet to allow only read permission.
- C. Modify the attributes of the profile folder to specify the read only attribute.
- D. Rename Ntuser.dat to Ntuser.man.

Q.31) Which tool is used to check the effective policy settings for a user?

- A. RSoP
- B. Task Manager
- C. Network Monitoring tool
- D. Group Policy tool.

Q.32) A _____ is a hierarchical arrangement of Windows 2003 domains that share a common name.

- A. Domain Tree
- B. Forest
- C. Organizational Unit
- D. Groups

Q.33) Remote Desktop uses which protocol to establish the connection.

- A. IP-RDP
- B. RDP-TCP
- C. TCP-IP
- D. IPX-TCP

Q.34) _____ Used to define a collection of objects with common administrative and security needs within the forest.

- A. Domain
- B. Domain Tree
- C. Organizational Unit**
- D. Active Directory.

Q.35) You are the desktop administrator for a Company. The domain includes Windows Server 2008 domain controllers and Windows 7 client computers. A new administrator is hired to assist you in deploying Windows 7 to 100 new computers. He installs the operating system on a new computer named SYSTEM1. However, when he tries to log on to the domain from Domain, he is unsuccessful. The logon dialog box does not allow him to view and select the domain name. You need to ensure that he can log on to the domain from SYSTEM1. What should you do?

- A. Enable the computer account for SYSTEM1.
- B. Configure SYSTEM1 as a client of the domain.
- C. Add his user account to the Admins group.
- D. Add his user account to the Operators group.

Q.36) *You are the desktop administrator for a Finance Company. All Systems run Windows 7 in a Windows 2008 Domain. A newly installed 7 was added to your domain. You need to administer this system remotely from your computer. You need to configure the new Vista system to ensure that it can be administered remotely. What should you do?*

- A. Install Terminal Server Licensing. Restart the system.*
- B. Modify the system properties for the system. Enable Remote Desktop for the system by selecting the Allow users to connect remotely to this system check box.*
- C. Start the Remote Access Connection Manager service and then configure the service to start automatically.*
- D. Modify your user account properties to enable you to connect to the terminal server.*

Q.37) Which of the following types of files can be used for providing a buffered I/O access in fixed unit size to devices?

- A. Symbolic link
- B. Character special file

- C. Block special file
- D. Regular file

Q.38) Which of the following statements is true?

- A. Both related and unrelated processes can communicate using PIPE.
- B. Related processes can not communicate using PIPE.
- C. Both related and unrelated processes can communicate using FIFO.
- D. Related processes can not communicate using FIFO.

Q.39) Which of the following statements is not true ?

- A. A process terminates if we call function exit.
- B. A process terminates if any of its thread returns from its start routine.
- C. A process terminates after returning from main function.
- D. A process terminates after calling abort function.

Q.40) A memory system in which low order byte of data is stored at lower address memory is said to be,

- A. little endian byte ordered memory
- B. less endian byte ordered memory
- C. big endian byte ordered memory
- D. higher endian byte ordered memory

1. You type a command into `bash` and pass a long filename to it, but after you enter the command, you receive a `File not found` error message because of a typo in the filename. How might you proceed?
 - A. Retype the command, and be sure you type the filename correctly, letter by letter.
 - B. Retype the command, but press the Tab key after typing a few letters of the long filename to ensure that the filename is entered correctly.
 - C. Press the Up arrow key, and use `bash`'s editing features to correct the typo.
 - D. Any of the above.
2. Which of the following commands is implemented as an internal command in `bash`?
 - A. `cat`
 - B. `less`
 - C. `tee`
 - D. `echo`
3. You type `echo $PROC`, and the computer replies `Go away`. What does this mean?
 - A. The remote computer `PROC` isn't accepting connections; you should contact its administrator to correct the problem.
 - B. Your computer is handling too many processes; you must kill some of them to regain control of the computer.
 - C. Your central processing unit (CPU) is defective and must be replaced as soon as possible.
 - D. You, one of your configuration files, or a program you've run has set the `$PROC` environment variable to `Go away`.
4. What does the `pwd` command accomplish?
 - A. It prints the name of the working directory.
 - B. It changes the current working directory.
 - C. It prints wide displays on narrow paper.
 - D. It parses Web page URLs for display.
5. In an `xterm` window launched from your window manager, you type `exec gedit`. What will happen when you exit from the `gedit` program?
 - A. Your shell will be a `root` shell.
 - B. The `gedit` program will terminate, but nothing else unusual will happen.
 - C. Your X session will terminate.
 - D. The `xterm` window will close.
6. What is the surest way to run a program (say, `myprog`) that's located in the current working directory?
 - A. Type `./` followed by the program name: `./myprog`.
 - B. Type the program name alone: `myprog`.
 - C. Type `run` followed by the program name: `run myprog`.
 - D. Type `./` followed by the program name: `/.myprog`.
7. How does `man` display information by default on most Linux systems?
 - A. Using a custom X-based application
 - B. Using the Firefox Web browser
 - C. Using the Vi editor
 - D. Using the `less` pager
8. You want to store the standard output of the `ifconfig` command in a text file (`file.txt`) for future reference, and you want to wipe out any existing data in the file. You do *not* want to store standard error in this file. How can you accomplish these goals?
 - A. `ifconfig < file.txt`
 - B. `ifconfig >> file.txt`
 - C. `ifconfig > file.txt`
 - D. `ifconfig | file.txt`
9. What is the effect of the following command?

```
$ myprog &> input.txt
```

- A. Standard error to `myprog` is taken from `input.txt`.
 - B. Standard input to `myprog` is taken from `input.txt`.
 - C. Standard output and standard error from `myprog` are written to `input.txt`.
 - D. All of the above.
10. How many commands can you pipe together at once?
- A. 2
 - B. 3
 - C. 16
 - D. An arbitrary number
11. You want to run an interactive script, `gabby`, which produces a lot of output in response to the user's inputs. To facilitate future study of this script, you want to copy its output to a file. How might you do this?
- A. `gabby > gabby-out.txt`
 - B. `gabby | tee gabby-out.txt`
 - C. `gabby < gabby-out.txt`
 - D. `gabby &> gabby-out.txt`
12. A text-mode program, `verbose`, prints a lot of spurious "error" messages to standard error. How might you get rid of those messages while still interacting with the program?
- A. `verbose | quiet`
 - B. `verbose &> /dev/null`
 - C. `verbose 2> /dev/null`
 - D. `verbose > junk.txt`
13. How do the `>` and `>>` redirection operators differ?
- A. The `>` operator creates a new file or overwrites an existing one; the `>>` operator creates a new file or appends to an existing one.
 - B. The `>` operator creates a new file or overwrites an existing one; the `>>` operator appends to an existing file or issues an error message if the specified file doesn't exist.
 - C. The `>` operator redirects standard output; the `>>` operator redirects standard error.
 - D. The `>` operator redirects standard output; the `>>` operator redirects standard input.
14. What program would you use to display the end of a configuration file?
- A. `uniq`
 - B. `cut`
 - C. `tail`
 - D. `wc`
15. What is the effect of the following command?

```
$ pr report.txt | lpr
```

- A. The file `report.txt` is formatted for printing and sent to the `lpr` program.
 - B. The files `report.txt` and `lpr` are combined together into one file and sent to standard output.
 - C. Tabs are converted to spaces in `report.txt`, and the result is saved in `lpr`.
 - D. The file `report.txt` is printed, and any error messages are stored in the file `lpr`.
16. Which of the following commands will number the lines in `aleph.txt`?
- A. `fmt aleph.txt`
 - B. `nl aleph.txt`
 - C. `od -nl aleph.txt`
 - D. None of the above
17. Which of the following commands will change all occurrences of `dog` in the

- file `animals.txt` to `mutt` in the screen display?
- A. `sed -s "dog" "mutt" animals.txt`
 - B. `grep -s "dog||mutt" animals.txt`
 - C. `sed 's/dog/mutt/g' animals.txt`
 - D. `cat animals.txt | grep -c "dog" "mutt"`
18. You've received an ASCII text file (`longlines.txt`) that uses no carriage returns within paragraphs but two carriage returns between paragraphs. The result is that your preferred text editor displays each paragraph as a very long line. How can you reformat this file so that you can more easily edit it (or a copy)?
- A. `sed 's/Ctrl-M/NL/' longlines.txt`
 - B. `fmt longlines.txt > longlines2.txt`
 - C. `cat longlines.txt > longlines2.txt`
 - D. `pr longlines.txt > longlines2.txt`
19. Which of the following commands will print lines from the file `world.txt` that contain matches to `changes` and `changed`?
- A. `grep change[ds] world.txt`
 - B. `sed change[d-s] world.txt`
 - C. `od "change'd|s'" world.txt`
 - D. `cat world.txt changes changed`
20. Which of the following regular expressions will match the strings `dog`, `dug`, and various other strings but not `dig`?
- A. `d.g`
 - B. `d[ou]g`
 - C. `d[o-u]g`
 - D. `di*g`
21. Which of the following is a legal Linux username that will be accepted by `useradd`?
- A. `larrythemoose`
 - B. `4sale`
 - C. `PamJones`
 - D. `ted cho`
22. Why are groups important to the Linux user administration and security models?
- A. They can be used to provide a set of users with access to files without giving all users access to the files.
 - B. They enable you to set a single login password for all users within a defined group.
 - C. Users may assign file ownership to a group, thereby hiding their own creation of the file.
 - D. By deleting a group, you can quickly remove the accounts for all users in the group.
23. An administrator types `chage -M 7 time`. What is the effect of this command?
- A. The time account's password must be changed at least once every seven days.
 - B. All users must change their passwords at least once every seven days.
 - C. All users are permitted to change their passwords at most seven times.
 - D. The time account's age is set to seven months.
24. What is wrong with the following `/etc/passwd` file entry?
- ```
4sally:x:1029:Sally Jones:/home/myhome:/bin/passwd
```
- A. The default shell is set to `/bin/passwd`, which is an invalid shell.
  - B. The username is invalid; Linux usernames can't begin with a number.
  - C. The home directory doesn't match the username.
  - D. The encrypted password is missing.

25. You want `sally`, `tom`, and `dale` to be members of the group `managers` (GID 501). How would you edit the `managers` entry in `/etc/group` to accomplish this goal?
- A. `managers:501:sally tom dale`
  - B. `managers:501:sally:tom:dale`
  - C. `managers:x:501:sally:tom:dale`
  - D. `managers:x:501:dale,sally,tom`
26. What would a Linux system administrator type to remove the `nemo` account and its home directory?
- A. `userdel nemo`
  - B. `userdel -f nemo`
  - C. `userdel -r nemo`
  - D. `rm -r /home/nemo`
27. Which of the following system logging codes represents the *highest* priority?
- A. `info`
  - B. `crit`
  - C. `debug`
  - D. `emerg`
28. Which of the following configuration files does the `logrotate` program consult for its settings?
- A. `/etc/logrotate.conf`
  - B. `/usr/sbin/logrotate/logrotate.conf`
  - C. `/usr/src/logrotate/logrotate.conf`
  - D. `/etc/logrotate/.conf`
29. You want to create a log file entry noting that you're manually shutting down the system to add a new network card. How might you create this log entry, just prior to using `shutdown`?
- A. `dmesg -l "shutting down to add network card"`
  - B. `syslog shutting down to add network card`
  - C. `rsyslogd "shutting down to add network card"`
  - D. `logger shutting down to add network card`
30. Your manager has asked that you configure `logrotate` to run on a regular, unattended basis. What utility/feature should you configure to make this possible?
- A. `at`
  - B. `logrotate.d`
  - C. `cron`
  - D. `inittab`
31. You've set your system (software) clock on a Linux-only computer to the correct time, and now you want to set the hardware clock to match. What command might you type to accomplish this goal?
- A. `date --sethwclock`
  - B. `ntpdate`
  - C. `isysclock -tohc`
  - D. `hwclock --utc --systohc`
32. As `root`, you type `date 12110710`. What will be the effect?
- A. The software clock will be set to 7:10 a.m. on December 11 of the current year.
  - B. The software clock will be set to 12:11 p.m. on October 7 of the current year.
  - C. The software clock will be set to 7:10 a.m. on November 12 of the current year.
  - D. The software clock will be set to 12:11 p.m. on July 10 of the current year.
33. What will be the effect of a computer having the following two lines in `/etc/ntp.conf` ?

```
server pool.ntp.org
server tardis.example.org
```

- A. The local computer's NTP server will poll a server in the public NTP server pool; the first `server` option overrides subsequent `server` options.
  - B. The local computer's NTP server will poll the `tardis.example.org` time server; the last `server` option overrides earlier server options.
  - C. The local computer's NTP server will poll both a server in the public NTP server pool and `tardis.example.org` and use whichever site provides the cleanest time data.
  - D. The local computer's NTP server will refuse to run because of a malformed `server` specification in `/etc/ntp.conf`.
34. You've configured one computer (`gateway.pangaea.edu`) on your five-computer network as an NTP server that obtains its time signal from `ntp.example.com`. What computer(s) should your network's other computers use as their time source(s)?
- A. You should consult a public NTP server list to locate the best server for you.
  - B. Both `gateway.pangaea.edu` and `ntp.example.com`.
  - C. Only `ntp.example.com`.
  - D. Only `gateway.pangaea.edu`.
35. Which of the following tasks are most likely to be handled by a `cron` job?
- A. Starting an important server when the computer boots
  - B. Finding and deleting old temporary files
  - C. Scripting supervised account creation
  - D. Sending files to a printer in an orderly manner
36. Which of the following lines, if used in a user `cron` job, will run `/usr/local/bin/cleanup` twice a day?
- A. `15 7,19 * * * tbaker /usr/local/bin/cleanup`
  - B. `15 7,19 * * * /usr/local/bin/cleanup`
  - C. `15 */2 * * * tbaker /usr/local/bin/cleanup`
  - D. `15 */2 * * * /usr/local/bin/cleanup`
37. You're installing Linux on a laptop computer. Which of the following programs might you want to add to ensure that log rotation is handled correctly?
- A. `tempus`
  - B. `anacron`
  - C. `crontab`
  - D. `ntpd`
38. What do the following commands accomplish? (The administrator presses Ctrl+D after typing the second command.)

```
at teatime
```

```
at> /usr/local/bin/system-maintenance
```

- A. Nothing; these commands aren't valid.
  - B. Nothing; `teatime` isn't a valid option to `at`.
  - C. Nothing; you may only type valid bash built-in commands at the `at>` prompt.
  - D. The `/usr/local/bin/system-maintenance` program or script is run at 4:00 p.m.
39. How might you schedule a script to run once a day on a Linux computer?
- A. Place the script, or a link to it, in `/etc/cron.daily`.
  - B. Use the `at` command to schedule the specified script to run on a daily basis at a time of your choosing.
  - C. Use `run-parts` to schedule the specified script to run on a daily basis.
  - D. Type `crontab -d scriptname`, where `scriptname` is the name of your script

40. Which types of network hardware does Linux support?
- A. Token Ring
  - B. DHCP
  - C. NetBEUI
  - D. None of the above
41. Which of the following is a valid IPv4 address for a single computer on a TCP/IP network?
- A. 202.9.257.33
  - B. 63.63.63.63
  - C. 107.29.5.3.2
  - D. 98.7.104.0/24
42. You want to set up a computer on a local network via a static TCP/IP configuration, but you lack a gateway address. Which of the following is true?
- A. Because the gateway address is necessary, no TCP/IP networking functions will work.
  - B. TCP/IP networking will function, but you'll be unable to convert hostnames to IP addresses or vice versa.
  - C. You'll be able to communicate with machines on your local network segment but not with other systems.
  - D. Since a gateway is needed only for IPv6, you'll be able to use IPv4 but not IPv6 protocols.
43. Using a packet sniffer, you notice a lot of traffic directed at TCP port 22 on a local computer. What protocol does this traffic use, assuming it's using the standard port?
- A. HTTP
  - B. SMTP
  - C. Telnet
  - D. SSH
44. What network port would an IMAP server normally use for IMAP exchanges?
- A. 21
  - B. 25
  - C. 110
  - D. 143
45. Which of the following are *not* Linux DHCP clients?
- A. pump
  - B. dhcpcd
  - C. dhcpcd
  - D. dhclient
46. Which of the following types of information are returned by typing `ifconfig eth0`?
- A. The names of programs that are using `eth0`
  - B. The IP address assigned to `eth0`
  - C. The hardware address of `eth0`
  - D. The hostname associated with `eth0`
47. Which of the following programs is conventionally used to perform a DNS lookup?
- A. host
  - B. dnslookup
  - C. pump
  - D. ifconfig
48. Which of the following commands should you type to add to host 192.168.0.10 a default gateway to 192.168.0.1?
- A. `route add default gw 192.168.0.10 192.168.0.1`
  - B. `route add default gw 192.168.0.1`
  - C. `route add 192.168.0.10 default 192.168.0.1`
  - D. `route 192.168.0.10 gw 192.168.0.1`

49. Which of the following commands might bring up an interface on `eth1` ?
- A. `dhclient eth1`
  - B. `ifconfig eth1`
  - C. `network eth1`
  - D. `netstat -up eth1`
50. What is the purpose of `/etc/hostname`, if it's present on the system?
- A. It holds a list of servers that resolve hostnames.
  - B. It holds a list of IP addresses and associated hostnames.
  - C. It holds the hostname of the local gateway computer.
  - D. **It holds the computer's default hostname.**
51. Network accesses to parts of the Internet work fine, but several common sites have stopped responding (even when addressed via raw IP addresses). Which of the following tools will be most helpful in diagnosing the source of this problem?
- A. `netstat`
  - B. `ping`
  - C. **`traceroute`**
  - D. `ifconfig`
52. The `ping` utility responds normally when you use it with an IP address but not when you use it with a hostname that you're positive corresponds to this IP address. What might cause this problem?
- A. The target computer may be configured to ignore packets from `ping`.
  - B. **Your computer's DNS configuration may be broken.**
  - C. The DNS configuration on the target system may be broken.
  - D. Your computer's hostname may be set incorrectly in `/etc/hostname`.
53. How can you learn what programs are currently accessing the network on a Linux system?
- A. Type `ifconfig -p eth0`.
  - B. Examine `/proc/network/programs`.
  - C. **Type `netstat -p`.**
  - D. Examine `/etc/xinetd.conf`.
54. To diagnose a problem with an IMAP server (`imap.example.com`), you type `telnet imap.example.com 143` from a remote client. How can this procedure help you?
- A. **You can verify basic connectivity between the client computer and the server program.**
  - B. By examining the output, you can locate intermediate routers that are misbehaving.
  - C. By using an encrypted protocol, you ensure that problems aren't caused by a packetsniffing intruder.
  - D. Once you've logged into the remote system, you can examine its IMAP log files.
55. You're configuring a new system, and your network administrator scribbles its IP address (172.25.78.89), netmask (255.255.255.0), gateway address (172.25.79.1), and DNS server address (10.24.89.201) on a piece of paper. You enter this information into your configuration files and type `ifup eth0`, but you find that you can't access the Internet with this computer. Which of the following is definitely true?
- A. Because the DNS server is on a completely different network, it won't function properly for your system. You should ask for the local network's DNS server's IP address.
  - B. **The netmask identifies the gateway as being on a different network segment than the computer you're configuring, so the two can't communicate directly. You most likely misread one address.**
  - C. Because the IP addresses involved are private IP addresses, there's no way for them to access the Internet. You must ask for public IP addresses for this system or use only your local private network.



- D. The computer's IP address is a Class B address, but the netmask is for a Class C address. This combination can't work together, so you must obtain a new IP address or netmask.
56. What is the purpose of the `-n` option to `route` ?
- A. It causes no operation to be performed; `route` reports what it would do if `-n` were omitted.
  - B. It limits `route` 's output to descriptions of non-Internet routes.
  - C. It forces interpretation of a provided address as a network address rather than a host address.
  - D. **It causes machines to be identified by IP address rather than hostname in output.**
57. What is the purpose of `/etc/resolv.conf` ?
- A. It holds the names of network protocols and the port numbers with which they're associated.
  - B. It specifies the IP address of a DHCP server from which the computer attempts to obtain an IP address.
  - C. It holds the routing table for the computer, determining the route that network packets take to other computers.
  - D. **It sets the computer's default search domain and identifies (by IP address) the name servers that the computer may use.**
58. Which of the following entries are found in the `/etc/hosts` file?
- A. A list of hosts allowed to remotely access this one
  - B. **Mappings of IP addresses to hostnames**
  - C. A list of users allowed to remotely access this host
  - D. Passwords for remote Web administration
59. How can you reconfigure Linux to use DNS queries prior to consulting `/etc/hosts` ?
- A. Edit the `/etc/resolv.conf` file, and be sure the `nameserver dns` line comes before the `nameserver files` line.
  - B. As root, type `nslookup dns`.
  - C. Edit the `/etc/named.conf` file, and change the `preferred-resolution` option from `files` to `dns`.
  - D. **Edit `/etc/nsswitch.conf`, and change the order of the files and dns options on the `hosts:` line.**
60. Typing `lsuf -i | grep LISTEN` as root produces three lines of output, corresponding to the `sendmail`, `sshd`, and `proftpd` servers. What can you conclude about the security of this system?
- A. Everything's OK; the presence of `sshd` ensures that data are being encrypted via SSH.
  - B. The `sendmail` and `sshd` servers are OK, but the FTP protocol used by `proftpd` is insecure and should never be used.
  - C. Because `sendmail` and `proftpd` both use unencrypted text-mode data transfers, neither is appropriate on a network-connected computer.
  - D. **No conclusion can be drawn without further information; the listed servers may or may not be appropriate or authentic.**
61. As part of a security audit, you plan to use Nmap to check all the computers on your network for unnecessary servers. Which of the following tasks should you do prior to running your Nmap check?
- A. Back up `/etc/passwd` on the target systems to eliminate the possibility of its being

- damaged.
- B. Obtain the `root` passwords to the target systems so that you can properly configure them to accept the Nmap probes.
  - C. Obtain written permission from your boss to perform the Nmap sweep.
  - D. Configure `/etc/sudoers` on the computer you intend to use for the sweep, to give yourself the ability to run Nmap.
62. Your login server is using PAM, and you want to limit users' access to system resources. Which configuration file will you need to edit?
- A. `/etc/limits.conf`
  - B. `/etc/pam/limits.conf`
  - C. `/etc/security/limits.conf`
  - D. `/etc/security/pam/limits.conf`
63. Which of the following tools might you use to check for open ports on a local computer?
- A. Nmap
  - B. portmap
  - C. services
  - D. None of the above
64. Which of the following commands will locate all program files on a computer on which the SUID bit is set?
- A. `find / -type SUID`
  - B. `find / -perm +4000 -type f`
  - C. `find / -perm +SUID -type f`
  - D. `find / -type +4000`
65. The `/etc/sudoers` file on a computer includes the following line. What is its effect?

```
%admin ALL=(ALL) ALL
```

- A. Members of the `admin` group may run all programs with `root` privileges by using `sudo`.
  - B. Users in the `admin` user alias, defined earlier in the file, may run all programs with `root` privileges by using `sudo`.
  - C. The `admin` user alias is defined to include all users on the system.
  - D. The `admin` command alias is defined to include all commands.
66. Which command would you type, as `root`, to discover all the open network connections on a Linux computer?
- A. `lsof -c a`
  - B. `netstat -ap`
  - C. `ifconfig eth0`
  - D. `nmap -sT localhost`
67. A server/computer combination appears in both `hosts.allow` and `hosts.deny`. What's the result of this configuration when TCP Wrappers runs?
- A. TCP Wrappers refuses to run and logs an error in `/var/log/messages`.
  - B. The system's administrator is paged to decide whether to allow access.
  - C. `hosts.deny` takes precedence; the client is denied access to the server.
  - D. `hosts.allow` takes precedence; the client is granted access to the server.
68. When is the `bind` option of `xinetd` most useful?
- A. When you want to run two servers on one port
  - B. When you want to specify computers by name rather than IP address
  - C. When `xinetd` is running on a system with two network interfaces
  - D. When resolving conflicts between different servers
69. You've discovered that the Waiter program (a network server) is running inappropriately on your computer. You therefore locate its SysV startup script and shut it down by removing that

script from your default runlevel. How can you further reduce the risk that the Waiter program will be abused by outsiders?

- A. By blocking the Waiter program's port using a firewall rule
  - B. By reading the Waiter program's documentation to learn how to run it in stealth mode
  - C. By tunneling the Waiter program's port through SSH
  - D. By uninstalling any clients associated with Waiter from the server computer
70. You want to use `xinetd` access controls to limit who may access a server that's launched via `xinetd`. Specifically, only users on the 192.168.7.0/24 network block should be able to use that server. How may you do this?
- A. Enter `hosts_allow = 192.168.7.0/24` in the `/etc/xinetd.d` configuration file for the server in question.
  - B. Enter `only_from = 192.168.7.0/24` in the `/etc/xinetd.d` configuration file for the server in question.
  - C. Enter `server : 192.168.7.`, where `server` is the server's name, in the `/etc/hosts.allow` file.
  - D. Enter `server : 192.168.7.`, where `server` is the server's name, in the `/etc/hosts.deny` file.
71. Of the following, which is the best password?
- A. Odysseus
  - B. iA710ci^My~~~~~
  - C. pickettomato
  - D. Denver2Colorado
72. Which of the following types of attacks involves sending bogus email to lure unsuspecting individuals into divulging sensitive financial or other information?
- A. Phishing
  - B. Script kiddies
  - C. Spoofing
  - D. Ensnaring
73. Ordinary users report being unable to log onto a computer, but `root` has no problems doing so. What might you check for to explain this situation?
- A. A misbehaving `syslogd` daemon
  - B. A login process that's running as `root`
  - C. The presence of an `/etc/nologin` file
  - D. The presence of an SUID bit on `/bin/login`
74. Which servers might you consider retiring after activating an SSH server?
- A. SMTP
  - B. Telnet
  - C. NTP
  - D. Samba
75. You find that the `ssh_host_dsa_key` file in `/etc/ssh` has 0666 (`-rw-rw-rw-`) permissions. Your SSH server has been in operation for several months. Should you be concerned?
- A. Yes
  - B. No
  - C. Only if the `ssh_host_dsa_key.pub` file is also world-readable
  - D. Only if you're launching SSH from a super server
76. For best SSH server security, how should you set the `Protocol` option in `/etc/ssh/sshd_config`?
- A. Protocol 1
  - B. Protocol 2
  - C. Protocol 1,2
  - D. Protocol 2,1

77. Why is it unwise to allow `root` to log on directly using SSH?
- A. Disallowing direct `root` access means that the SSH server may be run by a non-`root` user, improving security.
  - B. The `root` password should never be sent over a network connection; allowing `root` logins in this way is inviting disaster.
  - C. When logged on using SSH, `root`'s commands can be easily intercepted and duplicated by undesirable elements.
  - D. **Somebody with the `root` password but no other password can then break into the computer.**
78. You've downloaded a GPG public key from a Web site, into the file `fredkey.pub`. What must you do with this key to use it?
- A. Type `inspect-gpg fredkey.pub`.
  - B. Type `gpg --readkey fredkey.pub`.
  - C. Type `import-gpg fredkey.pub`.
  - D. **Type `gpg --import fredkey.pub`.**
  - E. Type `gpg-import fredkey.pub`.
79. You want to send an encrypted message to an email correspondent. You both have GPG. What do you need to exchange before you can send your encrypted message?
- A. Your correspondent must obtain your GPG public key.
  - B. You must exchange private keys with your correspondent.
  - C. You must obtain your correspondent's GPG private key.
  - D. **You must obtain your correspondent's GPG public key.**

1. What command is used to count the total number of lines, words, and characters contained in a file?
  - A. countw
  - B. wcount
  - C. **wc**
  - D. count p
2. What command is used to remove files?
  - A. dm
  - B. **rm**
  - C. delete
  - D. erase
3. What command is used to remove the directory?
  - A. rdir
  - B. remove
  - C. rd
  - D. **rmdir**
4. What command is used with vi editor to delete a single character?
  - A. **x**
  - B. y
  - C. a
  - D. z
5. What hardware architectures are not supported by Red Hat?
  - A. SPARC
  - B. IBM-compatible
  - C. Alpha
  - D. **Macintosh**
6. The physical layer of a network
  - A. constructs packets of data and sends them across the network
  - B. controls error detection and correction
  - C. **defines the electrical characteristics of signals passed between the computer and communication devices**
  - D. All of the above
7. What TCP/IP protocol is used for remote terminal connection service?
  - A. UDP
  - B. RARP
  - C. FTP
  - D. **TELNET**
8. How many networks and nodes per network, are allowed by the Class B network?

- A. 127 networks and 16,777,216 nodes per network
  - B. 16,384 networks and 65,534 nodes per network
  - C. 2,097,152 networks and 254 nodes per network
  - D. All of the above
9. What service is used to translate domain names to IP addresses?
- A. NFS
  - B. SMB
  - C. NIS
  - D. DNS
10. Which of the following command is used to create a Linux installation boot floppy?
- A. mkboot disk
  - B. bootfp disk
  - C. ww and rawwrite
  - D. dd and rawrite
11. How can you add Amit, a new user, to your system?
- A. Using useradd
  - B. Using adduser
  - C. Using linuxconf
  - D. All of the above
12. What file specifies the order in which to use specified name services?
- A. /etc/services
  - B. /etc/nsorder
  - C. /etc/nsswitch.conf
  - D. /etc/hosts
13. How many primary partitions can exist on one drive?
- A. 16
  - B. 4
  - C. 2
  - D. 1
14. In which directory can you store system user default files used for creating user directories?
- A. /usr/tmp
  - B. /etc/default
  - C. /etc/skel

D. /etc/users

The /etc/skel directory contains files and directories that are automatically copied over to a new user's home

15. How could you install the file ipchains-1.3.9-5.i386.rpm?

A. rpm -qip ipchains

B. rpm -Uvh ipchains

C. rpm -i ipchains\*.i386.rpm

D. rpm -e ipchains-1.3.9-5.i386.rpm

16. What does FSF stand for?

A. Free Software File

B. File Server First

C. First Serve First

D. Free Software Foundation

17. Which of the following is a valid format for mounting a CD-ROM drive?

A. mount -t iso9660 /dev/cdrom /mnt/cdrom

B. mount /dev/cdrom

C. mount /mnt/cdrom

D. All of the above

18. What command do you use to create Linux file systems?

A. fdisk

B. mkfs

C. fsck

D. mount

19. Which of the following command can you execute to count the number of lines in a file?

A. lc

B. wc -l

C. cl

D. count

20. Which of the following is not a communication command?

A. grep

- B. mail
- C. msg
- D. write

21. What command is used to display the characteristics of a process?

- A. au
- B. ps
- C. du
- D. pid

22. What command is not used to list the files chap01, chap02 and chap04?

- A. ls chap\*
- B. ls chap[124]
- C. ls - x chap0[124]
- D. ls chap0[124]

23. What command is used with vi editor to replace text from cursor to right

- A. S
- B. s
- C. R
- D. r

24. What sign is used to back up over typing errors in vi?

- A. !
- B. \$
- C. #
- D. @

25. What sign is used to erase or kill an entire line you have typed and start you are on a new line (but not display a new prompt)?

- A. !
- B. \$
- C. #
- D. @

26. What command is used to sort the lines of data in a file in alphabetical order?



- A. sort - r
- B. st
- C. sh
- D. sort

27. What command is used with vi editor to save file and remain in the editing mode?

- A. x
- B. q!
- C. :w
- D. :q

28. What command is used with vi editor to move back to the beginning of a word?

- A. w
- B. e
- C. a
- D. b

29. What command is used with vi editor to search a pattern in the forward direction?

- A. ??
- B. //
- C. ?
- D. /

30. What command is used to add printing jobs to the queue?

- A. lpd
- B. lpr
- C. lpq
- D. lpc

31. What protocol(s) is(are) allowed a user to retrieve her/his mail from the mail server to her/his mail reader?

- A. POP3
- B. FTP
- C. MAP

D. All of the above

32. What project is currently developing X server support?

A. XFree86 Project, Inc.

B. RHAD Labs

C. GNOME Project

D. All of the above

33. What X-based tool is available for configuring the X Window system?

A. XConfigurator

B. XF86Setup

C. xf86config

D. All of the above

34. Which of the following server is used with the BIND package?

A. httpd

B. shttp

C. dns

D. named

35. What port does squid listen, by default?

A. 4322

B. 2314

C. 7334

D. 3128

36. Which of the following is the main Apache configuration file?

A. /etc/apache.conf

B. /etc/httpd/config.ini

C. /etc/httpd/conf/httpd.conf

D. /etc/srm.conf

37. Which of the following command is used to access an SMB share on a Linux system?

A. NFS

B. SMD

- C. smbclient
- D. smbserver

38. Which of the following command is used to see the services running in NFS server?

- A. rpcinfo
- B. serverinfo
- C. NFSinfo
- D. infserv

39. In which tcp\_wrappers file can you specify to allow all connections from all hosts?

- A. /etc/hosts.allow
- B. /etc/hosts.deny
- C. /etc/hosts
- D. /etc/tcp.conf

40. What does GNU stand for?

- A. GNU's not Unix
- B. Greek Needed Unix
- C. General Unix
- D. General Noble Unix

41. What shell's wild-card is used to match any number of characters including none?

- A. \*
- B. ?
- C. [!ijk]
- D. [ijk]

42. What command is used to list contents of directories?

- A. tar
- B. dir
- C. lp
- D. ls

43. What command is used with vi editor to append text at end of line?

- A. I

- B. i
- C. a
- D. A

44. What command is used to copy directory structures in and out?

- A. copy
- B. cp - p
- C. cpio
- D. cp

45. In OSI network architecture, the dialogue control and token management are responsible of

- A. data link layer
- B. transport layer
- C. network layer
- D. session layer

46. Layer one of the OSI model is

- A. network layer
- B. transport layer
- C. link layer
- D. physical layer
- E. None of the above

**Answer:** Option D

**Explanation:**

No answer description available for this question. [Let us discuss.](#)

[View Answer](#) [Discuss in Forum](#) [Workspace Report](#)

---

47. What layer of OSI determines the interface of the system with the user?

- A. Session
- B. Data-link
- C. Application
- D. Network
- E. None of the above

**Answer:** Option C

**Explanation:**

No answer description available for this question. [Let us discuss.](#)

[View Answer](#) [Discuss in Forum](#) [Workspace Report](#)

---

48. What command is used to remove jobs from the print queue?

- A. lpq
- B. lpr
- C. lprm
- D. lpc
- E. None of the above

**Answer:** Option C

**Explanation:**

No answer description available for this question. [Let us discuss.](#)

[View Answer](#) [Discuss in Forum](#) [Workspace Report](#)

---

49. How can you navigate around virtual consoles?

- A. Alt+Function Key
- B. Ctrl+Function Key
- C. Ctrl+Alt+Del
- D. Alt+a+w+Function Key
- E. None of the above

**Answer:** Option A

**Explanation:**

No answer description available for this question. [Let us discuss.](#)

[View Answer](#) [Discuss in Forum](#) [Workspace Report](#)

---

50. Which of the following NIS clients, finds and stores information about an NIS domain and server?

- A. ypwhich
- B. ypbind
- C. ypcat
- D. yppoll
- E. None of the above

**Answer:** Option B

## LINUX MCQ

1) The high paging activity is called \_\_\_\_\_.

- 1 Inter process communication
- 2 Thrashing
- 3 Context Switch
- 4 None of the above

Right Ans ) 2

2) The Hardware mechanism that enables a device to notify the CPU is called \_\_\_\_\_.

- 1 Polling
- 2 Interrupt
- 3 System Call
- 4 None of the above

Right Ans ) 2

3) In the running state

- 1 only the process which has control of the processor is found
- 2 all the processes waiting for I/O to be completed are found
- 3 all the processes waiting for the processor are found
- 4 none of the above

Right Ans ) 1

4) Which of the following is crucial time while accessing data on the disk?

- 1 Seek time
- 2 Rotational time
- 3 Transmission time
- 4 Waiting time

Right Ans ) 1

5) Process State is a part of

- 1 Process Control block
- 2 Inode
- 3 File Allocation Table
- 4 None of the above

Right Ans ) 1

6) Who is called a supervisor of computer activity ?

- 1 CPU
- 2 Operating system
- 3 Control unit
- 4 Application Program

Right Ans ) 2

7) Virtual memory is \_\_\_\_\_.

- 1 An extremely large main memory
- 2 An extremely large secondary memory
- 3 An illusion of extremely large main memory
- 4 A type of memory used in super computers.

Right Ans ) 3

8) The kernel keeps track of the state of each task by using a data structure called \_\_\_\_

- 1 Process control block
- 2 User control block
- 3 Memory control block
- 4 None of the above

Right Ans ) 1

9) Which of the following disk scheduling techniques has a drawback of starvation ?

- 1 SCAN
- 2 SSTF
- 3 FCFS
- 4 LIFO

Right Ans ) 2

10) A binary semaphore

- 1 has the values one or zero
- 2 is essential to binary computers
- 3 is used only for synchronisation
- 4 is used only for mutual exclusion

Right Ans ) 1

11) \_\_\_\_\_ page replacement algorithm suffers from Belady's anomaly.

- 1 LRU
- 2 MRU
- 3 FIFO
- 4 LIFO

Right Ans ) 3

12) \_\_\_\_\_ is a high speed cache used to hold recently referenced page table entries a part of paged virtual memory

- 1 Translation Lookaside buffer
- 2 Inverse page table
- 3 Segmented page table
- 4 All the above

Right Ans ) 1

13) \_\_\_\_\_ does the job of allocating a process to the processor.

- 1 Long term scheduler
- 2 Short term scheduler
- 3 Medium term scheduler
- 4 Dispatcher

Right Ans ) 4

14) In interactive environments such as time-sharing systems, the primary requirement is to provide reasonably good response time and in general, to share system resources equitably. In such situations, the scheduling algorithm that is most popularly applied is \_\_\_\_\_.

- 1 Shortest Remaining Time Next (SRTN) Scheduling
- 2 Priority Based Preemptive Scheduling
- 3 Round Robin Scheduling
- 4 None of the above

Right Ans ) 3

15) In the multi-programming environment, the main memory consisting of \_\_\_\_\_ number of process.

- 1 Greater than 100
- 2 Only one
- 3 Greater than 50
- 4 More than one

Right Ans ) 4

16) In a multithreaded environment \_\_\_\_\_.

- 1 Each thread is allocated with new memory from main memory.
- 2 Main thread terminates after the termination of child threads.
- 3 Every process can have only one thread.
- 4 None of the above

Right Ans ) 2

17) Which of the following statement is not true?

- 1 Multiprogramming implies multitasking
- 2 Multi-user does not imply multiprocessing
- 3 Multitasking does not imply multiprocessing
- 4 Multithreading implies multi-user

Right Ans ) 4

18) In one of the deadlock prevention methods, impose a total ordering of all resource types, and require that each process requests resources in an increasing order of enumeration. This violates the \_\_\_\_\_ condition of deadlock

- 1 Mutual exclusion
- 2 Hold and Wait
- 3 Circular Wait
- 4 No Preemption

Right Ans ) 3

19) In the \_\_\_\_\_ method of data transfer, the participation of the processor is eliminated during data transfer.

- 1 Buffering
- 2 Caching
- 3 Direct Memory Access
- 4 Indirect Memory Access

Right Ans ) 3

20) A thread is a \_\_\_\_\_ process .

- 1 Heavy Weight
- 2 Mutliprocess
- 3 Inter Thread
- 4 Light wieght

Right Ans ) 4

21) Data reside in file on disk under DOS environment, which of the following file name is invalid ?

- 1 OSCONCEPTS.doc
- 2 RAW
- 3 COMPAQ.BOOK



4 JUMPSTART.BOS

Right Ans ) 3

22) In Priority Scheduling a priority number (integer) is associated with each process. The CPU is allocated to the process with the highest priority (smallest integer = highest priority). The problem of, Starvation ? low priority processes may never execute, is resolved by \_\_\_\_\_.

1 Terminating the process.

2 Aging

3 Mutual Exclusion

4 Semaphore

Right Ans ) 2

23) CPU Scheduling is the basis of \_\_\_\_\_ operating system

1 Batch

2 Real time

3 Multiprogramming

4 Monoprogramming

Right Ans ) 3

24) A major problem with priority scheduling is \_\_\_\_\_.

1 Definite blocking

2 Starvation

3 Low priority

4 None of the above

Right Ans ) 2

25) \_\_\_\_\_ scheduler selects the jobs from the pool of jobs and loads into the ready queue.

1 Long term

2 Short term

3 Medium term

4 None of the above

Right Ans ) 1

26) Which directory implementation is used in most Operating System?

1 Single level directory structure

2 Two level directory structure

3 Tree directory structure

4 Acyclic directory structure

Right Ans ) 3

27) Saving the state of the old process and loading the saved state of the new process is called \_\_\_\_\_.

1 Context Switch

2 State

3 Multi programming

4 None of the above

Right Ans ) 1

28) The term " Operating System " means \_\_\_\_\_.

1 A set of programs which controls computer working

2 The way a computer operator works

3 Conversion of high-level language in to machine level language

4 The way a floppy disk drive operates

Right Ans ) 1

29) Resource locking \_\_\_\_\_.

1 Allows multiple tasks to simultaneously use resource

2 Forces only one task to use any resource at any time

3 Can easily cause a dead lock condition

4 Is not used for disk drives

Right Ans ) 2

30) A thread

1 is a lightweight process where the context switching is low

2 is a lightweight process where the context switching is high

3 is used to speed up paging

4 none of the above

Right Ans ) 1

1) Using Priority Scheduling algorithm, find the average waiting time for the following set of processes given with their priorities in the order: Process : Burst Time : Priority respectively . P1 : 10 : 3 , P2 : 1 : 1 , P3 : 2 : 4 , P4 : 1 : 5 , P5 : 5 : 2.

1 8 milliseconds

2 8.2 milliseconds

3 7.75 milliseconds

4 3 milliseconds

Right Ans ) 2

2) Routine is not loaded until it is called. All routines are kept on disk in a relocatable load format. The main program is loaded into memory & is executed. This type of loading is called \_\_\_\_\_

1 Static loading

2 Dynamic loading

3 Dynamic linking

4 Overlays

Right Ans ) 3

3) In the running state

1 only the process which has control of the processor is found

2 all the processes waiting for I/O to be completed are found

3 all the processes waiting for the processor are found

4 none of the above

Right Ans ) 1

4) The Purpose of Co-operating Process is \_\_\_\_\_.

1 Information Sharing

2 Convenience

3 Computation Speed-Up

4 All of the above

Right Ans ) 4

5) The kernel of the operating system remains in the primary memory because \_\_\_\_\_.

1 It is mostly called (used)

2 It manages all interrupt calls

3 It controls all operations in process

4 It is low level

Right Ans ) 1

6) The process related to process control, file management, device management, information about system and communication that is requested by any higher level language can be performed by

\_\_\_\_\_.

1 Editors

2 Compilers

3 System Call

4 Caching

Right Ans ) 3

7) Which of the following disk scheduling techniques has a drawback of starvation ?

1 SCAN

2 SSTF

3 FCFS

4 LIFO

Right Ans ) 2

8) Multiprogramming systems \_\_\_\_\_.

1 Are easier to develop than single programming systems

2 Execute each job faster

3 Execute more jobs in the same time

4 Are used only on large main frame computers

Right Ans ) 3

9) Under multiprogramming, turnaround time for short jobs is usually \_\_\_\_\_ and that for long jobs is slightly \_\_\_\_\_.

1 Lengthened; Shortened

2 Shortened; Lengthened

3 Shortened; Shortened

4 Shortened; Unchanged

Right Ans ) 2

10) Multiprocessing \_\_\_\_\_.

1 Make the operating system simpler

2 Allows multiple processes to run simultaneously

3 Is completely understood by all major computer vendors

4 Allows the same computer to have the multiple processors

Right Ans ) 4

11) Which is not the state of the process ?

1 Blocked

2 Running

3 Ready

4 Privileged

Right Ans ) 4

12) A set of resources' allocations such that the system can allocate resources to each process in some order, and still avoid a deadlock is called \_\_\_\_\_.

1 Unsafe state

- 2 Safe state
  - 3 Starvation
  - 4 Greedy allocation
- Right Ans ) 2

13) The principle of locality of reference justifies the use of \_\_\_\_\_.

- 1 Virtual Memory
- 2 Interrupts
- 3 Main memory
- 4 Cache memory

Right Ans ) 4

14) What is the first step in performing an operating system upgrade ?

- 1 Partition the drive
- 2 Format the drive
- 3 Backup critical data
- 4 Backup old operating system

Right Ans ) 3

15) The technique, for sharing the time of a computer among several jobs, which switches jobs so rapidly such that each job appears to have the computer to itself, is called \_\_\_\_\_.

- 1 Time Sharing
- 2 Time out
- 3 Time domain
- 4 Multitasking

Right Ans ) 1

16) In a virtual memory environment

- 1 segmentation and page tables are stored in the cache and do not add any substantial overhead
- 2 slow down the computer system considerable
- 3 segmentation and page tables are stored in the RAM
- 4 none of the above

Right Ans ) 3

17) If all page frames are initially empty, and a process is allocated 3 page frames in real memory and references its pages in the order 1 2 3 2 4 5 2 3 2 4 1 and the page replacement is FIFO, the total number of page faults caused by the process will be \_\_\_\_\_.

- 1 10
- 2 7
- 3 8
- 4 9

Right Ans ) 4

18) Situations where two or more processes are reading or writing some shared data and the final results depends on the order of usage of the shared data, are called \_\_\_\_\_.

- 1 Race conditions
- 2 Critical section
- 3 Mutual exclusion
- 4 Dead locks

Right Ans ) 1

19) When two or more processes attempt to access the same resource a \_\_\_\_\_ occurs.

- 1 Critical section
  - 2 Fight
  - 3 Communication problem
  - 4 Race condition
- Right Ans ) 4

- 20) Which technique was introduced because a single job could not keep both the CPU and the I/O devices busy?
- 1 Time-sharing
  - 2 SPOOLing
  - 3 Preemptive scheduling
  - 4 Multiprogramming
- Right Ans ) 4

- 21) \_\_\_\_\_ allocates the largest hole (free fragment) available in the memory.
- 1 Best Fit
  - 2 Worst Fit
  - 3 First Fit
  - 4 None of the above
- Right Ans ) 2

- 22) A process is starved
- 1 if it is permanently waiting for a resource
  - 2 if semaphores are not used
  - 3 if a queue is not used for scheduling
  - 4 if demand paging is not properly implemented
- Right Ans ) 1

- 23) The degree of Multiprogramming is controlled by
- 1 CPU Scheduler
  - 2 Context Switching
  - 3 Long-term Scheduler
  - 4 Medium term Scheduler
- Right Ans ) 3

- 24) The time taken to bring the desired track/cylinder under the head is \_\_\_\_\_.
- 1 Seek time
  - 2 Latency time
  - 3 Transfer time
  - 4 Read time
- Right Ans ) 1

- 25) Replace the page that will not be used for the longest period of time. This principle is adopted by \_\_\_\_\_.
- 1 FIFO Page replacement algorithm
  - 2 Optimal Page replacement algorithm
  - 3 Round robin scheduling algorithm
  - 4 SCAN scheduling algorithm
- Right Ans ) 3

- 26) Which of the following is a criterion to evaluate a scheduling algorithm?
- 1 CPU Utilization: Keep CPU utilization as high as possible.

- 2 Throughput: number of processes completed per unit time.  
3 Waiting Time: Amount of time spent ready to run but not running.  
4 All of the above  
Right Ans ) 4

27) The operating system of a computer serves as a software interface between the user and the \_\_\_\_\_.

- 1 Hardware
- 2 Peripheral
- 3 Memory
- 4 Screen

Right Ans ) 1

28) Super computers typically employ \_\_\_\_\_.

- 1 Real time Operating system
- 2 Multiprocessors OS
- 3 desktop OS
- 4 None of the above

Right Ans ) 2

29) A process that is based on IPC mechanism which executes on different systems and can communicate with other processes using message based communication, is called \_\_\_\_\_.

- 1 Local Procedure Call
- 2 Inter Process Communication
- 3 Remote Procedure Call
- 4 Remote Machine Invocation

Right Ans ) 3

30) A process is

- 1 program in execution
- 2 a concurrent program
- 3 any sequential program
- 4 something which prevents deadlock

Right Ans ) 1

Posted by java home at [12 comments:](#)

Labels: [multiple choice questions on operating system](#)

### **Multiple Choice Questions On Operating System Part-4**

1) Round robin scheduling is essentially the preemptive version of \_\_\_\_\_.

- 1 FIFO
- 2 Shortest job first
- 3 Shortes remaining
- 4 Longest time first

Right Ans ) 1

2) A page fault occurs

- 1 when the page is not in the memory
- 2 when the page is in the memory
- 3 when the process enters the blocked state

4 when the process is in the ready state

Right Ans ) 1

3) Which of the following will determine your choice of systems software for your computer ?

1 Is the applications software you want to use compatible with it ?

2 Is it expensive ?

3 Is it compatible with your hardware ?

4 Both 1 and 3

Right Ans ) 4

4) Let S and Q be two semaphores initialized to 1, where P0 and P1 processes the following statements wait(S);wait(Q); ---; signal(S);signal(Q) and wait(Q); wait(S);---;signal(Q);signal(S); respectively. The above situation depicts a \_\_\_\_\_ .

1 Semaphore

2 Deadlock

3 Signal

4 Interrupt

Right Ans ) 2

5) What is a shell ?

1 It is a hardware component

2 It is a command interpreter

3 It is a part in compiler

4 It is a tool in CPU scheduling

Right Ans ) 2

6) Routine is not loaded until it is called. All routines are kept on disk in a relocatable load format. The main program is loaded into memory & is executed. This type of loading is called \_\_\_\_\_

1 Static loading

2 Dynamic loading

3 Dynamic linking

4 Overlays

Right Ans ) 3

7) In the blocked state

1 the processes waiting for I/O are found

2 the process which is running is found

3 the processes waiting for the processor are found

4 none of the above

Right Ans ) 1

8) What is the memory from 1K - 640K called ?

1 Extended Memory

2 Normal Memory

3 Low Memory  
4 Conventional Memory  
Right Ans ) 4

9) Virtual memory is \_\_\_\_\_.  
1 An extremely large main memory  
2 An extremely large secondary memory  
3 An illusion of extremely large main memory  
4 A type of memory used in super computers.  
Right Ans ) 3

10) The process related to process control, file management, device management, information about system and communication that is requested by any higher level language can be performed by \_\_\_\_\_.  
1 Editors  
2 Compilers  
3 System Call  
4 Caching  
Right Ans ) 3

11) If the Disk head is located initially at 32, find the number of disk moves required with FCFS if the disk queue of I/O blocks requests are 98,37,14,124,65,67.  
1 310  
2 324  
3 315  
4 321  
Right Ans ) 4

12) Multiprogramming systems \_\_\_\_\_.  
1 Are easier to develop than single programming systems  
2 Execute each job faster  
3 Execute more jobs in the same time  
4 Are used only on large main frame computers  
Right Ans ) 3

13) Which is not the state of the process ?  
1 Blocked  
2 Running  
3 Ready  
4 Privileged  
Right Ans ) 4

14) The solution to Critical Section Problem is : Mutual Exclusion, Progress and Bounded Waiting.  
1 The statement is false



- 2 The statement is true.  
3 The statement is contradictory.  
4 None of the above  
Right Ans ) 2

- 15) The problem of thrashing is effected scientifically by \_\_\_\_\_.  
1 Program structure  
2 Program size  
3 Primary storage size  
4 None of the above  
Right Ans ) 1

- 16) The state of a process after it encounters an I/O instruction is \_\_\_\_\_.  
1 Ready  
2 Blocked/Waiting  
3 Idle  
4 Running  
Right Ans ) 2

- 17) The number of processes completed per unit time is known as \_\_\_\_\_.  
1 Output  
2 Throughput  
3 Efficiency  
4 Capacity  
Right Ans ) 2

- 18) \_\_\_\_\_ is the situation in which a process is waiting on another process, which is also waiting on another process ... which is waiting on the first process. None of the processes involved in this circular wait are making progress.  
1 Deadlock  
2 Starvation  
3 Dormant  
4 None of the above  
Right Ans ) 1

- 19) Which of the following file name extension suggests that the file is Backup copy of another file ?  
1 TXT  
2 COM  
3 BAS  
4 BAK  
Right Ans ) 4

- 20) Which technique was introduced because a single job could not keep both the CPU and the I/O

devices busy?

- 1 Time-sharing
- 2 SPOOLing
- 3 Preemptive scheduling
- 4 Multiprogramming

Right Ans ) 4

21) A critical region

- 1 is a piece of code which only one process executes at a time
- 2 is a region prone to deadlock
- 3 is a piece of code which only a finite number of processes execute
- 4 is found only in Windows NT operation system

Right Ans ) 1

22) The mechanism that bring a page into memory only when it is needed is called \_\_\_\_\_

- 1 Segmentation
- 2 Fragmentation
- 3 Demand Paging
- 4 Page Replacement

Right Ans ) 3

23) PCB =

- 1 Program Control Block
- 2 Process Control Block
- 3 Process Communication Block
- 4 None of the above

Right Ans ) 2

24) FIFO scheduling is \_\_\_\_\_.

- 1 Preemptive Scheduling
- 2 Non Preemptive Scheduling
- 3 Deadline Scheduling
- 4 Fair share scheduling

Right Ans ) 2

25) Switching the CPU to another Process requires to save state of the old process and loading new process state is called as \_\_\_\_\_.

- 1 Process Blocking
- 2 Context Switch
- 3 Time Sharing
- 4 None of the above

Right Ans ) 2

26) Which directory implementation is used in most Operating System?

- 1 Single level directory structure
- 2 Two level directory structure
- 3 Tree directory structure
- 4 Acyclic directory structure

Right Ans ) 3

- 27) The Banker's algorithm is used
- 1 to prevent deadlock in operating systems
  - 2 to detect deadlock in operating systems
  - 3 to rectify a deadlocked state
  - 4 none of the above

Right Ans ) 1

- 28) A thread
- 1 is a lightweight process where the context switching is low
  - 2 is a lightweight process where the context switching is high
  - 3 is used to speed up paging
  - 4 none of the above

Right Ans ) 1

- 29) \_\_\_\_\_ is a high level abstraction over Semaphore.

- 1 Shared memory
- 2 Message passing
- 3 Monitor
- 4 Mutual exclusion

Right Ans ) 3

- 30) A tree structured file directory system
- 1 allows easy storage and retrieval of file names
  - 2 is a much debated unnecessary feature
  - 3 is not essential when we have millions of files
  - 4 none of the above

Right Ans ) 1

Posted by java home at [74 comments:](#)

Labels: [multiple choice questions on operating system](#)

### **Multiple Choice Questions On Operating System Part-3**

- 1) The collection of processes on the disk that is waiting to be brought into memory for execution forms the \_\_\_\_\_

- 1 Ready queue
- 2 Device queue
- 3 Input queue
- 4 Priority queue

Ans ) 3

2) Demand paged memory allocation

- 1 allows the virtual address space to be independent of the physical memory
- 2 allows the virtual address space to be a multiple of the physical memory size
- 3 allows deadlock to be detected in paging schemes
- 4 is present only in Windows NT

Ans ) 1

3) Which is not an Operating System ?

- 1 Windows 95
- 2 MS-DOS
- 3 Windows 3.1
- 4 Windows 2000

Ans ) 3

4) The operating system manages \_\_\_\_\_.

- 1 Memory
- 2 Processor
- 3 Disk and I/O devices
- 4 All of the above

Ans ) 4

5) It is not the layer of the Operating system.

- 1 Kernel
- 2 Shell
- 3 Application program
- 4 Critical Section

Ans ) 4

6) \_\_\_\_\_ begins at the root and follows a path down to the specified file

- 1 Relative path name
- 2 Absolute path name
- 3 Standalone name
- 4 All of the above

Ans ) 2

7) Who is called a supervisor of computer activity ?

- 1 CPU
- 2 Operating system
- 3 Control unit
- 4 Application Program

Ans ) 2

8) Consider the two statements. (A) Protection is an internal problem. (B) Security is considered as

an external environment within which the system works. Which of the statement is not true?

- 1 Only A
- 2 Only B
- 3 Both A and B
- 4 None of the above

Ans ) 4

9) The process related to process control, file management, device management, information about system and communication that is requested by any higher level language can be performed by \_\_\_\_\_.

- 1 Editors
- 2 Compilers
- 3 System Call
- 4 Caching

Ans ) 3

10) Mutual exclusion

- 1 if one process is in a critical region others are excluded
- 2 prevents deadlock
- 3 requires semaphores to implement
- 4 is found only in the Windows NT operating system

Ans ) 1

11) Which scheduler controls the degree of multiprogramming?

- 1 Short term scheduler
- 2 Long term scheduler
- 3 Middle term scheduler
- 4 None of the above

Ans ) 2

12) What is the name of the software which can be legally compiled and often used for free?

- 1 Shareware program
- 2 Public domain program
- 3 Firmware program
- 4 Mind Ware

Ans ) 2

13) The problem of fragmentation arises in \_\_\_\_\_.

- 1 Static storage allocation
- 2 Stack allocation storage
- 3 Stack allocation with dynamic binding
- 4 Heap allocation

Ans ) 4

14) In interactive environments such as time-sharing systems, the primary requirement is to provide reasonably good response time and in general, to share system resources equitably. In such situations, the scheduling algorithm that is most popularly applied is \_\_\_\_\_.

- 1 Shortest Remaining Time Next (SRTN) Scheduling
- 2 Priority Based Preemptive Scheduling
- 3 Round Robin Scheduling
- 4 None of the above

Ans ) 3

15) Thrashing occurs \_\_\_\_\_.

- 1 when excessive swapping takes place
- 2 when you thrash your computer
- 3 whenever deadlock occurs
- 4 when no swapping takes place

Ans ) 1

16) Boundary registers \_\_\_\_\_.

- 1 Are available in temporary program variable storage
- 2 Are only necessary with fixed partitions
- 3 Track the beginning and ending the program
- 4 Track page boundaries

Ans ) 3

17) The principle of locality of reference justifies the use of \_\_\_\_\_.

- 1 Virtual Memory
- 2 Interrupts
- 3 Main memory
- 4 Cache memory

Ans ) 4

18) The section of code which accesses shared variables is called as \_\_\_\_\_.

- 1 Critical section
- 2 Block
- 3 Procedure
- 4 Semaphore

Ans ) 1

19) Thrashing \_\_\_\_\_.

- 1 Reduces page I/O
- 2 Decreases the degree of multiprogramming
- 3 Implies excessive page I/O
- 4 Improve the system performance

Ans ) 3

20) In memory management , a technique called as paging, physical memory is broken into fixed-sized blocks called \_\_\_\_\_.

- 1 Pages
- 2 Frames
- 3 Blocks
- 4 Segments

Ans ) 2

21) The state of a process after it encounters an I/O instruction is \_\_\_\_\_.

- 1 Ready
- 2 Blocked/Waiting
- 3 Idle
- 4 Running

Ans ) 2

22) In one of the deadlock prevention methods, impose a total ordering of all resource types, and require that each process requests resources in an increasing order of enumeration. This violates the \_\_\_\_\_ condition of deadlock

- 1 Mutual exclusion
- 2 Hold and Wait
- 3 Circular Wait
- 4 No Preemption

Ans ) 3

23) Which of the following file name extension suggests that the file is Backup copy of another file ?

- 1 TXT
- 2 COM
- 3 BAS
- 4 BAK

Ans ) 4

24) The degree of Multiprogramming is controlled by

- 1 CPU Scheduler
- 2 Context Switching
- 3 Long-term Scheduler
- 4 Medium term Scheduler

Ans ) 3

25) The higher versions of operating systems are so written that programs designed for earlier versions can still be run. What is it called ?

- 1 Up gradiability
- 2 Upward mobility
- 3 Universality

4 Upward Compatibility

Ans ) 4

26) A scheduling algorithm is fair

1 if no process faces starvation

2 if a process is starved, detect it and run it with high priority

3 if it uses semaphores

4 only if a queue is used for scheduling

Ans ) 1

27) A critical region

1 is a piece of code which only one process executes at a time

2 is a region prone to deadlock

3 is a piece of code which only a finite number of processes execute

4 is found only in Windows NT operation system

Ans ) 1

28) Semaphore can be used for solving \_\_\_\_\_.

1 Wait & signal

2 Deadlock

3 Synchronization

4 Priority

Ans ) 3

29) The operating system of a computer serves as a software interface between the user and the \_\_\_\_\_.

1 Hardware

2 Peripheral

3 Memory

4 Screen

Ans ) 1

30) What is the name of the software which deals with the running of the actual computer and not with the programming problems?

1 Operating system

2 System program

3 Object program

4 Source program

Ans ) 2

Posted by java home at [6 comments](#):

Labels: [multiple choice questions on operating system](#)

## **Multiple Choice Questions On Operating System Part-2**

1) Consider the two statements.



(A) A network operating system, the users access remote resources in the same manner as local resource.

(B) In a distributed operating system, the user can access remote resources either by logging into the appropriate remote machine or transferring data from the remote machine to their own machine.

Which of the statement is true?

- 1 A true, B false
- 2 B true, A false
- 3 Both A and B false
- 4 Both A and B true

Ans ) 3

2) Using Priority Scheduling algorithm, find the average waiting time for the following set of processes given with their priorities in the order: Process : Burst Time : Priority respectively .

P1 : 10 : 3 ,

P2 : 1 : 1 ,

P3 : 2 : 4 ,

P4 : 1 : 5 ,

P5 : 5 : 2.

- 1 8 milliseconds
- 2 8.2 milliseconds
- 3 7.75 milliseconds
- 4 3 milliseconds

Ans ) 2

3) Which of the following will determine your choice of systems software for your computer ?

- 1 Is the applications software you want to use compatible with it ?
- 2 Is it expensive ?
- 3 Is it compatible with your hardware ?
- 4 Both 1 and 3

Right Ans ) 4

Associate Ans) 4

4) What is a shell ?

- 1 It is a hardware component
- 2 It is a command interpreter
- 3 It is a part in compiler
- 4 It is a tool in CPU scheduling

Ans ) 2

5) The operating system manages \_\_\_\_\_.

- 1 Memory
- 2 Processor
- 3 Disk and I/O devices
- 4 All of the above

Ans ) 4

6) The Hardware mechanism that enables a device to notify the CPU is called \_\_\_\_\_.

- 1 Polling
- 2 Interrupt
- 3 System Call
- 4 None of the above

Ans ) 2

7) \_\_\_\_\_ begins at the root and follows a path down to the specified file

- 1 Relative path name
- 2 Absolute path name
- 3 Standalone name
- 4 All of the above

Ans ) 2

8) Process State is a part of

- 1 Process Control block
- 2 Inode
- 3 File Allocation Table
- 4 None of the above

Ans ) 1

9) Virtual Memory is commonly implemented by \_\_\_\_\_.

- 1 Segmentation
- 2 Swapping
- 3 Demand Paging
- 4 None of the above

Ans ) 3

10) Virtual memory is \_\_\_\_\_.

- 1 An extremely large main memory
- 2 An extremely large secondary memory
- 3 An illusion of extremely large main memory
- 4 A type of memory used in super computers.

Ans ) 3

11) The kernel keeps track of the state of each task by using a data structure called \_\_\_\_

- 1 Process control block
- 2 User control block
- 3 Memory control block
- 4 None of the above

Ans ) 1

12) A binary semaphore

1 has the values one or zero

2 is essential to binary computers

3 is used only for synchronisation

4 is used only for mutual exclusion

Ans ) 1

13) \_\_\_\_\_ page replacement algorithm suffers from Belady's anomaly.

1 LRU

2 MRU

3 FIFO

4 LIFO

Ans ) 3

14) A program at the time of executing is called \_\_\_\_\_.

1 Dynamic program

2 Static program

3 Binded Program p

4 A Process

Ans ) 4

15) \_\_\_\_\_ is a high speed cache used to hold recently referenced page table entries a part of paged virtual memory

1 Translation Lookaside buffer

2 Inverse page table

3 Segmented page table

4 All the above

Ans ) 1

16) If you don't know which version of MS-DOS you are working with, which command will you use after booting your operating system ?

1 Format command

2 FAT command

3 VER command

4 DISK command

Ans ) 3

17) \_\_\_\_\_ OS pays more attention on the meeting of the time limits.

1 Distributed

2 Network

3 Real time

4 Online

Ans ) 3

18) A process said to be in \_\_\_\_\_ state if it was waiting for an event that will never occur.

- 1 Safe
- 2 Unsafe
- 3 Starvation
- 4 Dead lock

Ans ) 4

19) The removal of process from active contention of CPU and reintroduce them into memory later is known as \_\_\_\_\_.

- 1 Interrupt
- 2 Swapping
- 3 Signal
- 4 Thread

Ans ) 2

20) The problem of thrashing is effected scientifically by \_\_\_\_\_.

- 1 Program structure
- 2 Program size
- 3 Primary storage size
- 4 None of the above

Ans ) 1

21) Paging \_\_\_\_\_.

- 1 solves the memory fragmentation problem
- 2 allows modular programming
- 3 allows structured programming
- 4 avoids deadlock

Ans ) 1

22) Real time systems are \_\_\_\_\_.

- 1 Primarily used on mainframe computers
- 2 Used for monitoring events as they occur
- 3 Used for program development
- 4 Used for real time interactive users

Ans ) 2

23) A thread is a \_\_\_\_\_ process .

- 1 Heavy Weight
- 2 Mutliprocess
- 3 Inter Thread
- 4 Light wieght

Ans ) 4

24) \_\_\_\_\_ allocates the largest hole (free fragmant) available in the memory.

- 1 Best Fit
  - 2 Worst Fit
  - 3 First Fit
  - 4 None of the above
- Ans ) 2

25) Number of CPU registers in a system depends on \_\_\_\_\_.

- 1 Operating system
- 2 Computer Architecture
- 3 Computer Organization
- 4 None of the above

Ans ) 2

26) A major problem with priority scheduling is \_\_\_\_\_.

- 1 Definite blocking
- 2 Starvation
- 3 Low priority
- 4 None of the above

Ans ) 2

27) A \_\_\_\_\_ contains information about the file, including ownership, permissions, and location of the file contents.

- 1 File Control Block (FCB)
- 2 File
- 3 Device drivers
- 4 File system

Ans ) 1

28) Which directory implementation is used in most Operating System?

- 1 Single level directory structure
- 2 Two level directory structure
- 3 Tree directory structure
- 4 Acyclic directory structure

Ans ) 3

29) The term " Operating System " means \_\_\_\_\_.

- 1 A set of programs which controls computer working
- 2 The way a computer operator works
- 3 Conversion of high-level language in to machine level language
- 4 The way a floppy disk drive operates

Ans ) 1

30) The operating system of a computer serves as a software interface between the user and the \_\_\_\_\_.

- 1 Hardware
- 2 Peripheral
- 3 Memory
- 4 Screen

Ans ) 1

Posted by java home at [5 comments:](#)

Labels: [multiple choice questions on operating system](#)

### **Multiple Choice Questions On Operating System Part-1**

1) Routine is not loaded until it is called. All routines are kept on disk in a relocatable load format. The main program is loaded into memory & is executed. This type of loading is called \_\_\_\_\_

- 1 Static loading
- 2 Dynamic loading
- 3 Dynamic linking
- 4 Overlays

Ans ) 3

2) Which of the following is crucial time while accessing data on the disk?

- 1 Seek time
- 2 Rotational time
- 3 Transmission time
- 4 Waiting time

Ans ) 1

3) The host repeatedly checks if the controller is busy until it is not. It is in a loop that status register's busy bit becomes clear. This is called \_\_\_\_\_ and a mechanism for the hardware controller to notify the CPU that it is ready is called \_\_\_\_\_.

- 1 Interrupt and Polling
- 2 Polling and Spooling
- 3 Polling and Interrupt
- 4 Deadlock and Starvation

Ans ) 3

4) Unix Operating System is an \_\_\_\_\_.

- 1 Time Sharing Operating System
- 2 Multi-User Operating System
- 3 Multi-tasking Operating System
- 4 All the Above

Ans ) 4

5) Which of the following memory allocation scheme suffers from External fragmentation?

- 1 Segmentation
- 2 Pure demand paging
- 3 Swapping

#### 4 Paging

Ans ) 1

6) Information about a process is maintained in a \_\_\_\_\_.

- 1 Stack
- 2 Translation Lookaside Buffer
- 3 Process Control Block
- 4 Program Control Block

Ans ) 3

7) Distributed OS works on the \_\_\_\_\_ principle.

- 1 File Foundation
- 2 Single system image
- 3 Multi system image
- 4 Networking image

Ans ) 2

8) The problem of fragmentation arises in \_\_\_\_\_.

- 1 Static storage allocation
- 2 Stack allocation storage
- 3 Stack allocation with dynamic binding
- 4 Heap allocation

Ans ) 4

9) Which file system does DOS typically use ?

- 1 FAT16
- 2 FAT32
- 3 NTFS
- 4 WNFS

Ans ) 1

10) The program is known as \_\_\_\_\_ which interacts with the inner part of called kernel.

- 1 Compiler
- 2 Device Driver
- 3 Protocol
- 4 Shell

Ans ) 4

11) The time taken by the disk arm to locate the specific address of a sector for getting information is called \_\_\_\_\_.

- 1 Rotational Latency
- 2 Seek Time
- 3 Search Time
- 4 Response Time

Ans ) 2

12) Which file system does Windows 95 typically use ?

- 1 FAT16
- 2 FAT32
- 3 NTFS
- 4 LMFS

Ans ) 2

13) Identify the odd thing in the services of operating system.

- 1 Accounting
- 2 Protection
- 3 Error detection and correction
- 4 Dead lock handling

Ans ) 3

14) Cryptography technique is used in \_\_\_\_\_.

- 1 Polling
- 2 Job Scheduling
- 3 Protection
- 4 File Management

Ans ) 3

15) Which of the following is not advantage of multiprogramming?

- 1 Increased throughput
- 2 Shorter response time
- 3 Decreased operating system overhead
- 4 Ability to assign priorities to jobs

Ans ) 3

16) In \_\_\_\_\_ OS, the response time is very critical.

- 1 Multitasking
- 2 Batch
- 3 Online
- 4 Real-time

Ans ) 4

17) An optimal scheduling algorithm in terms of minimizing the average waiting time of a given set of processes is \_\_\_\_\_.

- 1 FCFS scheduling algorithm
- 2 Round robin scheduling algorithm
- 3 Shortest job - first scheduling algorithm
- 4 None of the above

Ans ) 3



18) Real time systems are \_\_\_\_\_.

- 1 Primarily used on mainframe computers
- 2 Used for monitoring events as they occur
- 3 Used for program development
- 4 Used for real time interactive users

Ans ) 2

19) Which technique was introduced because a single job could not keep both the CPU and the I/O devices busy?

- 1 Time-sharing
- 2 SPOOLing
- 3 Preemptive scheduling
- 4 Multiprogramming

Ans ) 4

20) Inter process communication can be done through \_\_\_\_\_.

- 1 Mails
- 2 Messages
- 3 System calls
- 4 Traps

Ans ) 2

21) In Priority Scheduling a priority number (integer) is associated with each process. The CPU is allocated to the process with the highest priority (smallest integer = highest priority). The problem of, Starvation ? low priority processes may never execute, is resolved by \_\_\_\_\_.

- 1 Terminating the process.
- 2 Aging
- 3 Mutual Exclusion
- 4 Semaphore

Ans ) 2

22) CPU performance is measured through \_\_\_\_\_.

- 1 Throughput
- 2 MHz
- 3 Flaps
- 4 None of the above

Ans ) 1

23) PCB =

- 1 Program Control Block
- 2 Process Control Block
- 3 Process Communication Block
- 4 None of the above

Ans ) 2

24) Software is a program that directs the overall operation of the computer, facilitates its use and interacts with the user. What are the different types of this software ?

- 1 Operating system
- 2 Language Compiler
- 3 Utilities
- 4 All of the above

Ans ) 4

25) A \_\_\_\_\_ is a software that manages the time of a microprocessor to ensure that all time critical events are processed as efficiently as possible. This software allows the system activities to be divided into multiple independent elements called tasks.

- 1 Kernel
- 2 Shell
- 3 Processor
- 4 Device Driver

Ans ) 1

26) The primary job of the operating system of a computer is to \_\_\_\_\_.

- 1 Command Resources
- 2 Manage Resources
- 3 Provide Utilities
- 4 Be user friendly

Ans ) 2

27) With the round robin CPU scheduling in a time-shared system \_\_\_\_\_.

- 1 Using very large time slice degenerates in to first come first served algorithm
- 2 Using extremely small time slices improve performance
- 3 Using extremely small time slices degenerate in to last in first out algorithm
- 4 Using medium sized time slices leads to shortest request time first algorithm

Ans ) 1

28) Which of the following is a criterion to evaluate a scheduling algorithm?

- 1 CPU Utilization: Keep CPU utilization as high as possible.
- 2 Throughput: number of processes completed per unit time.
- 3 Waiting Time: Amount of time spent ready to run but not running.
- 4 All of the above

Ans ) 4

29) Which of the following is contained in Process Control Block (PCB)?

- 1 Process Number
- 2 List of Open files
- 3 Memory Limits

4 All of the Above

Ans ) 4

30) Super computers typically employ \_\_\_\_\_.

1 Real time Operating system

2 Multiprocessors OS

3 desktop OS

4 None of the above

Ans ) 2

### **Linux Administration MCQ**

1. The dmesg command
  - a) Shows user login logoff attempts
  - b) Shows the syslog file for info messages
  - c) **kernel log messages**
  - d) Shows the daemon log messages
  
2. The signal sent to a process when the Ctrl-C key is pressed is
  - a) **KILL**
  - b) TSTP
  - c) TERM
  - d) INT
  
3. User id 0 is
  - a) An invalid user id
  - b) **The id of the root user**
  - c) The id of a user when the user's account is deleted
  - d) None of the above
  
4. Which command is used to record a user login session in a file
  - a) macro
  - b) read
  - c) **script**
  - d) none of the above
  
5. Which command is used to display the operating system name
  - a) os
  - b) Unix
  - c) kernel
  - d) **uname**
  
6. By default, a Linux user falls under which group?
  - a) staff
  - b) others
  - c) **same as userid (UPG)**
  - d) system
  
7. Which command is used to print a file
  - a) print
  - b) ptr
  - c) **lpr**
  - d) none of the above

8. Using which command you find resource limits to the session?

- a) rlimit
- b) ulimit
- c) setrlimit
- d) getrlimit

9. Which option of ls command used to view file inode number

- a) -l
- b) -o
- c) -a
- d) -i

10. find / -name '\*' will

- a) List all files and directories recursively starting from /
- b) List a file named \* in /
- c) List all files in / directory
- d) List all files and directories in / directory

11. You forget the root password. You decide to reboot using a boot disk. What do you need to do to recover the root password?

- a) Mount the main partition, edit the /etc/passwd file to remove the root password, reboot.
- b) Mount the root partition, edit the /etc/passwd file to remove the root password, reboot.
- c) Mount the main partition, edit the /tmp/passwd file to remove the root password, reboot.
- d) Mount the root partition, edit the /etc/passwds file to remove the root password, reboot
- e) none of the above

12. The previous system administrator put useless messages at login, what file do you edit to change the system message?

- a) /etc/motd
- b) /etc/str
- c) /etc/strtmps
- d) /etc/.conf

13. Which file does Linux use to resolve hostnames?

- a) /etc/hostname.conf
- b) /etc/dns.conf
- c) /etc/hosts.conf
- d) /etc/resolve.conf

14. What is bash?

- a) A kernel system call
- b) A command to delete multiple files
- c) A network bit format
- d) A command shell

15. You attempt to remove a directory, but Linux won't allow you, what is the most likely problem?
- a) The directory name contains illegal characters
  - b) You are not logged in as root
  - c) The hard disk is full
  - d) The directory is not empty
  - e) None are likely problems
16. From a command prompt, what does the command "ls" do?
- a) Lists the settings of the OS
  - b) Lists the contents of the directory
  - c) List command to list contents of files
  - d) Finnish words, means to direct a file to a port
  - e) None of the Above
17. Which command creates a file system?
- a) fdisk
  - b) crfs
  - c) mkfs
  - d) fs
18. The login shell is
- a) The shell program that runs when the user logs in
  - b) The shell program that authenticates the user while logging in
  - c) Common shell for all the users that belong to the same group
  - d) None of the above
19. What does the command "ps" do?
- a) Prints the directory
  - b) Shows what processes are running
  - c) Print status of LPT1
  - d) Produces system statistics
  - e) None of the above
20. You are working in Linux when a program hits a flaw and stops running. Which command can be used to end the process?
- a) kill
  - b) stop
  - c) end
  - d) wait
  - e) CTL-ALT-DEL

21. A user is logged into the Linux workstation, what is the best way to login to root from a shell prompt?

- a) login root
- b) chuser root
- c) su -
- d) root -

22. The encrypted password of a user is stored in

- a) /etc/shadow
- b) /etc/enpasswrd
- c) /etc/.passwd
- d) /etc/passwd

23. Which command is used to bring the background process to foreground?

- a) bg
- b) fg
- c) background
- d) foreground

24. The command chmod 4777 a.out

- a) will set the suid bit of a.out
- b) will set the suid bit of a.out only if the command is issued by root
- c) is not a valid command
- d) will set the sticky bit of a.out

25. wtmp and utmp files contain:

- a) Temporary system data
- b) User login-logout log
- c) The user's command execution log
- d) The user's su and sudo attempts

26. Applications communicate with kernel by using:

- a) System Calls
- b) C Programs
- c) Shell Script
- d) Shell

27. Which of the following is considered as the super daemon in Unix?

- a) sysinit
- b) init
- c) inetd
- d) proc

28. Unix is which kind of Operating System?

- a) Multi User
- b) Multi Processes
- c) Multi Tasking
- d) All the above

29. Which command changes a file's group owner

- a) cgrp
- b) chgrp
- c) change
- d) group

30. Which command is used to display disk consumption of a specific directory

- a) du
- b) ds
- c) dd
- d) dds

31. Which command is used to perform backup in unix?

- a) backup
- b) cpio
- c) zip
- d) gzip

32. Which option of rm command is used to remove a directory with all its subdirectories

- a) -B
- b) -O
- c) -P
- d) -R

33. Which of these commands could you use to show one page of output at a time?

- a) less
- b) sed
- c) pause
- d) grep

34. Which of the following commands can be used to change default permissions for files and directories at the time of creation

- a) chmod
- b) chown
- c) umask
- d) chgrp



35. Which of the following is not a valid run-level

- a) S
- b) 0
- c) 8
- d) 1

36. On Linux, initrd is a file

- a) containing root file-system required during bootup
- b) Contains only scripts to be executed during bootup
- c) Contains root-file system and drivers required to be preloaded during bootup
- d) None of the above

37. Which is loaded into memory when system is booted?

- a) Kernel
- b) Shell
- c) Commands
- d) Script

38. A user creates a link to a file file1 using the following command “ln file1 file2”. Which of the following is not true?

- a) file1 and file2 have the same inode numbers
- b) The number of links for file1 is displayed as 1
- c) The number of links for file1 is displayed as 2
- d) The number of links for file2 is displayed as 2

39. Sticky bit can be set using following permission

- a) 0777
- b) 2666
- c) 4744
- d) 1711

40. nohup is used to

- a) automatically hang up the process after logout
- b) continue the process after logout
- c) create background process
- d) manually hang up the process after logout