

MOCK CCEE - Security Concepts

Back

Time left 0:58:51

Hide

Question 1

Incorrect

Mark 0 out of 1

Flag question

Identify the correct sequence

- i) Identify active machines
- ii) OS fingerprinting
- iii) Information gathering
- iv) determining the network range

- ☐ A. iii , iv , i , ii
- ☐ B. i , iii , iv , ii
- ☒ C. iii , i , iv , ii ✖
- ☐ D. iv , i , iii , ii

The correct answer is:
iii , iv , i , ii

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

Finish attempt ...



- ☐ C. Setting appropriate permissions on files
- ☐ D. Installing the latest patches

Time left 0:57:56 Hide

Check

Question 6
Correct
Mark 1 out of 1
[Flag question](#)

What will be the output of the following code snippet?

```
s = {1, 2, 3, 3, 2, 4, 5, 5}
```

```
print(s)
```

- ☐ A. {1, 2, 3, 3, 2, 4, 5, 5}
- ☒ B. {1,2,3,4,5} ✓
- ☐ C. None
- ☐ D. {1,5}

The correct answer is:
{1,2,3,4,5}

Previous page

Next page

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



DITISS-SEP-2023 / MOCK CCEE - Security Concepts

MOCK CCEE - Security Concepts

Back

Time left 0:56:54

Hide

Question 11
Correct
Mark 1 out of 1
[Flag question](#)

Suppose the file "binky.py" contains a "def foo()". The fully qualified name of that foo function is _____.

- ☐ A. "main.binky"
- ☐ B. "binky.main"
- ☐ C. "boo.binky"
- ☒ D. binky.foo" ✓

The correct answer is:
binky.foo"

Question 12
Not complete

Nmap shows the status of the port as ----- if the port is assessable but is unable to determine whether it is open or closed

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)

 MOCK CCEE - Security Concepts

Back

Time left 0:55:18 Hide

Question 17
Correct
Mark 1 out of 1
[Flag question](#)

When a python file is run directly, the special variable "__name__" is set to.

- ☐ A. "__main_void__"
- ☐ B. "__void_main__"
- ☒ C. "__main__" ✓
- ☐ D. "__void__"

The correct answer is:
"__main__"

Question 18
Not complete
Marked out of 1

What protocol can be used to retrieve web pages using python?

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)

☐ D. All of the above

Time left 0:53:57 Hide

Check

Question 22
Correct
Mark 1 out of 1
[Flag question](#)

What will be the output of following the code?

```
my_list = ["Sunday", "Monday", "Tuesday", "Wednesday"];  
del my_list[2]  
print(my_list)
```

☒ A. ["Sunday", "Monday", "Wednesday"] ✓

☐ B. ["Monday", "Tuesday", "Wednesday"]

☐ C. ["Sunday", "Monday", "Tuesday"]

☐ D. ["Monday", "Tuesday"]

The correct answer is:
["Sunday", "Monday", "Wednesday"]

Previous page

Next page

Quiz navigation

1	2	3	4	5	6 ✓	7
8	9	10	11 ✓	12	13	14
15	16	17 ✓	18	19	20	21
22 ✓	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



- ☐ A. ACK scan
- ☐ B. SYN Scan
- ☐ C. NULL scan
- ☐ D. Idle scan

Time left 0:53:30 Hide

Check

Question 24
Correct
Mark 1 out of 1
[Flag question](#)

Inside a python interpreter, the _____ command gives a quick list of the defined symbols in python.

- ☐ A. snapshot
- ☐ B. view
- ☐ C. help
- ☒ D. dir ✓

The correct answer is:
dir

Previous page

Next page

Quiz navigation

1	2	3	4	5	6 ✓	7
8	9	10	11 ✓	12	13	14
15	16	17 ✓	18	19	20	21
22 ✓	23	24 ✓	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)

 MOCK CCEE - Security Concepts

Back

Time left 0:52:59 Hide

Question 25
Incorrect
Mark 0 out of 1
[Flag question](#)

- What does WEP stands for?
- ☒ A. Wireless Encryption Protocol 
 - ☐ B. Wired Equivalent Privacy
 - ☐ C. Wireless Encryption Privacy
 - ☐ D. Wired Encryption Protocol

The correct answer is:
Wired Equivalent Privacy

Question 26
Not complete
Marked out of 1

128 bit encryption schemes are generally considered better than schemes that employ keys of 40 bits because

Quiz navigation

1	2	3	4	5	6	7
					✓	
8	9	10	11	12	13	14
			✓			
15	16	17	18	19	20	21
		✓				
22	23	24	25	26	27	28
✓		✓				
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



- ☐ A. spoofing
- ☐ B. replay
- ☐ C. man in the middle
- ☐ D. backdoor

Time left 0:51:40 Hide

Check

Question 32
Correct
Mark 1 out of 1
[Flag question](#)

To delete a database in MySQL, the _____ DATABASE statement is used.

- ☐ A. DELETE
- ☐ B. DEL
- ☒ C. DROP ✓
- ☐ D. ERASE

The correct answer is:
DROP

Previous page

Next page

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)

MOCK CCEE - Security Concepts

Back

Time left 0:51:10 Hide

Question 33
Incorrect
Mark 0 out of 1
[Flag question](#)

In python, the _____ of a piece of code affects its meaning.

- ☐ A. whitespace indentation
- ☐ B. space between lines
- ☒ C. All of the above ✖
- ☐ D. None of the above

The correct answer is:
whitespace indentation

Question 34
Not complete
Marked out of 1

SMTP is as protocol used for which of the following functions

Quiz navigation

1	2	3	4	5	6	7
					✓	
8	9	10	11	12	13	14
			✓			
15	16	17	18	19	20	21
		✓				
22	23	24	25	26	27	28
✓		✓				
29	30	31	32	33	34	35
			✓			
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



- ☐ B. space between lines
- ☒ C. All of the above
- ☐ D. None of the above

Time left 0:50:57 Hide

The correct answer is:
whitespace indentation

Question 34
Correct
Mark 1 out of 1
[Flag question](#)

SMTP is as protocol used for which of the following functions

- ☒ A. Email
- ☐ B. Secure encryption of network places
- ☐ C. Remote access to user work stations
- ☐ D. None of the above

The correct answer is:
Email

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)

Previous page

Next page

Time left 0:48:38 Hide

Question 43
Incorrect
Mark 0 out of 1
[Flag question](#)

What kind of data structures are used for manipulating data in pandas?

- ☐ A. list and dataframe
- ☐ B. dataframe and dictionary
- ☐ C. Series and DataFrame
- ☒ D. Series and List ❌

The correct answer is:
Series and DataFrame

Question 44
Not complete
Marked out of 1
[Flag question](#)

The purpose of a DMZ in a network is to

- ☐ A. Provide easy connections to the internet without a interfering firewall
- ☐ B. Allow server farms to be divided into similar functioning entities
- ☐ C. Provide a place to lure and capture hackers
- ☐ D. Act as a buffer between untrusted and trusted networks

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



Question 45
Not complete
Marked out of 1
[Flag question](#)

IPsec provides which options as security services

Time left 0:47:38 [Hide](#)

- ☐ A. ESP and AH
- ☐ B. ESP and AP
- ☐ C. EA and AP
- ☐ D. EA and AH

[Check](#)

Question 46
Incorrect
Mark 0 out of 1
[Flag question](#)

Which of the following returns a string that represents the present working directory?

- ☐ A. os.getcwd()
- ☐ B. os.cwd()
- ☒ C. os.getpwd() ✖
- ☐ D. os.pwd()

The correct answer is:
os.getcwd()

[Previous page](#)

[Next page](#)

?

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



Back

Time left 0:47:03 Hide

Question 47
Correct
Mark 1 out of 1
[Flag question](#)

Which one is not a countermeasure against Malware ?

- ☐ A. Updating System with latest patches
- ☐ B. Taking backup regularly
- ☐ C. End User security training
- ☒ D. Installing MS Office ✓

The correct answer is:
Installing MS Office

Question 48
Not complete
Marked out of 1
[Flag question](#)

Which form of encryption does WPA use?

- ☐ A. AES
- ☐ B. TKIP
- ☐ C. LEAP
- ☐ D. Shared key

Check

Quiz navigation

1	2	3	4	5	6	7
					✓	
8	9	10	11	12	13	14
			✓			
15	16	17	18	19	20	21
		✓				
22	23	24	25	26	27	28
✓		✓				
29	30	31	32	33	34	35
			✓		✓	
36	37	38	39	40	41	42
43	44	45	46	47	48	49
				✓		
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



Question 53
Not complete
Marked out of 1
[Flag question](#)

Which virus rewrites itself completely after each iteration?

☐ A. Polymorphic virus
☐ B. Multipartite virus
☐ C. Macro virus
☐ D. Metamorphic virus

Check

Time left 0:46:04 Hide

Question 54
Correct
Mark 1 out of 1
[Flag question](#)

Which of the following operators is the correct option for power(ab)?

☐ A. a^b
☒ B. $a^{**}b$ ✓
☐ C. $a^{^^}b$
☐ D. $a^{*}b$

The correct answer is:
 $a^{**}b$

Previous page

Next page



Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



DITISS-SEP-2023 / MOCK CCEE - Security Concepts

MOCK CCEE - Security Concepts

Back

Time left 0:45:21 Hide

Question 57
Correct
Mark 1 out of 1
[Flag question](#)

A SYN flood is an example of what type of attack

- ☐ A. malicious code
- ☒ B. denial of service ✓
- ☐ C. man in the middle
- ☐ D. spoofing

The correct answer is:
denial of service

Question 58
Not complete
Marked out of 1

What is setattr() used for?

- ☐ A. To access the attribute of the object

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



Flag question

- ☒ B. denial of service ✓
- ☐ C. man in the middle
- ☐ D. spoofing

Time left 0:45:03 Hide

The correct answer is:
denial of service

Question 58
Correct
Mark 1 out of 1
[Flag question](#)

What is setattr() used for?

- ☐ A. To access the attribute of the object
- ☒ B. To set an attribute ✓
- ☐ C. To check if an attribute exists or not
- ☐ D. To delete an attribute

The correct answer is:
To set an attribute

Previous page

Next page

?

Quiz navigation

1	2	3	4	5	6 ✓	7
8	9	10	11 ✓	12	13	14
15	16	17 ✓	18	19	20	21
22 ✓	23	24 ✓	25	26	27	28
29	30	31	32 ✓	33	34 ✓	35
36	37	38	39	40	41	42
43	44	45	46	47 ✓	48	49
50	51	52	53	54 ✓	55	56
57 ✓	58 ✓	59	60			

[Finish attempt ...](#)



Not complete
Marked out of 1
Flag question

$s1 = \{1, 2, 3, 4, 5\}$
 $s2 = \{2, 4, 6\}$
 $\text{print}(s1 \wedge s2)$

Time left 0:43:51 Hide

- ☐ A. {1,2,3,4,5}
- ☐ B. {2,4}
- ☐ C. {1,3,5,6}
- ☐ D. {}

Check

Question 60
Incorrect
Mark 0 out of 1
Flag question

Which of the following is a passive online attack?

- ☒ A. Password Guessing
- ☐ B. Brute Force Attack
- ☐ C. Network Sniffing
- ☐ D. Dumpster Diving

The correct answer is:
Dumpster Diving

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

Finish attempt ...



DITISS-SEP-2023 / MOCK CCEE - Security Concepts



MOCK CCEE - Security Concepts

Back

Time left 0:43:24

Hide

Question 59
Correct
Mark 1 out of 1
[Flag question](#)

What will be the output of the following code snippet?

```
s1 = {1, 2, 3, 4, 5}
s2 = {2, 4, 6}
print(s1 ^ s2)
```

- ☐ A. {1,2,3,4,5}
- ☐ B. {2,4}
- ☒ C. {1,3,5,6} ✓
- ☐ D. {}

The correct answer is:
{1,3,5,6}

Question 60

Which of the following is a passive online attack?

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

Finish attempt ...



- ☐ A. iii , iv , i , ii
- ☐ B. i , iii , iv , ii
- ☒ C. iii , i , iv , ii ✖
- ☐ D. iv , i , iii , ii

Time left 0:42:32 Hide

The correct answer is:
iii , iv , i , ii

Question 2
Incorrect
Mark 0 out of 1
[Flag question](#)

Honeypots are used to

- ☐ A. Research behaviour of attackers
- ☐ B. Collect evidence for prosecution
- ☐ C. Process alarms from other IDSs
- ☒ D. Attract customers to e commerce sites ✖

The correct answer is:
Research behaviour of attackers

Next page

?

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



MOCK CCEE - Security Concepts

Back

Time left 0:41:44 Hide

Question 3
Correct
Mark 1 out of 1
[Flag question](#)

An active IDS can

- ☐ A. Respond to attacks with TCP resets
- ☐ B. Monitor for malicious activity
- ☒ C. A and B ✓
- ☐ D. None of the above

The correct answer is:
A and B

Question 4
Not complete
Marked out of 1
[Flag question](#)

Which of the following is not a capability of the network based IDS

- ☐ A. Can detect denial of service
- ☐ B. Can decrypt and read encrypted traffic
- ☐ C. Can decode UDP and TCP packets

Quiz navigation

1	2	3	4	5	6	7
		✓			✓	
8	9	10	11	12	13	14
			✓			
15	16	17	18	19	20	21
		✓				
22	23	24	25	26	27	28
✓		✓				
29	30	31	32	33	34	35
			✓		✓	
36	37	38	39	40	41	42
43	44	45	46	47	48	49
				✓		
50	51	52	53	54	55	56
				✓		
57	58	59	60			
✓	✓	✓				

[Finish attempt ...](#)



Mark 1 out of 1
Flag question

- ☐ A. Respond to attacks with TCP resets
- ☐ B. Monitor for malicious activity
- ☒ C. A and B ✓
- ☐ D. None of the above

Time left 0:40:49 Hide

The correct answer is:
A and B

Question 4
Correct
Mark 1 out of 1
Flag question

Which of the following is not a capability of the network based IDS

- ☐ A. Can detect denial of service
- ☒ B. Can decrypt and read encrypted traffic ✓
- ☐ C. Can decode UDP and TCP packets
- ☐ D. Can be tuned to a particular network environment

The correct answer is:
Can decrypt and read encrypted traffic

Previous page

Next page

?

Quiz navigation

1	2	3	4	5	6	7
		✓	✓		✓	
8	9	10	11	12	13	14
			✓			
15	16	17	18	19	20	21
		✓				
22	23	24	25	26	27	28
✓		✓				
29	30	31	32	33	34	35
			✓		✓	
36	37	38	39	40	41	42
43	44	45	46	47	48	49
				✓		
50	51	52	53	54	55	56
				✓		
57	58	59	60			
✓	✓	✓				

Finish attempt ...

MOCK CCEE - Security Concepts

Back

Time left 0:40:00 Hide

Question 5
Incorrect
Mark 0 out of 1
[Flag question](#)

- Buffer overflow attacks are best defeated by
- ☐ A. Removing sample files
 - ☒ B. Selecting strong passwords ✗
 - ☐ C. Setting appropriate permissions on files
 - ☐ D. Installing the latest patches

The correct answer is:
Installing the latest patches

Question 6
Correct
Mark 1 out of 1

What will be the output of the following code snippet?
`s = {1, 2, 3, 3, 2, 4, 5, 5}`

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)

 MOCK CCEE - Security Concepts

Back

Time left 0:39:19 Hide

Question 7
Correct
Mark 1 out of 1
[Flag question](#)

What is RAT ?

- ☐ A. Remote Action Test
- ☒ B. Remote Access Trojan ✓
- ☐ C. Random Access Test
- ☐ D. Remote Action Trojan

The correct answer is:
Remote Access Trojan

Question 8
Not complete
Marked out of 1

A firewall can be classified as an example of

- ☐ A. An ID based access control

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



Question 7
Correct
Mark 1 out of 1
[Flag question](#)

What is RAT ?

Time left 0:38:35 [Hide](#)

- ☐ A. Remote Action Test
- ☒ B. Remote Access Trojan ✓
- ☐ C. Random Access Test
- ☐ D. Remote Action Trojan

The correct answer is:
Remote Access Trojan

Question 8
Incorrect
Mark 0 out of 1
[Flag question](#)

A firewall can be classified as an example of

- ☒ A. An ID based access control ✗
- ☐ B. A directory based access control
- ☐ C. A rule based access control
- ☐ D. A lattice based access control

The correct answer is:
A rule based access control

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



D. binky.foo" ✓

Time left 0:36:46

Hide

The correct answer is:
binky.foo"

Question 12
Incorrect
Mark 0 out of 1
[Flag question](#)

Nmap shows the status of the port as ----- if the port is assessable but is unable to determine whether it is open or closed

- ☐ A. open
- ☐ B. unfiltered
- ☐ C. closed
- ☒ D. filtered ✗

The correct answer is:
unfiltered

Previous page

Next page

Quiz navigation

1	2	3	4	5	6	7
		✓	✓		✓	✓
8	9	10	11	12	13	14
			✓			
15	16	17	18	19	20	21
		✓				
22	23	24	25	26	27	28
✓		✓				
29	30	31	32	33	34	35
			✓		✓	
36	37	38	39	40	41	42
43	44	45	46	47	48	49
				✓		
50	51	52	53	54	55	56
				✓		
57	58	59	60			
✓	✓	✓				

Finish attempt ...



Not complete
Marked out of 1
Flag question

- ☐ A. First parameter
- ☐ B. Second parameter
- ☐ C. Third parameter
- ☐ D. Script itself

Time left 0:35:43 Hide

Check

Question 16
Incorrect
Mark 0 out of 1
Flag question

What types of packets are sent to the victim of a session-hijacking attack to cause them to close their end of the connection?

- ☐ A. FIN and ACK
- ☐ B. SYN or ACK
- ☒ C. SYN and ACK
- ☐ D. FIN or RST

The correct answer is:
FIN or RST

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

Finish attempt ...

Previous page

Next page

?



Mark 1 out of 1
Flag question

- ☐ A. "__main_void__"
- ☐ B. "__void_main__"
- ☒ C. "__main__" ✓
- ☐ D. "__void__"

Time left 0:35:22 Hide

The correct answer is:
"__main__"

Question 18
Incorrect
Mark 0 out of 1
Flag question

What protocol can be used to retrieve web pages using python?

- ☐ A. URLLIB
- ☐ B. bs4
- ☐ C. HTTP
- ☒ D. GET ✗

The correct answer is:
HTTP

Previous page

Next page

?

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

Finish attempt ...



Mark 0 out of 1
Flag question

- ☐ A. Usually involves a response plan
- ☐ B. Is a reaction to a security incident
- ☐ C. May involve law enforcement
- ☒ D. All of the above ✖

Time left 0:34:31 Hide

The correct answer is:
May involve law enforcement

Question 20
Correct
Mark 1 out of 1
Flag question

Which malware is used to gain administrative rights to one's computer?

- ☐ A. Virus
- ☒ B. Rootkit ✔
- ☐ C. Worm
- ☐ D. Torjan Horse

The correct answer is:
Rootkit

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

Finish attempt ...

Previous page

Next page

?

MOCK CCEE - Security Concepts

Back

Time left 0:32:05 Hide

Question 27
Incorrect
Mark 0 out of 1
[Flag question](#)

The default configuration file of MySQL on a linux machine is:

- ☐ A. mysql.conf
- ☒ B. sql.conf ❌
- ☐ C. my.cnf
- ☐ D. db.cnf

The correct answer is:
my.cnf

Question 28
Not complete
Marked out of 1

An "idle" system is also referred to as what?

- ☐ A. Zombie

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



MOCK CCEE - Security Concepts

Back

Time left 0:29:53

Hide

Question 31
Incorrect
Mark 0 out of 1
[Flag question](#)

In what type of attack does an attacker resend the series of commands and codes used in a financial transaction in order to cause the transaction to be conducted multiple times

- ☐ A. spoofing
- ☐ B. replay
- ☐ C. man in the middle
- ☒ D. backdoor ✗

The correct answer is:
replay

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



DITISS-SEP-2023 / MOCK CCEE - Security Concepts

MOCK CCEE - Security Concepts

Back

Time left 0:29:07 Hide

Question 35
Incorrect
Mark 0 out of 1
[Flag question](#)

SNMP is protocol used for which of the following functions

- ☐ A. Secure e mail
- ☒ B. Secure encryption of network packets ✗
- ☐ C. Remote access to user workstations
- ☐ D. Remote access to network infrastructure

The correct answer is:
Remote access to network infrastructure

Question 36
Not complete
Marked out of 1
[Flag question](#)

TCP wrappers

- ☐ A. Verify checksums on every packet entering or leaving the system
- ☐ B. Help prioritize network traffic for optimal throughput

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)

MOCK CCEE - Security Concepts

Back

Time left 0:28:10 Hide

Question 37
Correct
Mark 1 out of 1
[Flag question](#)

The _____ function returns its argument with a modified shape, whereas the _____ method modifies the array itself.

- ☒ A. reshape, resize ✓
- ☐ B. resize, reshape
- ☐ C. reshape2, resize
- ☐ D. reshape, size

The correct answer is:
reshape, resize

Question 38
Not complete

SSL works between----- and -----

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



- ☐ B. resize, reshape
- ☐ C. reshape2, resize
- ☐ D. reshape, size

Time left 0:27:28 Hide

The correct answer is:
reshape, resize

Question 38
Incorrect
Mark 0 out of 1
[Flag question](#)

SSL works between----- and -----

- ☐ A. Web browser , web server
- ☒ B. Web browser, application server ✖
- ☐ C. Web server , application server
- ☐ D. Application server, database server

The correct answer is:
Web browser , web server

Previous page

Next page

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

Finish attempt ...



Mark 0 out of 1
Flag question

- ☐ A. list and dataframe
- ☐ B. dataframe and dictionary
- ☐ C. Series and DataFrame
- ☒ D. Series and List ✗

Time left 0:26:34 Hide

The correct answer is:
Series and DataFrame

Question 44
Correct
Mark 1 out of 1
Flag question

The purpose of a DMZ in a network is to

- ☐ A. Provide easy connections to the internet without a interfering firewall
- ☐ B. Allow server farms to be divided into similar functioning entities
- ☐ C. Provide a place to lure and capture hackers
- ☒ D. Act as a buffer between untrusted and trusted networks ✓

The correct answer is:
Act as a buffer between untrusted and trusted networks

Previous page

Next page

?

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

Finish attempt ...



MOCK CCEE - Security Concepts

Back

Time left 0:25:27

Hide

Question 49
Correct
Mark 1 out of 1
[Flag question](#)

What is "wrapper" related to Malware?

- ☐ A. A tool to create virus
- ☒ B. Any legitimate software used to hide Trojan ✓
- ☐ C. Attack module of Malware
- ☐ D. None of the above

The correct answer is:
Any legitimate software used to hide Trojan

Question 50
Not complete
Marked out of 1

What symmetric encryption protocols does S/MIME support

☐ A. AES and RSA

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



☐ D. SYN

Time left 0:23:25

Hide

Check

Question 52
Incorrect
Mark 0 out of 1
[Flag question](#)

The trick in both spoofing and TCP/IP hijacking is in trying to

- ☐ A. provide the correct authentication token
- ☐ B. Finding two systems between which a trusted relationship exists
- ☒ C. guessing a password or brute forcing a password to gain initial access to the system or network
- ☐ D. maintaining the correct sequence numbers for the response packets

The correct answer is:
maintaining the correct sequence numbers for the response packets

Previous page

Next page

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

Finish attempt ...



MOCK CCEE - Security Concepts

Back

Time left 0:22:12

Hide

Question 53

Incorrect

Mark 0 out of 1

Flag question

Which virus rewrites itself completely after each iteration?

- ☐ A. Polymorphic virus
- ☒ B. Multipartite virus ✗
- ☐ C. Macro virus
- ☐ D. Metamorphic virus

The correct answer is:
Metamorphic virus

Question 54

Correct

Mark 1 out of 1

Which of the following operators is the correct option for power(ab)?

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

Finish attempt ...



DITISS-SEP-2023 / MOCK CCEE - Security Concepts



MOCK CCEE - Security Concepts

Back

Time left 0:20:57

Hide

Question 55
Correct
Mark 1 out of 1
[Flag question](#)

Why do PGP and S/MIME need public key cryptography

- ☐ A. Public keys are always necessary to determine if the e mail is encrypted
- ☒ B. The public key is necessary to encrypt the symmetric key ✓
- ☐ C. The public key unlocks the password to the e mail
- ☐ D. The public key is useless an just gives a false sense of privacy

The correct answer is:
The public key is necessary to encrypt the symmetric key

Question 56
Not complete
Marked out of 1

Google standard for python is to indent by _____ spaces

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



Mark 1 out of 1
Flag question

- ☐ A. Public keys are always necessary to determine if the e mail is encrypted
- ☒ B. The public key is necessary to encrypt the symmetric key ✓
- ☐ C. The public key unlocks the password to the e mail
- ☐ D. The public key is useless an just gives a false sense of privacy

Time left 0:20:38 Hide

The correct answer is:
The public key is necessary to encrypt the symmetric key

Question 56
Correct
Mark 1 out of 1
Flag question

Google standard for python is to indent by _____ spaces

- ☐ A. One
- ☒ B. Two ✓
- ☐ C. Three
- ☐ D. Four

The correct answer is:
Two

Previous page

Next page

?

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

Finish attempt ...



MOCK CCEE - Security Concepts

Back

Time left 0:19:20

Hide

Question 9
Correct
Mark 1 out of 1
[Flag question](#)

What does the following command trying to accomplish?

`nmap -sU -p445 192.168.0.0/24`

- ☐ A. Verify that UDP port 445 is closed on 192.168.0.0 network
- ☐ B. Verify that TCP port 445 is open on 192.168.0.0 network
- ☐ C. Verify that NETBIOS is running on 192.168.0.0 network
- ☒ D. Verify that UDP port 445 is open on 192.168.0.0 network ✓

The correct answer is:
Verify that UDP port 445 is open on 192.168.0.0 network

Question 10
Not complete
Marked out of 1
[Flag question](#)

The best way to minimize possible avenues of attack for your system is to

- ☐ A. Install a firewall an check the logs daily
- ☐ B. Monitor your intrusion detection system for possible attacks

Quiz navigation

1	2	3	4	5	6	7
		✓	✓		✓	✓
8	9	10	11	12	13	14
	✓		✓			
15	16	17	18	19	20	21
		✓			✓	
22	23	24	25	26	27	28
✓		✓				
29	30	31	32	33	34	35
			✓		✓	
36	37	38	39	40	41	42
	✓					
43	44	45	46	47	48	49
	✓			✓		✓
50	51	52	53	54	55	56
				✓	✓	✓
57	58	59	60			
✓	✓	✓				

[Finish attempt ...](#)



- ☐ C. Verify that NETBIOS is running on 192.168.0.0 network
- ☒ D. Verify that UDP port 445 is open on 192.168.0.0 network ✓

Time left 0:18:34 Hide

The correct answer is:
Verify that UDP port 445 is open on 192.168.0.0 network

Question 10
Incorrect
Mark 0 out of 1
[Flag question](#)

The best way to minimize possible avenues of attack for your system is to

- ☐ A. Install a firewall and check the logs daily
- ☒ B. Monitor your intrusion detection system for possible attacks ✗
- ☐ C. Limit the information that can be obtained on your organization and the services that are run by your internet visible systems
- ☐ D. Ensure that all patches have been applied for the services that are offered by your system.

The correct answer is:
Limit the information that can be obtained on your organization and the services that are run by your internet visible systems

Quiz navigation

1	2	3	4	5	6	7
		✓	✓		✓	✓
8	9	10	11	12	13	14
	✓		✓			
15	16	17	18	19	20	21
		✓			✓	
22	23	24	25	26	27	28
✓		✓				
29	30	31	32	33	34	35
			✓		✓	
36	37	38	39	40	41	42
	✓					
43	44	45	46	47	48	49
	✓			✓		✓
50	51	52	53	54	55	56
				✓	✓	✓
57	58	59	60			
✓	✓	✓				

[Finish attempt ...](#)

Previous page

Next page

Question 13
Not complete
Marked out of 1
[Flag question](#)

The following commands is used for ' nc -n 192.168.1.2 80 HEAD / HTTP/1.0'

- ☐ A. scanning
- ☐ B. reconnassaince
- ☐ C. banner grabbing
- ☐ D. none of the above

Check

Question 14
Correct
Mark 1 out of 1
[Flag question](#)

Which of the following is a Layer 3 security solution for WLANs?

- ☐ A. MAC filter
- ☐ B. WEP
- ☐ C. WPA
- ☒ D. VPN ✓

The correct answer is: VPN

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



DITISS-SEP-2023 / MOCK CCEE - Security Concepts

MOCK CCEE - Security Concepts

Back

Time left 0:17:14 Hide

Question 15
Incorrect
Mark 0 out of 1
[Flag question](#)

When using sys.argv - The first argument points to the

- ☒ A. First parameter ✗
- ☐ B. Second parameter
- ☐ C. Third parameter
- ☐ D. Script itself

The correct answer is:
Script itself

Question 16
Incorrect
Mark 0 out of 1

What types of packets are sent to the victim of a session-hijacking attack to cause them to close their end of the connection?

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



Mark 0 out of 1
Flag question

- ☐ A. mysql.conf
- ☒ B. sql.conf ✖
- ☐ C. my.cnf
- ☐ D. db.cnf

Time left 0:16:13 Hide

The correct answer is:
my.cnf

Question 28
Incorrect
Mark 0 out of 1
Flag question

- An "idle" system is also referred to as what?
- ☐ A. Zombie
 - ☒ B. PC not connected to the Internet ✖
 - ☐ C. PC not being used
 - ☐ D. Bot

The correct answer is:
Zombie

Previous page

Next page

?

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

Finish attempt ...



Back

Question 29
Correct
Mark 1 out of 1
 Flag question

- ☐ A. Type 0, code 0
- ☒ B. Type 3 , Code 0 ✓
- ☐ C. Type 8, Code 0
- ☐ D. None of the Above

Question 30
Not complete
Marked out of 1
[Flag question](#)

☐ A. Trapper

[Finish attempt ...](#)



Mark 1 out of 1
Flag question

- ☐ A. Type 0, code 0
- ☒ B. Type 3 , Code 0 ✓
- ☐ C. Type 8, Code 0
- ☐ D. None of the Above

Time left 0:15:24 Hide

The correct answer is:
Type 3 , Code 0

Question 30
Correct
Mark 1 out of 1
Flag question

Which group of malware record every movement on a computer ?

- ☐ A. Trapper
- ☐ B. Trojan Horse
- ☒ C. Key logger ✓
- ☐ D. Worm

The correct answer is:
Key logger

Previous page

Next page

?

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

Finish attempt ...



Mark 0 out of 1
Flag question

- ☐ A. Secure e mail
- ☒ B. Secure encryption of network packets ✖
- ☐ C. Remote access to user workstations
- ☐ D. Remote access to network infrastructure

Time left 0:14:19 Hide

The correct answer is:
Remote access to network infrastructure

Question 36
Correct
Mark 1 out of 1
Flag question

TCP wrappers

- ☐ A. Verify checksums on every packet entering or leaving the system
- ☐ B. Help prioritize network traffic for optimal throughput
- ☒ C. Help restrict access to the local system ✔
- ☐ D. None of the above

The correct answer is:
Help restrict access to the local system

Previous page

Next page

?

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

Finish attempt ...



MOCK CCEE - Security Concepts

Back

Time left 0:13:34

Hide

Question 39

Incorrect

Mark 0 out of 1

Flag question

What will be the output?

```
day_names = ["Sunday", "Monday", "Tuesday", "Wednesday"]  
print(day_names[-3:-1])
```

- ☐ A. ['Monday','Tuesday']
- ☒ B. ['Sunday','Monday'] ❌
- ☐ C. ['Tuesday','Wednesday']
- ☐ D. ['Wednesday','Monday']

The correct answer is:
['Monday','Tuesday']

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

Finish attempt ...



- ☐ A. ['Monday','Tuesday']
- ☒ B. ['Sunday','Monday'] ❌
- ☐ C. ['Tuesday','Wednesday']
- ☐ D. ['Wednesday','Monday']

Time left 0:13:13 Hide

The correct answer is:
['Monday','Tuesday']

Question 40
Correct
Mark 1 out of 1
[Flag question](#)

The client in socket programming must know which information?

- ☐ A. IP address of Server
- ☒ B. Both IP address of Server & Port number ✔️
- ☐ C. Port number
- ☐ D. Only its own IP address

The correct answer is:
Both IP address of Server & Port number

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)

Previous page

Next page

?



Question 41
Not complete
Marked out of 1
[Flag question](#)

"Stuxnet" is a

Time left 0:12:05 [Hide](#)

- ☐ A. Virus
- ☐ B. Worm
- ☐ C. Torjan Horse
- ☐ D. Rootkit

[Check](#)

Question 42
Incorrect
Mark 0 out of 1
[Flag question](#)

As what datatype are the *args stored, when passed into a function?

- ☒ A. List **✗**
- ☐ B. tuple
- ☐ C. dictionary
- ☐ D. set

The correct answer is:
tuple

[Previous page](#)

[Next page](#)

?

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



Time left 0:11:02 Hide

Question 45
Incorrect
Mark 0 out of 1
[Flag question](#)

IPsec provides which options as security services

- ☐ A. ESP and AH
- ☒ B. ESP and AP ❌
- ☐ C. EA and AP
- ☐ D. EA and AH

The correct answer is:
ESP and AH

Question 46
Incorrect
Mark 0 out of 1
[Flag question](#)

Which of the following returns a string that represents the present working directory?

- ☐ A. os.getcwd()
- ☐ B. os.cwd()
- ☒ C. os.getpwd() ❌
- ☐ D. os.pwd()

The correct answer is:
os.getcwd()

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



DITISS-SEP-2023 / MOCK CCEE - Security Concepts



MOCK CCEE - Security Concepts

Back

Time left 0:09:46

Hide

Question 51
Incorrect
Mark 0 out of 1
[Flag question](#)

Scan which will not determine the open port but used to map out firewall rulesets

- ☒ A. XMAS ❌
- ☐ B. NULL
- ☐ C. ACK
- ☐ D. SYN

The correct answer is:
ACK

Question 52
Incorrect
Mark 0 out of 1

The trick in both spoofing and TCP/IP hijacking is in trying to

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



DITISS-SEP-2023 / MOCK CCEE - Security Concepts

MOCK CCEE - Security Concepts

Back

Time left 0:08:56

Hide

Question 13
Correct
Mark 1 out of 1
[Flag question](#)

The following commands is used for ' nc -n 192.168.1.2 80 HEAD / HTTP/1.0'

- ☒ A. scanning ✓
- ☐ B. reconnassaince
- ☐ C. banner grabing
- ☐ D. none of the above

The correct answer is:
scanning

Question 14
Correct
Mark 1 out of 1

Which of the following is a Layer 3 security solution for WLANs?

- ☐ A. MAC filter

Quiz navigation

1	2	3	4	5	6	7
		✓	✓		✓	✓
8	9	10	11	12	13	14
	✓		✓		✓	✓
15	16	17	18	19	20	21
		✓			✓	
22	23	24	25	26	27	28
✓		✓				
29	30	31	32	33	34	35
✓	✓		✓		✓	
36	37	38	39	40	41	42
✓	✓			✓		
43	44	45	46	47	48	49
	✓			✓		✓
50	51	52	53	54	55	56
				✓	✓	✓
57	58	59	60			
✓	✓	✓				

[Finish attempt ...](#)



- ☐ C. Wireless Encryption Privacy
- ☐ D. Wired Encryption Protocol

Time left 0:06:31 Hide

The correct answer is:
Wired Equivalent Privacy

Question 26
Incorrect
Mark 0 out of 1
[Flag question](#)

128 bit encryption schemes are generally considered better than schemes that employ keys of 40 bits because

- ☐ A. The large number of possible keys in a 128 bit scheme makes it harder to attack
- ☒ B. 128 bit encryption encrypts more bits at one time and thus is faster ❌
- ☐ C. keys should be a power of two to facilitate quicker encryption
- ☐ D. it would not be considered better. A 40 bit key would be better because it would have fewer possible weak keys.

The correct answer is:
The large number of possible keys in a 128 bit scheme makes it harder to attack

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)

Previous page

Next page

?



Mark 1 out of 1
Flag question

- ☐ A. Updating System with latest patches
- ☐ B. Taking backup regularly
- ☐ C. End User security training
- ☒ D. Installing MS Office ✓

Time left 0:05:59 Hide

The correct answer is:
Installing MS Office

Question 48
Correct
Mark 1 out of 1
Flag question

Which form of encryption does WPA use?

- ☐ A. AES
- ☒ B. TKIP ✓
- ☐ C. LEAP
- ☐ D. Shared key

The correct answer is:
TKIP

Previous page

Next page

?

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

Finish attempt ...

 MOCK CCEE - Security Concepts

Back

Time left 0:05:36 Hide

Question 41
Incorrect
Mark 0 out of 1
[Flag question](#)

- "Stuxnet" is a
- ☐ A. Virus
 - ☐ B. Worm
 - ☒ C. Torjan Horse ✗
 - ☐ D. Rootkit

The correct answer is:
Worm

Question 42
Incorrect
Mark 0 out of 1

As what datatype are the *args stored, when passed into a function?

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

[Finish attempt ...](#)



MOCK CCEE - Security Concepts

Back

Time left 0:04:50

Hide

Question 23

Incorrect

Mark 0 out of 1

Flag question

side-channel attack exploits predictable IP fragmentation ID sequence generation on the zombie host to glean information about the open ports on the target.

- ☐ A. ACK scan
- ☒ B. SYN Scan ✗
- ☐ C. NULL scan
- ☐ D. Idle scan

The correct answer is:
Idle scan

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

Finish attempt ...



Mark 1 out of 1
Flag question

- ☐ A. A tool to create virus
- ☒ B. Any legitimate software used to hide Trojan ✓
- ☐ C. Attack module of Malware
- ☐ D. None of the above

Time left 0:04:18 Hide

The correct answer is:
Any legitimate software used to hide Trojan

Question 50
Incorrect
Mark 0 out of 1
Flag question

What symmetric encryption protocols does S/MIME support

- ☐ A. AES and RC4
- ☒ B. IDEA and 3DES ✗
- ☐ C. 3DES AND RC2
- ☐ D. RC4 and IDEA

The correct answer is:
3DES AND RC2

Previous page

Next page

?

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60			

Finish attempt ...