

PGDITISS (Internal Test)

PKI and Biometrics

- Q1. How many keys are needed for symmetric key encryption?
- A. **1**
 - B. 2
 - C. 3
 - D. 4
- Q2. Which of the following key lengths would be considered uncrackable? (Choose all that apply.)
- A. **512**
 - B. **256**
 - C. 128
 - D. 64
- Q3. What algorithm outputs a 128-bit message digest regardless of the length of the input?
- A. SHA
 - B. **MD5**
 - C. RC4
 - D. RC6
- Q4. Which algorithm is used in the digital signature process?
- A. RC4
 - B. RC5
 - C. Blowfish
 - D. **MD5**
- Q5. Data encrypted with the server's public key can be decrypted with which key?
- A. The server's public key
 - B. **The server's private key**
 - C. The client's public key
 - D. The client's private key
- Q6. What is the goal of a known-plain text attack?
- A. To read the encrypted data
 - B. To gain access to the public key
 - C. **To discover the encryption key**
 - D. To validate the sender of the data
- Q7. What is the standard format for digital certificates?
- A. x.500
 - B. **x.509**
 - C. x.25
 - D. XOR
- Q8. What are two components of a PKI?
- A. User passwords
 - B. **Digital certificates**
 - C. Encrypted data
 - D. **CA**
- Q9. What element of the CIA triad ensures that the data sent is the same data received?
- A. Confidentiality
 - B. **Integrity**
 - C. Authentication
- Q10. What is the purpose of a hash?
- A. To ensure confidentiality when using a public network such as the Internet
 - B. **To ensure integrity of a transferred file**
 - C. To ensure only authorized users are accessing a file
 - D. To ensure the data is available to authorized users
- Q11. Which cryptographic attack attempts to crack the code by looking for patterns and using statistical analysis?
- A. **Cipher text-only attack**
 - B. Chosen-plain text attack
 - C. Chosen-cipher text attack
 - D. Brute-force attack
- Q12. Which program is useful in ensuring the integrity of a file that has been downloaded from the Internet?
- A. Tripwire
 - B. Norton Internet Security
 - C. Snort
 - D. **WinMD5**
- Q13. Which of the following is true concerning IPSec?
- A. **It provides authentication, confidentiality, packet integrity, and encapsulation functions, but not antireplay capabilities.**
 - B. IKE is used to securely share keys between IPSec peers during Phase 1.
 - C. Cisco routers use transform sets to define interesting traffic.
 - D. It supports IPv4 and IPv6.

Name: _____

Roll No: _____

Q14. What is an example of a packet-filtering firewall?

- A. Websense
- B. Router ACLs**
- C. ASA state table
- D. Cut-through proxy

Q15. What kind of firewall terminates users' connections and establishes new connections to the actual destination?

- A. Application inspection firewall
- B. Stateful firewall
- C. Packet-filtering firewall
- D. Application gateway firewall**

Q16. What information is found in a state table of a stateful filtering firewall? (Choose two.)

- A. TCP flags**
- B. Protocol numbers or names**
- C. MAC addresses
- D. FTP commands executed by a user

Q17. What traffic should you typically be denying inbound into your network? (Choose two.)

- A. SMTP**
- B. DNS
- C. ICMP
- D. SNMP

Q18. You have a router with two interfaces: FA0/0 and FA0/1. FA0/0 has networks 10.0.1.0/24, 10.0.2.0/24, and 192.168.1.0/24 associated with it. FA0/1 has networks 10.0.3.0/24, 192.168.2.0/24, and 192.168.3.0/24 associated with it. Users associated with FA0/1 need to connect to servers to FA0/0. In this situation, what addresses should you drop to prevent spoofing attacks?

- A. Source addresses from 192.168.2.0/24
- B. Destination addresses from 192.168.1.0/24
- C. Destination addresses of 192.168.2.0/24
- D. Source addresses from 192.168.3.0/24
- E. Source addresses from 10.0.1.0/24**

Q19. Which of the following is a quantitative assessment used in risk management?

- A. OCTAVE
- B. CRAMM
- C. Failure Modes and Effect Analysis
- D. NIST SP 800-66

Q20. What is the primary model for creating security policies?

- A. Allow everything unless specifically denied
- B. Only create enforceable policies
- C. All policies are essentially unenforceable
- D. Deny everything unless specifically allowed**

Q21. Which of the following is a symmetric algorithm used in encrypting information?

- A. RSA
- B. EL Gamal
- C. CAST**
- D. Diffie-Hellmann

Q22. What type of firewall is the most commonly implemented between a trusted and untrusted network?

- A. Packet Filter
- B. Screened Subnet
- C. Application Proxy
- D. Stateful Inspection**

Q23. Smart cards are authentication tools which fulfill which type of authentication characteristic?

- A. Something a person knows**
- B. Something a person does
- C. Something a person is
- D. Something a person has

Q24. Which of the following authentication systems provide single sign on capabilities?

- A. RADIUS

PGDITISS (Internal Test)

PKI and Biometrics

- B. TACACS
- C. Kerberos**
- D. All of the above

Q25. Which of the following is not an access control characteristic?

- A. Corrective
- B. Monitoring
- C. Preventative
- D. Compensation**

Q26. Which of the following is a factor of authentication related to user controls?

- A. Something the user has
- B. Something the user is
- C. Something the user knows**
- D. All of the above

Q27. What character is used to represent an invalid character in DNS names?

- A. Asterisk
- B. Question mark
- C. Hyphen**
- D. Ampersand

Q28. What type of incident is cyberstalking considered to be?

- A. Reconnaissance
- B. Extortion
- C. Harassment**
- D. Repudiation

Q29. What type of network topology is commonly used by VPN solutions?

- A. Star**
- B. Mesh
- C. Hub
- D. All of the above

Q30. What suite of protocols is used by Virtual Private Networks?

- | | |
|-----------------|---------|
| A. IPSec | C. LADP |
| B. IP | D. RIP |

Q31. Which of the following is a behavioral form of biometrics?

- A. Voice patterns and recognition
- B. Keystroke pattern analysis**
- C. Retina and iris scans
- D. Hand geometry and fingerprints

Q32. Which of the following passwords would be the most difficult to hack?

- A. A dictionary password of 15 characters
- B. An alphanumeric password of 10 characters
- C. A combination password of 12 characters**
- D. A complex password of 8 characters

Q33. What is the technique used to store accessed information temporarily called?

- A. Forwarding
- B. Caching**
- C. Zoning
- D. Namespace

Q34. What **security** implementation is used to delay an attack rather than prevent it?

- A. Honeypot
- B. Demilitarized Zone**
- C. Screened Subnet
- D. Defense-in-Depth

Q35. What is the hierarchical tree structure used in DNS called?

- A. Domain namespace**
- B. Domain name
- C. Queries
- D. DNS Domain

Name: _____

Roll No: _____