

14. What does the acronym "CALMS" stand for in the context of DevOps?

- a) Code, Automation, Logs, Monitoring, Security
- b) Culture, Automation, Lean, Measurement, Sharing
- c) Continuous Application Lifecycle Management System
- d) Code, Automation, Lifecycle, Monitoring, Systems

[Click to View Answer and Explanation](#)

Answer:



About Me

Hi, I am [Ramez](#)
am VMWare
Professional
and Spring B

I am the four
blog website

10. In DevOps, what does "shift left" refer to?

- a) Delaying testing to the end of the development cycle
- b) Incorporating operations earlier in the development cycle
- c) Left-aligning code
- d) Outsourcing operations

[Click to View Answer and Explanation](#)

Answer:

The development teams that support the Agile approach to DevOps must include staff from the operations teams to ensure:

- A) That stability is prioritised over creativity
- B) Operational considerations are prioritised over stability
- C) Operational considerations are taken into account
- D) The resultant designs of the systems will fit nicely into the business as usual environment

Answers

- A) ☐ **A and B Only**
- B) ☒ **B and C Only**
- C) ☐ **C and D Only**
- D) ☐ **D Only**

[Previous Question](#)[Next Question](#)

Which benefits of adopting a DevOps approach could be included in a business case to adopt a DevOps approach?

- A) Improved deployment frequency, which can lead to faster time to market
- B) Lower failure rate of new releases
- C) Shortened lead time between fixes
- D) Faster mean time to recovery in the event of a new release crashing or otherwise disabling the current system

Answers

- A) ☐ Just A and C
- B) ☐ Just A, B and C
- C) ☐ A, B and C but not D
- D) ☒ All of the above

Which benefits of adopting a DevOps approach could be included in a business case to adopt a DevOps approach?

- A) Improved deployment frequency, which can lead to faster time to market
- B) Lower failure rate of new releases
- C) Shortened lead time between fixes
- D) Faster mean time to recovery in the event of a new release crashing or otherwise disabling the current system

Answers

- A) ☐ Just A and C
- B) ☐ Just A, B and C
- C) ☐ A, B and C but not D
- D) ☒ All of the above

Previous Question

Next Question

QUESTION 6 ID: 263

Pause Quiz

Is this statement correct? "DevOps is more than just a tool or a process change, it inherently requires an organisational culture shift"

- A) Yes, there needs to be cultural shift within the organisation across all stakeholders to ensure a successful adoption of a DevOps approach.
- B) Yes, but the most up to date tools and LEAN processes need to be in place to drive an organisational culture shift.
- C) No, DevOps is all about the tools.
- D) No, cultural shift will occur when staff are using the most up to date tools and LEAN processes.

Answers

- A) ☒ **A**
- B) ☐ **B**
- C) ☐ **C**
- D) ☐ **D**

Previous Question

Next Question

Which statement best describes the role of Change Management within a DevOps environment?

- A) Nothing changes as a risk adverse Change Management approach is paramount to IT and business success.
- B) The moment an app change is asked for, the request should go to the Developers to authorise. Once authorised it goes to Operations for implementation.
- C) The moment an app change is asked for, the request should go out to everyone on the team, no matter which IT discipline they work in.
- D) DevOps does not need Change Management?

Answers

A) ☐ **A**

B) ☐ **B**

C) ☐ **C**

D) ☐ **D**

Previous Question

Next Question

Which of these statements are correct about DevOps?

- A) DevOps and ITIL® don't mix
- B) DevOps won't work in regulated industries
- C) DevOps won't work with Outsourced Development
- D) You must use cloud technologies

Answers

- A) ☐ **B, C and D only**
- B) ☐ **C and D only**
- C) ☐ **All of the above are correct**
- D) ☒ **All of the above are incorrect**

Which benefits of adopting a DevOps approach could be included in a business case to adopt a DevOps approach?

- A) Improved deployment frequency, which can lead to faster time to market
- B) Lower failure rate of new releases
- C) Shortened lead time between fixes
- D) Faster mean time to recovery in the event of a new release crashing or otherwise disabling the current system

Answers

- A) ☐ **Just A and C**
- B) ☐ **Just A, B and C**
- C) ☐ **A, B and C but not D**
- D) ☐ **All of the above**

Agile and DevOps are similar but differ in a few important aspect.Which statement is correct?

- A) Agile is a change of thinking whereas DevOps is actual organisation cultural change
- B) Agile is actual organisational cultural change whereas DevOps is a change of thinking.
- C) Agile is process driven whereas DevOps is role driven.
- D) Agile is role driven whereas DevOps is process driven.

Answers

A) ☐ **A**

B) ☒ **B**

C) ☐ **C**

D) ☐ **D**

Previous Question

Next Question

Question No.4)

What are the useful plugins in Jenkin?

- ☐ **A) Maven 2 Project**
- ☐ **B) Amazon EC2**
- ☐ **C) HTML Publisher**
- ☒ **D) All of the above**

Question No.5)

In a Devops organization which one of the following elements does not directly contribute to your value stream?

- ☐ A) Clients
- ☐ B) Errors, incidents and fixes
- ☐ C) Devops team
- ☒ D) Stakeholders of downstream work center

Question No.9)

What is trunk in trunk based Devops delivery?

- ☐ **A) Trunk is a special private branch in a developer workstation**
- ☐ **B) Trunk is the process of merging code in Devops deliveries**
- ☐ **C) Developers collaborate on code in a single branch called trunk**
- ☐ **D) None of the above**

Question No.10)

Which of the following commands runs Jenkins from the command line?

- ☐ A) `java -jar jenkins.war`
- ☐ B) `java -war jenkins.jar`
- ☒ C) `java -jar jenkins.jar`
- ☐ D) `java -war jenkins.war`

Question No.11)

Which of the following is not a part of DevOps lifecycle ?

☐ A) Plan

☐ B) Built

☒ C) Code

☐ D) Operating

Question No.12)

Which one of the following is not one of the Devops principles for good test automation?

- ☒ **A) Never mix test driven development (TDD) together with your test automation approach**
- ☐ **B) With your test automation, avoid slow and periodic feedback. What you need is fast feedback whenever you or your developer attempts to check-in code to your trunk**
- ☐ **C) Test Automation should give quick and early feedback about your quality of work**
- ☐ **D) Tests should generate consistent, deterministic and repeatable results provided same conditions for different test runs**

Which maven plugin creates the project structure?

- ☐ **A) Dependency**
- ☐ **B) Properties**
- ☐ **C) Archetype**
- ☐ **D) Execution**

Question No.16)

What is a widely used reusable asset to reinforce information security of deliver from your Devops team?

- ☐ A) Handling the logging of sensitive client information
- ☐ B) Data transfer between clients and software
- ☐ C) Data storage systems
- ☒ D) All of the above

The cloud platform which are not used for DevOps Implementation?

- ☐ A) Google Cloud
- ☐ B) Microsoft Azure
- ☐ C) Amazon Web Services
- ☒ D) IBM Cloud

Which of the following is most important DevOps KPI?

- ☐ **A) Meantime to failure recovery**
- ☐ **B) Deployment frequency**
- ☐ **C) Defect Volume**
- ☒ **D) Both A & B**

Question No.19)

Which test must be performed first?

- ☐ A) Automated Integration Test
- ☐ B) Automated Component Test
- ☒ C) Automated Unit Test
- ☐ D) Automated API Test

Question No. 10

Jenkins is a

- ☐ Build Tool
- ☐ Testing Tool
- ☒ CI Tool
- ☐ CD Tool

Question No. 11

Continuous Delivery is the process of

- ☐ Frequent merging of code
- ☐ Delivering Solution to the Client
- ☒ Maintaining code in a deployable state
- ☐ Frequent deployment to production

Question No. 12

The key pain area prior to DevOps was

- ☐ Collaboration between operation teams
- ☐ Collaboration between development teams
- ☐ None of these
- ☒ Collaboration between Development and Operation teams

Question No. 15

Infrastructure As A Code (IAAS) refers to

- ☐ Managing Infrastructure As Code using Automation
- ☐ Auto Scaling
- ☒ Manual setting up of Infrastructure
- ☐ Automatic detection of Errors

2. What is the full form of DevOps?

- a) Development, Operations, and Security
- b) Development Operations
- c) Development of Operations
- d) Development and Operations

▼ View Answer

13. What is a container in DevOps?

- a) A lightweight, standalone executable package
- b) A virtual machine
- c) A storage device
- d) A server monitoring tool

 [View Answer](#)

16. What is the role of Selenium in a DevOps pipeline?

- a) Managing CI/CD pipelines
- b) Monitoring server performance
- c) Automating infrastructure provisioning
- d) Automating browser-based testing

▼ View Answer

17. What is a blue-green deployment in DevOps?

- a) A strategy to manage infrastructure costs
- b) A zero-downtime deployment method
- c) A monitoring approach for production servers
- d) A high-performance CI/CD tool

 View Answer

22. What is the primary difference between Continuous Delivery and Continuous Deployment?

- a) Continuous Deployment skips testing
- b) Continuous Deployment is only used for security patches
- c) Continuous Delivery releases software manually, while Continuous Deployment automates the entire process
- d) There is no difference between the two

▼ View Answer

23. What is the purpose of using Helm in Kubernetes?

- a) Replacing CI/CD tools
- b) Managing and deploying Kubernetes applications
- c) Automating the scaling of nodes
- d) Monitoring Kubernetes clusters

 View Answer

Question 1

Which one of the following methodologies does least impact the establishment of DevOps methodology?

- **Choice-1:** Lean Manufacturing.
- **Choice-2:** Agile Software Delivery.
- **Choice-3:** Waterfall Software Delivery.
- **Choice-4:** Continuous Software Delivery.

Correct Answer: Choice-3 / Waterfall Software Delivery.

Question 2

In typical IT organizations why is there a typical conflict between development and operations teams?

- **Choice-1:** Because they come from different backgrounds.
- **Choice-2:** Because development team knows more about software products and services.
- **Choice-3:** Because operations team knows more about test and production environments.
- **Choice-4:** Because they have conflicting business goals and priorities.

Correct Answer: Choice-4 / Because they have conflicting business goals and priorities.

Question 7

Why is it a good idea to limit batch size of your continuous DevOps deliveries?

- **Choice-1:** You will be quicker to identify root causes of issues and resolve them.
- **Choice-2:** By continuously delivering in production, your team will have the constant pride of contributing to the mission.
- **Choice-3:** Potentially required rollbacks from your production systems will be less cumbersome.
- **Choice-4:** All above choices.

Correct Answer: Choice-4 / All above choices

Question 7

Why is it a good idea to limit batch size of your continuous DevOps deliveries?

- **Choice-1:** You will be quicker to identify root causes of issues and resolve them.
- **Choice-2:** By continuously delivering in production, your team will have the constant pride of contributing your organizational mission.
- **Choice-3:** Potentially required rollbacks from your production systems will be less cumbersome.
- **Choice-4:** All above choices.

Correct Answer: Choice-4 / All above choices.

Question 8

What is trunk in trunk based DevOps delivery?

- **Choice-1:** Developers collaborate on code in a single branch called "trunk".
- **Choice-2:** Trunk is a special private branch in a developer workstation.
- **Choice-3:** Trunk is the process of merging code in DevOps deliveries.
- **Choice-4:** Trunk is a special source code version controlling system which stores mission critical special projects of your DevOps organization.

Correct Answer: Choice-1 / Developers collaborate on code in a single branch called "trunk".

Which component in Kubernetes, is responsible for the running state of each node

☒ Kubelet

☐ Kube-proxy

☐ None of these

☐ Container runtime

[Report This Question](#)



Get in

Nam

Ema

Mes

☐ r

QUESTION 8

Topic: Kubernetes

Which of the following defines, the image is pulled every time the pod is started, in Kubernetes

☐ imagePullPolicy: IfNotPresent

☐ imagePullPolicy

☐ imagePullPolicy: Always

☐ imagePullPolicy: latest

QUESTION 9

Topic: Continuous Integration

Which continuous integration principle advocates, build needs to complete rapidly, so that if there is a problem with integration, it is quickly identified?

☒ Automate deployment

☐ Test in a clone of the production environment

☐ Make it easy to get the latest deliverables

☐ Keep the build fast



Get inc

Name

Email

Mess

☐ I'm r

6. Which of the following is not a part of DevOps lifecycle __

- a) Operating
- b) Plan
- c) Build
- d) Code

Answer

7. Which of the following is not a benefit of Automation in DevOps?

- a) Enables anyone to perform tasks
- b) Implants Manual Errors
- c) Enables Speed, Reliability and Consistency
- d) None of the Above

Answer

12. ___ consists of a central shared repository where teammates can commit changes to a file or set of files.

Choose one option

- a) Version control
- b) Central Repository
- c) Risk Filters
- d) None of the above

Answer

16. Which of the following represents a cultural aspect of DevOps?

Choose one option

- a) Using Docker
- b) Automation scripts
- c) Collaboration and sharing between teams
- d) Writing Infrastructure as Code

Answer

19. What does the acronym "CALMS" stand for in the context of DevOps?

- a) Code, Automation, Logs, Monitoring, Security
- b) Culture, Automation, Lean, Measurement, Sharing
- c) Continuous Application Lifecycle Management System
- d) Code, Automation, Lifecycle, Monitoring, Systems

Answer

21. In a DevOps environment, effective collaboration between development and operations teams is crucial. As the DevOps manager, you want to implement practices that enhance communication and cooperation. Which collaboration tool or platform would be most suitable for fostering real-time collaboration and knowledge sharing among team members?

- a) GitLab
- b) Jenkins
- c) Slack
- d) Docker


Answer

22. The DevOps team at Microsoft Azure Corp is transitioning from manual to automated deployment processes. To ensure a smooth transition, the team decides to implement Blue-Green deployment. What is the primary advantage of using Blue-Green deployment in the context of minimizing downtime during releases?

- a) Allows for rollback to the previous version in case of issues.
- b) Requires minimal automation tools for implementation.
- c) Deploys changes gradually to reduce the impact on users.
- d) Completely halts the production environment during deployment.

Answer

23. The DevOps team at Global Solutions is planning to implement a CI/CD pipeline for a complex software application. Considering the importance of automated testing in the pipeline, what type of testing is most appropriate for validating the overall functionality and user experience of the application?



- a) Unit Testing
- b) Integration Testing
- c) System Testing
- d) Acceptance Testing

2. You have a stable Devops team where members are working together for several sprints. Recently, the team is having trouble in delivering a new version of the product. They are unable to deliver upgrades in time with a two week sprint. How can you overcome this challenge?

- ☐ Extend the sprint to four weeks to give the team more time
- ☐ Expect that the team will learn from the mistakes and fix the problem in the next cycle
- ☒ Shorten the sprint to achieve smaller targets and find the problem quickly
- ☐ Focus only on few limited changes that are viable to be delivered in two weeks

< PREVIOUS

NEXT >

6. Which of the following is not a part of the data structure of a Git repository?

- ☒ Body element
- ☐ Branch pointer
- ☐ Commit object
- ☐ Head pointer

[< PREVIOUS](#)

8. When can a single dash be used within a Git command?

- ☐ When using a single-character option
- ☐ When using a multi-character option
- ☒ When issuing Git commands with multiple options
- ☐ When referencing a Git alias

[< PREVIOUS](#)

9. Which source code management plugin does Jenkins install by default?

- ☐ Git
- ☐ Subversion
- ☐ Concurrent versions system
- ☐ None of the above options

[< PREVIOUS](#)

[NEXT >](#)

10. Which environment variable do you optionally use to specify the folder in which the Jenkins configuration and runtime data are contained?

- ☐ JENKINS_ROOT
- ☐ M2_HOME
- ☒ JENKINS_HOME
- ☐ JAVA_HOME

[< PREVIOUS](#)

[NEXT >](#)



Pause

00:38:30

Time remaining



Finish

14. Which command is used to access the list of Ansible_Variables?

- ☒ ansible- m setup hostname
- ☐ ansible pull
- ☐ ansible-playbook playbook.yml --list-hosts
- ☐ ansible-playbook

< PREVIOUS

NEXT >



Pause

00:34:59

Time remaining



Finish

24. _____ is native clustering for Docker. It turns a pool of Docker hosts into a single, virtual Docker host.

- ☒ Docker Swarm
- ☐ Docker Hub
- ☐ Docker Cloud
- ☐ Docker Compose

< PREVIOUS

NEXT >

What enables rapid elasticity, cost reduction of operating infrastructure and flexibility?

- A. Continuous Integration (CI)
- B. Continuous Delivery (CD)
- C. Cloud Environment
- D. Continuous Releases

Answers

A) ☒ **A**

B) ☐ **B**

C) ☐ **C**

D) ☐ **D**

[Previous Question](#)

[Next Question](#)

What should be the first step for effective DevOps monitoring

- ☐ examine historical data to identify trends
- ☒ take inventory of what is being collected today and align with business and executive teams to collaborate on the aim of the services delivered
- ☐ Work to normalize the data to understand it, perform comparisons against the different incoming metrics
- ☐ Predict by using What-if Analysis

QUESTION 20

Which Dockerfile command, defines files to copy from the Host file system onto the Container?

☐ ENTRYPOINT

☒ ADD

☐ ENV

☐ CMD

Which programming language is used to write modules for Ansible

☐ Ruby

☐ All of these

☐ Perl

☒ Python

What is the default value of poll_interval in ansible.cfg file of Ansible?

☐ 20

☐ 5

☒ 15

☐ 10

2. What is the full form of DevOps?

- a) Development, Operations, and Security
- b) Development Operations
- c) Development of Operations
- d) Development and Operations

 View Answer

Answer: d

Explanation: DevOps is a combination of "Development" and "Operations," referring to a set of practices that emphasizes collaboration and automation between software development and IT operations teams.

3. What are the key components of DevOps?

- a) Development, Deployment, Security
- b) Development, Testing, Deployment, Operations
- c) Development, Testing, Operations
- d) Development, Security, Operations

 View Answer

Answer: b

Explanation: DevOps involves development, testing, deployment, and operations working together to ensure continuous delivery and improvement.

9. Which one of following release patterns does not enable you to do low risk DevOps code deployments in your production systems? 

- ☐ Canary Deployment Pattern (The Dark Launch)
- ☐ Blue-Green Deployment Pattern
- ☐ Cluster Immune System Release Pattern
- ☐ Big bang code deployments of fully tested and validated releases

 [View Answer](#)

10. _____ computing refers to applications and services that run on a distributed network using virtualized resources. 🔗

- ☐ Distributed
- ☐ Cloud
- ☐ Soft
- ☒ Parallel

 [View Answer](#)

13. The most commonly used set of protocols uses _____ as the messaging format 

- ☐ XML
- ☒ JSON
- ☐ BSON
- ☐ All of the mentioned

 [View Answer](#)

12. Which of the following subject area deals with pay-as-you-go usage model?



- ☐ Accounting Management
- ☐ Compliance
- ☐ Data Privacy
- ☒ All of the mentioned

14. The definition and use of configuration management standards is essential for quality certification in 

- ☐ ISO 9000
- ☐ CMM
- ☐ CMMI
- ☒ All of the mentioned

 [View Answer](#)

15. Which of the following is not a maven goal? 

- ☒ Clean
- ☐ Package
- ☐ Install
- ☐ Debug

 [View Answer](#)

20. What are the advantages of Jenkins? 

- ☐ .At integration stage, build failures are cached
- ☐ For each code commit changes an automatic build report notification generates
- ☐ To notify developers about build report success or failure, it is integrated with LDAP mail server
- ☒ All of the above

 [View Answer](#)

Q. What is the purpose of a feedback loop in DevOps?

- ☐ A. To gather feedback from users and improve the product
- ☐ B. To monitor system performance and identify areas for improvement
- ☐ C. To detect and resolve security vulnerabilities
- ☒ D. To automate the deployment process based on user feedback

Check Answer

Wrong! The correct answer is A. The purpose of a feedback loop in DevOps is to gather feedback from users and improve the product. By actively seeking and incorporating user feedback,

Q. Which of the following best describes the concept of Infrastructure as Code (IaC) in DevOps?

☒ A.

The practice of managing and provisioning infrastructure through machine-readable definition files, often using a configuration management tool like Ansible or Chef.

☐ B.

The process of converting traditional infrastructure into cloud-based infrastructure, leveraging cloud-specific tools and services.

☐ C.


A methodology where infrastructure is treated as a version-controlled asset, allowing for reproducibility and ease of deployment.

☐ D.

A technique to automate the provisioning and management of containers, abstracting away the underlying infrastructure.

Check Answer

Wrong! The correct answer is C. Option C is correct. Infrastructure as Code (IaC) involves treating infrastructure as a version-controlled



Find Out More
DiscoveryFeed



25. What is a Build Pipeline in CI/CD?

- a) A tool for writing documentation
- b) A collection of test scripts
- c) A process where code is built, tested, and deployed
- d) A server health-check system

 View Answer

Answer: c

Explanation: A Build Pipeline automates the process of building, testing, and deploying applications in a CI/CD workflow, ensuring quick and reliable releases.

31. What is a rolling deployment?

- a) A method for writing tests
- b) Replacing the entire application at once
- c) Deploying updates to a small set of servers first, then gradually increasing the deployment
- d) Deploying code manually on each server

 View Answer

Answer: c

Explanation: A rolling deployment involves updating a small set of servers at a time to ensure minimal disruption and reduce the risk of errors.

36. What is the Lean methodology in the context of DevOps?

- a) Focusing only on testing
- b) Delaying releases to increase product quality
- c) Reducing waste and improving efficiency in the development cycle
- d) Maximizing waste in processes

 View Answer

Answer: c

Explanation: Lean methodology focuses on eliminating waste, optimizing processes, and improving efficiency within the DevOps lifecycle.

38. What is a Service Mesh in DevOps?

- a) A network layer that manages communication between microservices
- b) A database query optimizer
- c) A tool for version control
- d) A framework for building user interfaces

 View Answer

Answer: a

Explanation: A Service Mesh, such as Istio, manages communication, security, and observability between microservices, ensuring seamless interactions in a distributed architecture.

39. What is Prometheus used for in a DevOps environment?

- a) Automating code reviews
- b) System and application monitoring
- c) Installing hardware drivers
- d) Creating new websites

 View Answer

Answer: b

Explanation: Prometheus is an open-source tool that monitors system and application performance in real-time.

2. What are the requirements to become a DevOps Engineer?

1. Fluency in web languages like Ruby, Python, PHP or Java
2. Interpersonal skills that help you communicate and collaborate across teams and roles
3. Experience with infrastructure automation tools like Chef, Puppet, Ansible, SaltStack or Windows PowerShell DSC
4. All of the above

Answer: All of the above

5. What do you mean by telemetry?

1. Telemetry is a widely known SaaS tool to plan and execute DevOps projects
2. Telemetry is the process of recording the behaviour of your systems.
3. Telemetry is a communication tool used by DevOps teams at geographically distributed locations
4. None of these

Answer: Telemetry is the process of recording the behaviour of your systems.

1. The development teams that support the Agile approach to DevOps must include staff from the operations teams to ensure: A) That stability is prioritised over creativity B) Operational considerations are prioritised over stability C) Operational considerations are taken into account D) The resultant designs of the systems will fit nicely into the business as usual environment

☐ A. A and B Only

☐ B. C and B Only

☐ C. C and D Only

☐ D. D Only

Correct Answer

C. C and D Only

Explanation

The Agile approach to DevOps requires the involvement of staff from the operations teams to ensure that operational considerations are taken into account. This means that the teams need to consider how the systems will

17. Which of the following DevOps practice supports The First Way?

1. Value Stream Mapping
2. Blameless postmortems
3. Shared On-call Rotation
4. Improvement Kata

Answer: Value Stream Mapping

18. When does testing occur in a DevOps environment?

1. after development but before release
2. during development and after release
3. only after release
4. only during development

20. What is one of best techniques to convert normal changes into standard changes?

1. Negotiate with release managers
2. Use your track record of successful automated deployments with standard changes
3. Publicly complain about bureaucracy and make everyone be aware of it
4. None of these

Answer: Use your track record of successful automated deployments with standard changes

22. Which of the following goal of The Second Way?

1. Increasing flow
2. Mastery through practice
3. Shortening feedback loops
4. Experimentation and learning

Answer: Shortening feedback loops

26. Identify the correct set of DevOps values?

1. Culture, Automation, Lean, Metrics, Sharing
2. Culture, Collaboration, Communication, Sharing
3. Culture, Automation, Lean, Measurement, Sharing
4. All of the above

Question 10

Which one of following release patterns does not enable you to do low risk DevOps code deployments in your production systems?

- **Choice-1:** Canary Deployment Pattern (The Dark Launch).
- **Choice-2:** Blue-Green Deployment Pattern.
- **Choice-3:** Cluster Immune System Release Pattern.
- **Choice-4:** Big bang code deployments of fully tested and validated releases.

Correct Answer: Choice-4 / Big bang code deployments of fully tested and validated releases.

Question 11

What is one of best techniques to convert normal changes into standard changes?

- **Choice-1:** Use your track record of successful automated deployments with standard changes.
- **Choice-2:** Negotiate with release managers.
- **Choice-3:** Publicly complain about bureaucracy and make everyone be aware of it.
- **Choice-4:** Make sure normal changes are very carefully deployed to your production systems.

Correct Answer: Choice-1 / Use your track record of successful automated deployments with standard changes.

Question 18

Devops supports the elimination of _____ because it can hamper collaboration, operations and morale within the company.

- **Choice-1:** Excessive Documentation, which tends to create bottlenecks and hinder effective communication.
- **Choice-2:** Siloed Development, as it impedes the flow of information and slows down the overall delivery process.
- **Choice-3:** Traditional Waterfall Methodology, which lacks agility and responsiveness to changing requirements.
- **Choice-4:** Manual Testing Practices, as they introduce delays and are prone to human errors.

Correct Answer: Choice-2 / Siloed Development, as breaking down organizational silos is a key aspect of fostering collaboration and efficiency in DevOps.

Question 34

The DevOps team at Agile Solutions is facing challenges with maintaining consistency across different environments. What practice or tool can help ensure that the development, testing, and production environments are aligned, reducing the risk of deployment issues?

- **Choice-1:** Using different tools for each environment
- **Choice-2:** Implementing Configuration Management with Ansible
- **Choice-3:** Dependent on manual configuration for each environment
- **Choice-4:** Ignoring consistency to prioritize faster releases

Correct Answer: Choice-2 / Implementing Configuration Management with Ansible

Question 37

The DevOps team at Global Innovations is working on optimizing the deployment process. They are considering implementing canary releases. What is a primary advantage of using canary releases in a deployment strategy?

- **Choice-1:** Rolling back changes is challenging in canary releases.
- **Choice-2:** Changes are deployed to the entire user base simultaneously.
- **Choice-3:** Allows gradual release to a subset of users for testing.
- **Choice-4:** Canary releases require longer deployment times.

Correct Answer: Choice-3 / Allows gradual release to a subset of users for testing.

Question 45

The DevOps team at Microsoft DevOps Azure Solutions is implementing automated deployment pipelines. What is a key advantage of using immutable infrastructure in the deployment process?

- **Choice-1:** Requires manual configuration for each deployment.
- **Choice-2:** Allows for in-place updates to running infrastructure.
- **Choice-3:** Minimizes consistency across different environments.
- **Choice-4:** Enables reproducible and consistent deployments with pre-built images.

Correct Answer: Choice-4 / Enables reproducible and consistent deployments with pre-built images.

8. What is the command to add all files and changes of the current folder to the staging environment of the Git repository?

Choose one option

- a) git add -all
- b) git add -files
- c) git add

Answer

16. What does the .git directory store?

Choose one option

- a) Configuration files
- b) Source code
- c) Project documentation
- d) Repository metadata and version history

Answer

4. Which of the following commands is used to start Jenkins on a local machine?

Advertisement



Build Your Dream Blog

Start your journey with Bluehost. Affordable plans & free domain for first year!

Get Started!

Choose one option

- A) jenkins -start
- B) java -jar jenkins.war
- C) python start jenkins.py
- D) jenkins start server

Answer

7. What does SCM stand for in Jenkins?

- A) Server Configuration Management
- B) Software Configuration Monitoring
- C) Source Code Management
- D) Secure Content Management

Answer

12. How can you install a new plugin in Jenkins?

Choose one option

- A) Manually download the plugin file and move it to the Jenkins installation directory
- B) Use the "Install Plugin" option in Global Tool Configuration
- C) Access "Manage Plugins" in Jenkins and install from the available plugins list
- D) Jenkins does not support plugin installations

Answer

21. Where would you go to install updates for Jenkins plugins?

Choose one option

- A) Jenkins CLI
- B) Manage Plugins > Updates tab
- C) Global Tool Configuration > Updates
- D) Jenkinsfile configuration

Answer

25. Jenkins supports multiple tool configurations such as JDK and Maven under which of the following sections?

Choose one option

- A) Jenkins Job Configuration
- B) Manage Jenkins > Global Tool Configuration
- C) Build Triggers
- D) Configure Security

Answer