

☒ Easy Level (10 MCQs)

1.

What is the root directory in Linux?

- A) /root
- B) /home
- C) /bin
- D) /**

Ans: D

Explanation: / is the root of all directories.

2.

Which command is used to list contents of a directory?

- A) pwd
- B) ls
- C) cat
- D) cd

Ans: B

Explanation: ls shows directory contents.

3.

Which command shows the present working directory?

- A) cd
- B) pwd
- C) dir
- D) path

Ans: B

4.

What is the purpose of chmod?

- A) Copy files
- B) Delete files
- C) Change file permissions
- D) Change ownership

Ans: C

5.

The command cp file1 file2 will:

- A) Move file1
- B) Delete file1
- C) Copy contents of file1 to file2
- D) Compress file1

Ans: C

6.

Which command displays the first 10 lines of a file?

- A) head
- B) tail
- C) cat
- D) grep

Ans: A

7.

Which command is used to connect securely to a remote machine?

- A) telnet
- B) ssh
- C) ftp
- D) sftp

Ans: B

8.

What does mkdir do?

- A) Make new file
- B) Display current directory
- C) Make a directory
- D) Mount a disk

Ans: C

9.

Which of the following is used to display manual pages in Linux?

- A) help
- B) whatis
- C) man
- D) usage

Ans: C

10.

Which command shows file type?

- A) file
- B) ls
- C) cat
- D) grep

Ans: A

☒ **Medium Level (20 MCQs)**

11.

What does chmod 755 script.sh do?

- A) Only owner can read/write
- B) Gives full permissions to all
- C) Owner can read/write/execute; others read/execute
- D) Owner can only read

Ans: C

12.

What is the meaning of -rw-r--r--?

- A) Everyone has full access
- B) Owner can write; others can read
- C) Only owner can access
- D) None

Ans: B

13.

Which command searches for a pattern in a file?

- A) ls
- B) grep
- C) tac
- D) find

Ans: B

14.

What is ln -s used for?

- A) Compress file
- B) Show directory
- C) Create a symbolic link

D) Encrypt file

Ans: C

15.

To change ownership of a file, you use:

A) chmod

B) chown

C) owner

D) access

Ans: B

16.

Which command creates a compressed archive?

A) zip

B) gzip

C) tar -czf

D) zcat

Ans: C

17.

Which file system is mostly used in Linux?

A) FAT32

B) NTFS

C) ext4

D) HFS+

Ans: C

18.

Which command formats a disk in ext4?

- A) format ext4
- B) mkfs.ext4
- C) fdisk
- D) df

Ans: B

19.

To find a file by name:

- A) grep
- B) whatis
- C) locate
- D) cal

Ans: C

20.

Which command shows available disk space?

- A) df -h
- B) du
- C) lsblk
- D) blkid

Ans: A

21.

What does ps show?

- A) Past commands
- B) Running processes
- C) Network connections
- D) File size

Ans: B

22.

Which command compares two files line by line?

- A) diff
- B) cmp
- C) compare
- D) ls -l

Ans: A

23.

sftp uses which protocol internally?

- A) FTP
- B) Telnet
- C) SSH
- D) SCP

Ans: C

24.

Which command displays calendar?

- A) date
- B) cal
- C) time
- D) schedule

Ans: B

25.

To mount a disk, you use:

- A) df
- B) mount
- C) format

D) adddisk

Ans: B

26.

To get number of lines, words, characters in file:

A) wc

B) grep

C) cat

D) awk

Ans: A

27.

What is /dev/sda?

A) User directory

B) Disk device

C) Configuration

D) Temp storage

Ans: B

28.

Which command shows system uptime and users?

A) w

B) ps

C) uptime

D) who

Ans: A

29.

How to extract .tar.gz file?

A) unzip
B) gunzip
C) tar -xzf
D) gzip -d
Ans: C

30.

Which command shows environment variables?

A) env
B) export
C) echo
D) printenv
Ans: A

☒ Hard Level (10 MCQs)

31.

What is the difference between > and >>?

A) Both append
B) > overwrites, >> appends
C) Both overwrite
D) > is invalid
Ans: B

32.

What does `ls -l | grep "^d"` do?

- A) Lists all directories
- B) Shows files
- C) Deletes files
- D) Lists symbolic links

Ans: A

33.

What does `find / -type f -size +10M` do?

- A) Finds all directories larger than 10MB
- B) Finds all files larger than 10MB
- C) Deletes 10MB files
- D) Formats disk

Ans: B

34.

Which part of the Linux file system stores runtime system information?

- A) /dev
- B) /run
- C) /proc
- D) /etc

Ans: C

35.

Which tool allows extended permission settings in Linux?

- A) chown
- B) chmod
- C) ACL (setfacl)
- D) sudo

Ans: C

36.

What's the purpose of /etc/fstab?

- A) Boot loader
- B) Disk partition table
- C) Mount points config
- D) Firewall

Ans: C

37.

What does alias ll='ls -l' do?

- A) Sets up shortcut
- B) Deletes ls
- C) Renames file
- D) Removes permission

Ans: A

38.

To get memory info in Linux:

- A) meminfo
- B) top
- C) free -m
- D) memstat

Ans: C

39.

ps aux | grep apache helps to:

- A) Install apache
- B) Search apache config
- C) Find apache process

D) Kill apache

Ans: C

40.

Which command updates the file access and modification time?

A) edit

B) stat

C) touch

D) time

Ans: C