

☒ Easy Level (10 MCQs)

1.

Which command starts a service in systemd-based Linux?

- A) service start
- B) init start
- C) systemctl start
- D) launchctl

Ans: C

2.

Which service provides file sharing over network in Linux?

- A) HTTP
- B) SSH
- C) NFS
- D) DNS

Ans: C

3.

What is the default port for FTP?

- A) 22
- B) 23
- C) 20
- D) 21

Ans: D

4.

Which file lists exported directories for NFS?

- A) /etc/nfs.conf

- B) /etc/exports
- C) /etc/nfsd
- D) /etc/nfs/share.conf

Ans: B

5.

Which command allows checking FTP from terminal?

- A) sftp
- B) ftpool
- C) ftp
- D) netftp

Ans: C

6.

Which command shows status of the FTP service?

- A) systemctl ftp
- B) service vsftpd status
- C) systemctl status vsftpd
- D) status ftp

Ans: C

7.

Which directory is usually shared in NFS examples?

- A) /mnt/nfs
- B) /srv/nfs
- C) /home/nfs
- D) /opt/nfs

Ans: B

8.

What is the default NFS mount type?

- A) ext4
- B) nfs
- C) smb
- D) ntfs

Ans: B

9.

Which FTP server is most common in Linux?

- A) apache-ftp
- B) filezilla
- C) vsftpd
- D) pureftp

Ans: C

10.

What command exports NFS shares?

- A) mount -a
- B) nfs-export
- C) exportfs -a
- D) sharedir -nfs

Ans: C

☒ Medium Level (20 MCQs)

11.

Which NFS option ensures synchronous writes?

- A) async
- B) no_subtree_check
- C) sync
- D) nosync

Ans: C

12.

What is the purpose of chroot_local_user=YES in FTP config?

- A) Enables FTP chroot jail
- B) Disables login
- C) Logs user IP
- D) Encrypts FTP session

Ans: A

13.

Which command enables NFS service at boot?

- A) nfsctl enable
- B) systemctl enable nfs-server
- C) nfsd start
- D) service boot enable nfs

Ans: B

14.

Which vsftpd.conf setting allows user uploads?

- A) upload_enable=YES
- B) write_enable=YES
- C) download_enable=YES

D) allow_user_upload=YES

Ans: B

15.

Which command mounts NFS share manually?

A) mount -t ftp

B) mount -t smb

C) mount -t nfs

D) nfsmount

Ans: C

16.

Which option in /etc/fstab is used for NFS?

A) ftp

B) ext4

C) nfs

D) smbfs

Ans: C

17.

What is the full form of vsftpd?

A) Very Simple FTP Daemon

B) Very Secure FTP Daemon

C) Verified Secure File Transfer Daemon

D) Virtual Server for FTP Daemon

Ans: B

18.

Which tool checks if a directory is exported via NFS?

- A) exportfs
- B) showmount
- C) share-check
- D) netstat

Ans: B

19.

Which port must be open for passive FTP data transfer?

- A) 21
- B) 22
- C) 1024–65535
- D) 443

Ans: C

20.

What is required for mounting NFS at boot?

- A) /boot/mounts
- B) rc.local
- C) /etc/fstab entry
- D) /etc/init.d/mount

Ans: C

21.

What does no_subtree_check do in NFS?

- A) Disables subdirectories
- B) Avoids checking subpaths for performance
- C) Enables file check
- D) Disables parent directory

Ans: B

22.

Which command is used to verify FTP is running on port 21?

- A) netstat -tulnp | grep :21
- B) ftp port-check
- C) ftp --list
- D) vsftpd check

Ans: A

23.

How to install NFS tools on RHEL?

- A) apt install nfs
- B) yum install nfs-utils
- C) rpm -nfs
- D) install nfs-server

Ans: B

24.

Which file allows configuring anonymous FTP access?

- A) /etc/passwd
- B) /etc/vsftpd/anonymous.conf
- C) /etc/vsftpd.conf
- D) /etc/ftp.conf

Ans: C

25.

How to restart NFS services?

- A) restart nfs
- B) systemctl restart nfs-server
- C) nfsd restart

D) service restart nfs

Ans: B

26.

Which protocol does NFS use?

A) FTP

B) SMB

C) RPC

D) HTTP

Ans: C

27.

Which log file shows FTP logs in Debian?

A) /var/log/vsftpd.log

B) /var/log/ftp.log

C) /var/log/syslog

D) /var/ftp/access.log

Ans: C

28.

Which FTP setting disables anonymous login?

A) anonymous_enable=NO

B) anon_login=OFF

C) disable_anon=YES

D) disable_root=YES

Ans: A

29.

Which tool allows GUI FTP transfer?

- A) curl
- B) FileZilla
- C) wget
- D) netcat

Ans: B

30.

Which firewall rule allows NFS traffic?

- A) allow nfs
- B) ufw allow 2049/tcp
- C) allow rpc
- D) ufw nfs on

Ans: B

☒ Hard Level (10 MCQs)

31.

Which kernel module enables NFS support?

- A) nfsd
- B) nfsmodule
- C) mod_nfs
- D) kfs

Ans: A

32.

To log all FTP activity, which vsftpd option is required?

- A) log_enable=YES
- B) xferlog_enable=YES
- C) vslog=ON
- D) full_log=YES

Ans: B

33.

Which system file is used to control FTP login shells?

- A) /etc/vsftpd.conf
- B) /etc/shells
- C) /etc/ftpusers
- D) /etc/logins

Ans: C

34.

How can you prevent FTP users from accessing other directories?

- A) jail_local_user=YES
- B) chroot_local_user=YES
- C) ftp_lockdown=YES
- D) chdir_home=YES

Ans: B

35.

Which command exports NFS shares without restarting service?

- A) systemctl reload nfs-server
- B) exportfs -r
- C) nfs-reload
- D) reloadshares

Ans: B

36.

Which daemon handles NFS mounting in the background?

- A) mountd
- B) nfsd
- C) rpcbind
- D) nfslock

Ans: A

37.

Which command tests an NFS mount over UDP or TCP?

- A) nfsstat
- B) rpcinfo
- C) ping -nfs
- D) showmount

Ans: B

38.

Which FTP mode opens random ports on the client side?

- A) Active mode
- B) Passive mode
- C) Secure mode
- D) SFTP mode

Ans: B

39.

Which setting disables uploading via FTP?

- A) write_enable=NO
- B) upload_enable=NO
- C) anon_upload=NO

D) chroot_upload=NO

Ans: A

40.

What is the primary security risk with FTP?

A) Uses SSH

B) Uses HTTP

C) Sends credentials in plaintext

D) Blocks firewall

Ans: C