

☒ Easy Level (10 Questions)

1.

Which port does SSH use?

- A) 21
- B) 22
- C) 80
- D) 443

Answer: B

☒ SSH uses port 22 for secure remote access.

2.

Which protocol is insecure and should be avoided in service setups?

- A) SSH
- B) Telnet
- C) HTTPS
- D) SCP

Answer: B

☒ Telnet transmits data in plaintext and is insecure.

3.

Which command checks the current system time configuration?

- A) timedatectl status
- B) date --ntp
- C) chrony status
- D) timectl check

Answer: A

☒ timedatectl is the primary tool for checking time settings.

4.

Where are authentication logs typically stored on Ubuntu?

- A) /var/log/syslog
- B) /var/log/auth.log
- C) /etc/passwd
- D) /tmp/login.log

Answer: B

5.

What is the default port number for DNS?

- A) 25
- B) 53
- C) 80
- D) 110

Answer: B

☒ DNS operates over port 53 (UDP/TCP).

6.

Which tool rotates log files automatically in Linux?

- A) syslog
- B) logrotate
- C) journalctl
- D) auditd

Answer: B

7.

Which directive in BIND prevents unauthorized zone transfers?

- A) allow-transfer
- B) deny-transfer
- C) no-transfer
- D) bind-transfer

Answer: A

❑ allow-transfer { none; }; secures zone files.

8.

Which tool provides logs for systemd-managed services?

- A) rsyslog
- B) tail
- C) journalctl
- D) logwatch

Answer: C

9.

Why is NTP important for servers?

- A) Backup
- B) User management
- C) Time synchronization
- D) Boot speed

Answer: C

10.

What is the function of DNSSEC?

- A) Encrypts email
- B) Signs DNS records
- C) Transfers DNS zones
- D) Detects phishing

Answer: B

☒ Medium Level (20 Questions)

11.

Which service is recommended instead of Telnet for secure communication?

- A) FTP
 - B) SSH
 - C) Netcat
 - D) SNMP
- Answer: B

12.

Which log file records sudo command usage?

- A) /var/log/auth.log
 - B) /var/log/sudo.log
 - C) /etc/shadow
 - D) /var/log/systemd.log
- Answer: A

13.

What is the effect of this directive in BIND?

conf

Copy code

```
allow-query { localhost; };
```

- A) Blocks all queries
- B) Allows only internal DNS queries
- C) Disables DNS logging
- D) Enables DNSSEC

Answer: B

14.

Which command lists active logins and login history?

- A) who
- B) last
- C) loginctl
- D) history

Answer: B

15.

Which service helps sync time in CentOS systems?

- A) NTP
- B) ntpd
- C) chronyd
- D) timed

Answer: C

16.

Which BIND configuration file defines zones?

- A) /etc/named.conf
- B) /etc/resolv.conf
- C) /etc/bind/named.conf.options
- D) /etc/hosts

Answer: A

17.

Which of the following is a security risk in DNS?

- A) DNSSEC
- B) Zone transfers

- C) Port 443 open
- D) TCP congestion

Answer: B

18.

What is the role of auditd?

- A) Rotates logs
- B) Logs login attempts
- C) Monitors security events
- D) Monitors HTTP traffic

Answer: C

19.

Which protocol is used by NTP?

- A) HTTP
- B) UDP
- C) TCP
- D) SMTP

Answer: B

20.

Which file in /etc typically manages logrotate configs?

- A) logrotate.conf
- B) logs.conf
- C) syslog.conf
- D) rotate.conf

Answer: A

21.

To see the last 100 lines of the journal, use:

- A) journalctl -n 100
- B) journalctl --lines=100
- C) logwatch -tail 100
- D) systemctl logs 100

Answer: A

22.

Which user should BIND run as for minimum privileges?

- A) root
- B) bind
- C) nobody
- D) named

Answer: D

23.

Which command displays DNS records from a remote DNS server?

- A) dig
- B) traceroute
- C) ifconfig
- D) netstat

Answer: A

24.

How do you limit DNS queries to a local network only?

- A) Add firewall rules
- B) Modify /etc/hosts
- C) Use allow-query in BIND
- D) Remove zone files

Answer: C

25.

What is the role of /var/log/messages?

- A) Only logs kernel errors
- B) Logs system-wide events
- C) Logs authentication failures
- D) DNS logs

Answer: B

26.

How to check if chronyd is synced?

- A) chronyc tracking
- B) ntp status
- C) systemctl time
- D) timectl check

Answer: A

27.

What does DNS cache poisoning result in?

- A) Faster DNS
- B) Incorrect domain resolutions
- C) DoS
- D) Secure DNS

Answer: B

28.

Which command shows NTP peers?

- A) ntpquery
- B) chronyc sources
- C) peer-ntp
- D) netstat -ntp

Answer: B

29.

What is the purpose of /etc/rsyslog.conf?

- A) Control authentication
- B) Configure log rotation
- C) Define system log behavior
- D) Enable kernel updates

Answer: C

30.

What is the danger of open DNS resolvers?

- A) Can crash server
- B) Expose users to phishing

C) Enable DDoS amplification attacks

D) Break SSL

Answer: C

☒ Hard Level (10 Questions)

31.

Which tool inspects DNSSEC records?

A) tcpdump

B) whois

C) dig +dnssec

D) netstat

Answer: C

32.

What is the risk of allowing unrestricted zone transfers?

A) Firewall misconfiguration

B) Unpatched kernel

C) Full DNS data leakage

D) Email spoofing

Answer: C

33.

Which NTP-related tool allows simulation and debugging?

- A) chronyc simulate
- B) ntpdump
- C) ntpdate
- D) ntpdc

Answer: D

34.

Which of these ensures DNS record integrity?

- A) DNS cache
- B) DNS log
- C) DNSSEC
- D) DNS TTL

Answer: C

35.

How does BIND implement chroot security?

- A) Using named jail script
- B) By running on port 1024+

- C) With DNSSEC key
 - D) As a kernel module
- Answer: A**
-

36.

Which attack floods DNS with recursive queries?

- A) Cache poisoning
- B) Amplification
- C) Zone transfer attack
- D) TCP SYN flood

Answer: B

37.

What does this directive do?

conf

Copy code

listen-on { 127.0.0.1; };

- A) Disables DNS
- B) Only allows localhost queries
- C) Forwards queries to external DNS
- D) Blocks NTP

Answer: B

38.

How does logging help in securing services?

- A) Optimizes disk usage
- B) Tracks suspicious behavior
- C) Clears old users
- D) Blocks services

Answer: B

39.

Which protocol combination does DNS use?

- A) TCP only
- B) UDP only
- C) Both TCP and UDP

D) ICMP
Answer: C

40.

In rsyslog, what does the following indicate?

C

Copy code

```
authpriv.* /var/log/secure
```

- A) Store private files in /secure
- B) Disables sudo logs
- C) Logs auth-related events to /var/log/secure
- D) Clears logs after login

Answer: C