

☒ Easy Level (10 Questions)

1.

What does LDAP stand for?

- A) Large Directory Access Protocol
- B) Lightweight Directory Access Protocol
- C) Local Domain Authentication Protocol
- D) Linked Directory Access Protocol

Answer: B

☒ LDAP is a lightweight protocol used for directory services.

2.

Which port is used by default for LDAP?

- A) 110
- B) 443
- C) 389
- D) 53

Answer: C

☒ LDAP uses TCP/UDP port 389, or 636 for LDAPS.

3.

Which service replaces older NIS for secure authentication?

- A) NTP
- B) SSH
- C) LDAP
- D) FTP

Answer: C

☒ LDAP is more secure and modern than NIS.

4.

Which module enables Apache to reverse proxy requests?

- A) mod_rewrite
- B) mod_ssl
- C) mod_proxy
- D) mod_dir

Answer: C

☒ mod_proxy is used for reverse proxy functionality.

5.

What is the main purpose of a load balancer?

- A) Encrypt data
- B) Increase file size
- C) Distribute network traffic
- D) Install packages

Answer: C

6.

Which command is used to search an LDAP directory?

- A) ldapget
- B) ldapsearch
- C) slapadd
- D) netsearch

Answer: B

7.

What protocol does NIS primarily use?

- A) TCP/IP
- B) UDP
- C) RPC
- D) FTP

Answer: C

☒ NIS relies on RPC (Remote Procedure Call).

8.

Which Apache module allows load balancing?

- A) mod_balancer
- B) mod_proxy_balancer
- C) mod_equalizer
- D) mod_split

Answer: B

9.

What kind of clustering allows Apache to use a shared file system?

- A) Load Balanced
- B) Session-based
- C) Shared Storage
- D) Proxy-based

Answer: C

10.

Which algorithm sends requests in a fixed order across servers?

- A) Least Connections
- B) Weighted
- C) Random
- D) Round Robin

Answer: D

☒ Medium Level (20 Questions)

11.

Which component of LDAP holds the actual data structure?

- A) Schema
- B) LDIF
- C) DIT
- D) RootDN

Answer: C

☒ DIT (Directory Information Tree) organizes LDAP data.

12.

Which command adds entries to an LDAP server?

- A) ldapmodify
- B) ldapadd
- C) slapcat
- D) ldapdelete

Answer: B

13.

What does the slapd service represent?

- A) DNS daemon
- B) LDAP daemon
- C) Load balancer
- D) Authentication handler for NIS

Answer: B

14.

Which Apache clustering method helps keep user sessions on the same server?

- A) Load Round
- B) Session Stickiness
- C) Weighted Proxy
- D) Random Access

Answer: B

15.

Which file format is used to import/export LDAP data?

- A) .csv
- B) .ldf
- C) .ldif
- D) .ini

Answer: C

16.

Which of the following is NOT a load balancing method?

- A) Least Connection
- B) Fastest Reply
- C) Round Robin
- D) Weighted

Answer: B

⌘ Not commonly used; standard methods include round robin, least connection, etc.

17.

Which protocol is used by NIS clients to communicate with the server?

- A) RPC
- B) SMB
- C) HTTP
- D) FTP

Answer: A

18.

What is a major limitation of NIS?

- A) Too complex

- B) Uses TLS by default
- C) Passwords are sent in plaintext
- D) No Linux support

Answer: C

19.

Which Apache module helps enable SSL in clustering?

- A) mod_ssl
- B) mod_authz
- C) mod_cluster
- D) mod_crypto

Answer: A

20.

Which tool can be used to implement Layer 4 or Layer 7 load balancing?

- A) ssh
- B) iptables
- C) HAProxy
- D) grep

Answer: C

21.

Which Apache module manages load balancing backend workers?

- A) mod_proxy_http
- B) mod_proxy_ftp
- C) mod_proxy_balancer
- D) mod_authz_host

Answer: C

22.

What is the role of Keepalived in high-availability setups?

- A) Monitor Apache logs
- B) Provide virtual IP and failover
- C) Disable firewalls
- D) Rotate proxy servers

Answer: B

23.

Which DNS record type is often used with load balancers?

- A) MX
- B) CNAME
- C) SRV
- D) A

Answer: D

24.

Which command tests LDAP connections and authentication?

- A) ldapsearch
- B) ldapttest
- C) authcheck
- D) netcat

Answer: A

25.

What is the primary advantage of Layer 7 load balancers?

- A) Operates faster
- B) Can inspect and route based on HTTP headers
- C) Encrypts data
- D) Avoids DNS caching

Answer: B

26.

Which load balancing algorithm considers the server with the fewest connections?

- A) Weighted
- B) Round Robin
- C) Least Connections
- D) IP Hash

Answer: C

27.

Which command initializes an OpenLDAP server with default schema?

- A) ldapinit
- B) slapadd
- C) slaptest
- D) ldapcreate

Answer: B

28.

How does Apache clustering help in scalability?

- A) Increases CPU power
- B) Reduces number of virtual machines
- C) Allows load distribution across multiple web servers
- D) Compresses data

Answer: C

29.

Which software provides DNS-level load balancing?

- A) dig
- B) rounddns
- C) DNS Round Robin
- D) hostctl

Answer: C

30.

Which component handles actual authentication checks in NIS?

- A) ypserv
- B) yppasswd
- C) ypbind
- D) ypinit

Answer: A

☒ Hard Level (10 Questions)

31.

Which directive defines a backend cluster member in mod_proxy_balancer?

- A) ProxyWorker
- B) BalancerMember
- C) WorkerNode
- D) ProxyNode

Answer: B

32.

What is one key weakness of NIS authentication?

- A) Difficult to configure
- B) Requires Python
- C) No encryption by default
- D) Does not support Linux

Answer: C

33.

How do you enforce SSL between the client and Apache server in a cluster?

- A) Load balancer only
- B) Use mod_proxy_ftp
- C) Use mod_ssl and redirect to HTTPS
- D) Use cron jobs

Answer: C

34.

What does IP Hash load balancing algorithm ensure?

- A) Load balancing across apps
- B) Sticky session based on client IP
- C) Fair distribution
- D) SSL encryption

Answer: B

35.

Which command shows backend statistics in HAProxy?

- A) haproxy -stats
- B) haproxy-status
- C) echo "show stat" | socat /var/run/haproxy.sock stdio
- D) haproxyctl

Answer: C

36.

What is the function of slapcat in OpenLDAP?

- A) Adds a user
- B) Modifies password

C) Dumps entire LDAP database to LDIF

D) Deletes records

Answer: C

37.

Which Apache module allows dynamic worker load balancing changes?

A) mod_balancer

B) mod_status

C) mod_slotmem

D) mod_lbmethod_byrequests

Answer: D

38.

Which protocol is used internally by HAProxy for health checks?

A) DNS

B) ICMP

C) TCP/HTTP

D) FTP

Answer: C

39.

Which configuration tool helps auto-generate NIS maps?

- A) mkmap
- B) ypinit
- C) ypgenerate
- D) niscreate

Answer: B

40.

Which option ensures failover in Apache clustering using Keepalived?

- A) Dynamic SSL
- B) Virtual IP with VRRP
- C) DNSSEC
- D) mod_deflate

Answer: B