

☒ Easy Level (10 Questions)

1.

Which command is used to check disk usage in a Bash script?

- A) du
- B) df
- C) fdisk
- D) mount

Answer: B

☒ df (disk free) shows mounted filesystem usage.

2.

Which command is used to get memory usage?

- A) free -m
- B) mem
- C) memstat
- D) top -mem

Answer: A

3.

Which tool checks if Apache is running?

- A) apachectl

- B) systemctl is-active apache2
- C) check-apache
- D) htop

Answer: B

4.

What does >> mean in a Bash script?

- A) Overwrites file
- B) Appends to a file
- C) Deletes file
- D) Executes a file

Answer: B

5.

Where are most Linux system logs stored?

- A) /bin/logs
- B) /usr/log
- C) /etc/log
- D) /var/log

Answer: D

6.

Which command schedules jobs in Linux?

- A) crontab
- B) sched
- C) clockd
- D) jobrun

Answer: A

7.

Which utility sends email from the command line?

- A) echo
- B) mail or mailx
- C) sendmail
- D) logger

Answer: B

8.

What is the output of uptime command?

- A) Network status
- B) CPU Load
- C) Apache logs
- D) Disk usage

Answer: B

9.

What will this command do?

bash

Copy code

```
echo "error" >> /var/log/errors.log
```

- A) Reads the log
- B) Deletes log
- C) Appends "error" to the log
- D) Creates a new user

Answer: C

10.

Which tool helps monitor running processes in Bash?

- A) ps
- B) netstat
- C) mkdir
- D) tar

Answer: A

☒ Medium Level (20 Questions)

11.

Which command shows IP address and interface info?

- A) ifconfig
- B) ip a
- C) netstat
- D) ss

Answer: B

12.

What does 2>&1 do in script logging?

- A) Duplicates logs
- B) Logs to syslog

C) Redirects stderr to stdout

D) Only stderr is saved

Answer: C

13.

How can you check if a service is running inside a Bash script?

A) ping

B) curl

C) systemctl is-active servicename

D) whoami

Answer: C

14.

Which cron syntax runs a script every Sunday at 12 AM?

A) 0 0 * * 0

B) 0 12 * * 7

C) 0 12 * * SUN

D) 12 0 0 * 0

Answer: A

15.

What does this command do?

bash

Copy code

```
ps -eo pid,%mem,cmd --sort=-%mem | head
```

- A) Sorts files
- B) Lists memory usage of top processes
- C) Kills processes
- D) Formats disk

Answer: B

16.

Which command counts the number of running Apache processes?

- A) `ps | grep apache`
- B) `pgrep apache2 | wc -l`
- C) `jobs | grep apache`

D) netstat -p

Answer: B

17.

What does this line do?

bash

Copy code

```
echo "CPU is High" | mail -s "Alert" admin@example.com
```

A) Saves to log

B) Sends mail with subject

C) Writes to cron

D) Monitors Apache

Answer: B

18.

Why is /dev/null used in logging scripts?

- A) For output
- B) To discard unwanted output
- C) To log errors
- D) As a temp file

Answer: B

19.

Which option logs script output in real time and stores it?

- A) tee
- B) cat
- C) logcat
- D) dd

Answer: A

☒ command | tee log.txt shows and saves simultaneously.

20.

How do you list users currently logged in?

- A) logname
- B) who
- C) users

D) id

Answer: B

21.

How to archive logs older than 7 days?

bash

Copy code

```
find /var/log -mtime +7 -name "*.log" -exec tar -czf oldlogs.tar.gz {} +
```

A) Backup weekly logs

B) Deletes logs

C) Converts logs to text

D) Zips all logs

Answer: A

22.

Which tool watches real-time log changes?

- A) cat
- B) tail -f
- C) echo
- D) awk

Answer: B

23.

What does uptime | awk '{print \$10}' give?

- A) Disk usage
- B) System name
- C) Load average
- D) CPU type

Answer: C

24.

Which log file records SSH logins?

- A) /var/log/syslog
- B) /var/log/auth.log
- C) /var/log/boot.log
- D) /var/log/messages

Answer: B

25.

Which command checks cron logs?

- A) cat /var/log/cron
- B) journalctl -u cron
- C) grep CRON /var/log/syslog
- D) All of the above

Answer: D

26.

How do you ensure a script logs errors only?

- A) command 2> error.log
- B) command > error.log
- C) command >> error.log
- D) command | grep error

Answer: A

27.

What does `df -h / | awk 'NR==2{print $5}'` extract?

- A) Root path
- B) Disk usage %
- C) Total space
- D) Date

Answer: B

28.

How do you remove log files > 1GB?

- A) `find /var/log -size +1G -delete`
- B) `rm -rf /var/log`
- C) `logrotate -f`
- D) `grep -r "GB"`

Answer: A

29.

Which log contains boot information?

- A) `/var/log/auth.log`
- B) `/var/log/dmesg`
- C) `/var/log/boot.log`
- D) Both B & C

Answer: D

30.

What does `chmod 600 log.sh` do?

- A) Makes script executable
- B) Grants read/write to owner only
- C) Makes it public
- D) Logs permission

Answer: B

☒ Hard Level (10 Questions)

31.

Which command checks log rotation configuration?

- A) `logrotate -d /etc/logrotate.conf`
- B) `logclean -a`
- C) `rotate -check`
- D) `cronlog --rotate`

Answer: A

32.

How to compress log files modified in last 2 days?

bash

Copy code

```
find /var/log -mtime -2 -type f -name "*.log" -exec gzip {} \;
```

- A) Deletes logs
- B) Gzips recent logs
- C) Archives syslog
- D) Moves logs

Answer: B

33.

Which method logs both output and error into a single file?

- A) command > file.log
- B) command 2> file.log
- C) command &> file.log
- D) command < file.log

Answer: C

34.

Which scripting approach helps detect service crashes over time?

- A) One-time check
- B) Loop with sleep
- C) tail command
- D) cron + script

Answer: D

35.

Which header field is crucial in mail command when sending logs?

- A) -cc
- B) -s
- C) -l
- D) -h

Answer: B

☒ -s is the subject field.

36.

How to ensure log file size doesn't grow unbounded?

- A) Reboot system
- B) Use logrotate
- C) Use cat /dev/null
- D) Use compression only

Answer: B

37.

Which command shows open ports for monitoring?

- A) ss -tuln
- B) top
- C) df
- D) uptime

Answer: A

38.

What is the role of trap in logging scripts?

- A) Catch signals and log them
- B) Loop restart
- C) Automate cron
- D) List services

Answer: A

39.

Which tool can log and monitor services across servers?

- A) ssh + bash
- B) logwatch
- C) Ansible + cron
- D) All of the above

Answer: D

40.

How would you create a compressed archive of logs weekly?

- A) cron + tar + gzip
- B) gzip + mv
- C) ssh + tee
- D) kill + compress

Answer: A