

☒ Easy Level (10 MCQs)

1.

Which command reboots a Linux system immediately?

- A) shutdown -h now
- B) reboot
- C) halt
- D) poweroff

Ans: B

2.

Which command is used to schedule a system shutdown in 10 minutes?

- A) shutdown -h now
- B) shutdown +10
- C) shutdown -h +10
- D) shutdown -c

Ans: C

3.

What is the purpose of a Kickstart file?

- A) Start GUI
- B) Automate installation
- C) Create users
- D) Boot to recovery

Ans: B

4.

Which file stores user account information?

- A) /etc/shadow

- B) /etc/userlist
- C) /etc/passwd
- D) /etc/group

Ans: C

5.

What does useradd do?

- A) Deletes user
- B) Lists users
- C) Creates new user
- D) Changes user password

Ans: C

6.

Which command gives a user sudo privileges (common method)?

- A) chmod 777
- B) usermod -aG sudo username
- C) userdel
- D) passwd

Ans: B

7.

To cancel a scheduled shutdown:

- A) reboot
- B) shutdown -c
- C) shutdown --cancel
- D) cancel shutdown

Ans: B

8.

What is the default Kickstart file name?

- A) kick.cfg
- B) auto.cfg
- C) ks.cfg
- D) install.cfg

Ans: C

9.

Which file contains encrypted user passwords?

- A) /etc/passwd
- B) /etc/sudoers
- C) /etc/shadow
- D) /etc/login.defs

Ans: C

10.

Which command removes a user and their home directory?

- A) userdel -r username
- B) deluser username
- C) rm /home/username
- D) removeuser username

Ans: A

☒ **Medium Level (20 MCQs)**

11.

What section of Kickstart defines packages to install?

- A) %config
- B) %post
- C) %packages
- D) %software

Ans: C

12.

Which command locks a user account?

- A) passwd -l
- B) useradd -l
- C) lockuser
- D) usermod -L

Ans: D

13.

What does init 6 do?

- A) Halt system
- B) Shutdown system
- C) Reboot system
- D) Switch to single-user mode

Ans: C

14.

What must be done after editing /etc/sudoers to apply changes safely?

- A) Use vi
- B) Use nano
- C) Use visudo

D) Reboot system

Ans: C

15.

Which file stores group membership?

A) /etc/passwd

B) /etc/group

C) /etc/shadow

D) /etc/gpasswd

Ans: B

16.

To check user info including UID and groups:

A) whoami

B) who

C) id username

D) passwd -S

Ans: C

17.

Which tool allows GUI-based creation of Kickstart?

A) ks-gui

B) kickstart-maker

C) system-config-kickstart

D) setup-kickstart

Ans: C

18.

To assign a specific shell to a new user:

- A) useradd -s /bin/bash username
- B) chsh username
- C) shelladd username
- D) usermod -S /bin/bash username

Ans: A

19.

What is %post section in Kickstart used for?

- A) List packages
- B) Configure disks
- C) Run post-install commands
- D) Display errors

Ans: C

20.

Which command shows pending shutdown?

- A) who
- B) uptime
- C) shutdown -s
- D) who -r

Ans: D

21.

What does gpasswd -a alice dev do?

- A) Changes alice's password
- B) Adds alice to dev group
- C) Removes alice from group
- D) Creates user dev

Ans: B

22.

Which command creates a new group?

- A) newgrp
- B) usermod
- C) groupadd
- D) addgroup

Ans: C

23.

Which of the following is NOT valid in Kickstart config?

- A) timezone
- B) %packages
- C) %users
- D) bootloader

Ans: C

24.

To verify if a user account is locked:

- A) passwd -S username
- B) id username
- C) getent passwd
- D) whoami

Ans: A

25.

Default shell for a new user if unspecified:

- A) /bin/zsh
- B) /bin/sh
- C) /sbin/nologin

D) /bin/bash

Ans: D

26.

How to remove a user from a group (safe method)?

A) deluser username groupname

B) gpasswd -d username groupname

C) rm /etc/group

D) groupmod -d

Ans: B

27.

Which tool installs Linux hands-free over a network?

A) PXE

B) FTP

C) SCP

D) SSH

Ans: A

28.

To run Kickstart installation via PXE, you need:

A) HTTP server

B) TFTP server

C) DHCP server

D) All of the above

Ans: D

29.

What does shutdown -h +60 "Maintenance" do?

- A) Shutdown in 60 seconds
- B) Shutdown in 60 minutes
- C) Reboot in 1 hour
- D) Nothing

Ans: B

30.

Which directory typically stores Kickstart files in HTTP servers?

- A) /var/kickstart
- B) /opt/install
- C) /var/www/html
- D) /root/kickstart

Ans: C

☒ Hard Level (10 MCQs)

31.

What does %pre section in Kickstart do?

- A) Runs after install
- B) Runs before installation starts
- C) Lists users
- D) Loads GUI

Ans: B

32.

Where should you NOT store encrypted password directly in Kickstart?

- A) %packages
- B) rootpw line
- C) %post
- D) bootloader

Ans: A

33.

To create a user with a home directory in Kickstart:

- A) useradd
- B) %user section
- C) user --name=username --create-home
- D) shelladd

Ans: C

34.

When using Kickstart, which section is used for firewall config?

- A) firewall
- B) network
- C) post
- D) security

Ans: A

35.

What is groupmod used for?

- A) Add new user
- B) Change group info
- C) Delete group
- D) View user list

Ans: B

36.

If you add shutdown -h now in %post, when will it run?

- A) Before install
- B) During disk formatting
- C) After all install steps complete
- D) After GRUB config

Ans: C

37.

What will happen if root password is missing in Kickstart?

- A) Error during installation
- B) Boot normally
- C) Create user root with no password
- D) Use default password

Ans: A

38.

To manually encrypt a password for Kickstart:

- A) openssl passwd
- B) passwd
- C) chpasswd
- D) cryptpass

Ans: A

39.

What type of installation does Kickstart perform?

- A) Interactive
- B) Unattended
- C) Package-only

D) Upgrade-only

Ans: B

40.

What happens if %packages section is missing in Kickstart?

A) Core packages installed

B) Error

C) GUI install shown

D) Only kernel installed

Ans: A