

Easy (10 MCQs)

1.

What does NPS stand for?

- A) Network Protection Service
- B) Network Policy Server ☒
- C) Network Proxy Service
- D) Network Performance System

Answer: B

Explanation: NPS stands for Network Policy Server.

2.

NPS is primarily used as a:

- A) DHCP server
- B) RADIUS server ☒
- C) DNS server
- D) FTP server

Answer: B

Explanation: NPS acts as a RADIUS server.

3.

Which protocol does NPS use to authenticate clients?

- A) HTTP
- B) FTP

- C) RADIUS ☒
- D) SMTP

Answer: C

Explanation: NPS uses the RADIUS protocol.

4.

NPS policies are based on:

- A) File types
- B) User credentials and conditions ☒
- C) IP addresses only
- D) CPU usage

Answer: B

Explanation: Policies are based on user/group and connection conditions.

5.

Which of the following can be a RADIUS client in NPS?

- A) VPN server ☒
- B) Active Directory
- C) File server
- D) DHCP server

Answer: A

Explanation: VPN servers send requests to NPS as RADIUS clients.

6.

NPS can be used to secure:

- A) Wireless connections
- B) VPN connections
- C) Wired 802.1X authentication
- D) All of the above ☒

Answer: D

Explanation: NPS supports all these connection types.

7.

True or False: NPS can act as a RADIUS proxy.

- A) True ☒
- B) False

Answer: A

Explanation: NPS can forward RADIUS requests to other servers.

8.

NPS policies are stored in:

- A) Local registry
- B) Active Directory or locally on the server ☒
- C) DNS server
- D) DHCP database

Answer: B

Explanation: Policies can be stored locally or in AD.

9.

NPS can integrate with which directory service?

- A) LDAP
- B) Active Directory ☒
- C) DNS
- D) FTP

Answer: B

Explanation: NPS integrates with Active Directory.

10.

Which console is used to manage NPS?

- A) Group Policy Editor
- B) NPS Console ☒
- C) DHCP Manager
- D) Task Scheduler

Answer: B

Explanation: NPS Console is used for configuration.

Medium (20 MCQs)

11.

What does a Connection Request Policy in NPS determine?

- A) Which RADIUS clients can connect
- B) How to process incoming connection requests ☒
- C) Password complexity
- D) IP address allocation

Answer: B

Explanation: Connection Request Policies define processing rules.

12.

Which of the following is NOT part of a Network Policy condition?

- A) User group membership
- B) Time of day
- C) File permissions ☒
- D) NAS Port Type

Answer: C

Explanation: File permissions are not NPS policy conditions.

13.

What kind of accounting does NPS perform?

- A) Tracks network usage and sessions ☒

- B) Manages user permissions
- C) Logs file access
- D) Manages disk quotas

Answer: A

Explanation: NPS logs usage for auditing and billing.

14.

Which attribute defines the type of client device in NPS?

- A) NAS-Port-Type ☒
- B) User-Name
- C) Service-Type
- D) Called-Station-Id

Answer: A

Explanation: NAS-Port-Type indicates device type or port.

15.

NPS policies can be configured to allow or deny access based on:

- A) User credentials
- B) Group membership
- C) Time constraints
- D) All of the above ☒

Answer: D

Explanation: All these conditions can be applied.

16.

Which port number does RADIUS authentication use by default?

- A) 443
- B) 1812 ☒
- C) 3389
- D) 53

Answer: B

Explanation: RADIUS authentication uses UDP port 1812.

17.

NPS supports which authentication protocols?

- A) PAP, CHAP, MS-CHAP, EAP ☒
- B) FTP and HTTP
- C) SMTP and POP3
- D) SNMP and LDAP

Answer: A

Explanation: NPS supports multiple authentication protocols.

18.

What is the purpose of the RADIUS shared secret?

- A) To encrypt authentication messages ☒
- B) To store user passwords

- C) To assign IP addresses
- D) To generate reports

Answer: A

Explanation: The shared secret secures RADIUS messages.

19.

Which of the following can be an NPS RADIUS client?

- A) Switch
- B) Wireless access point
- C) VPN server
- D) All of the above ☒

Answer: D

Explanation: All these devices can be RADIUS clients.

20.

What happens if an NPS Network Policy does not match a connection request?

- A) Access is granted
- B) Access is denied ☒
- C) User is redirected
- D) Connection is queued

Answer: B

Explanation: Access is denied if no policies match.

21.

In NPS, a Remote Access Policy is now known as:

- A) Connection Request Policy
- B) Network Policy ☒
- C) Security Policy
- D) Access Control List

Answer: B

Explanation: Remote Access Policy was renamed Network Policy.

22.

Which of the following is NOT a typical RADIUS attribute?

- A) User-Name
- B) Service-Type
- C) File Size ☒
- D) Framed-IP-Address

Answer: C

Explanation: File size is not a RADIUS attribute.

23.

NPS can be used to enforce:

- A) VPN connection policies
- B) Wireless network access policies
- C) Wired 802.1X authentication policies
- D) All of the above ☒

Answer: D

Explanation: NPS can enforce policies for all these access types.

24.

Which Windows Server role must be installed before configuring NPS?

- A) Active Directory Domain Services
- B) Network Policy and Access Services ☒
- C) DNS Server
- D) DHCP Server

Answer: B

Explanation: NPS is part of Network Policy and Access Services.

25.

NPS can forward authentication requests to another RADIUS server using:

- A) RADIUS Proxy feature ☒
- B) Connection Request Policies
- C) Network Policy
- D) DHCP Relay

Answer: A

Explanation: RADIUS Proxy forwards requests to other servers.

26.

Which event log records NPS activities?

- A) Application log
- B) Security log ☒
- C) System log
- D) Setup log

Answer: B

Explanation: NPS logs events in the Security log.

27.

What is the default UDP port for RADIUS accounting?

- A) 1813 ☒
- B) 1812
- C) 80
- D) 389

Answer: A

Explanation: RADIUS accounting uses UDP port 1813.

28.

Which protocol is used by NPS for secure communication with clients?

- A) HTTP
- B) PEAP (Protected EAP) ☒
- C) FTP
- D) SMTP

Answer: B

Explanation: PEAP provides secure authentication.

29.

What must be configured on RADIUS clients to communicate with NPS?

- A) IP address of NPS server and shared secret ☒
- B) DNS settings
- C) User accounts
- D) DHCP options

Answer: A

Explanation: RADIUS clients require NPS IP and shared secret.

30.

NPS can authenticate users based on:

- A) Machine certificates
- B) User credentials
- C) Both A and B ☒
- D) None of the above

Answer: C

Explanation: NPS supports certificate and credential authentication.

Hard (10 MCQs)

31.

Which NPS policy condition allows you to restrict access based on client IP address ranges?

- A) Client IPv4 Address ☒
- B) Called Station ID
- C) NAS-Identifier
- D) Service-Type

Answer: A

Explanation: Client IPv4 Address condition filters based on IP ranges.

32.

What does the 'Tunnel-Pvt-Group-ID' RADIUS attribute specify in NPS?

- A) VLAN or virtual network assignment ☒
- B) User group membership
- C) Time restrictions
- D) Authentication protocol

Answer: A

Explanation: It assigns users to VLANs or tunnels.

33.

Which NPS policy setting controls session timeout?

- A) Idle Timeout

- B) Session Timeout ☒
- C) Account Lockout
- D) Re-authentication Interval

Answer: B

Explanation: Session Timeout controls how long sessions last.

34.

What is the purpose of the 'Filter-Id' attribute in NPS?

- A) Assigns VLANs
- B) Specifies a policy filter or access list to apply ☒
- C) Contains user password
- D) Determines accounting parameters

Answer: B

Explanation: Filter-Id identifies which filter to apply.

35.

How does NPS handle multiple matching Network Policies?

- A) Applies all policies simultaneously
- B) Applies the first matching policy in priority order ☒
- C) Denies access if more than one matches
- D) Randomly selects a policy

Answer: B

Explanation: NPS processes policies in priority order.

36.

Which RADIUS attribute carries the client's MAC address?

- A) Calling-Station-Id ☒
- B) Called-Station-Id
- C) NAS-IP-Address
- D) User-Name

Answer: A

Explanation: Calling-Station-Id contains the MAC address.

37.

In an NPS environment, what is the function of a Connection Request Policy?

- A) To define authentication methods
- B) To route requests to other RADIUS servers ☒
- C) To assign IP addresses
- D) To log network usage

Answer: B

Explanation: Connection Request Policies can forward requests.

38.

Which of these is a valid authentication method supported by NPS for wireless networks?

- A) PEAP with MS-CHAPv2 ☒
- B) FTP

- C) HTTP Basic Authentication
- D) SNMPv3

Answer: A

Explanation: PEAP with MS-CHAPv2 is common for wireless auth.

39.

How can NPS enforce device health compliance before granting network access?

- A) Using Network Access Protection (NAP) integration ☒
- B) Using DHCP policies
- C) Using DNS records
- D) Using firewall rules

Answer: A

Explanation: NAP checks device health during auth.

40.

What is the effect of enabling 'Dynamic VLAN Assignment' in NPS?

- A) Assigns VLAN based on user group or policy ☒
- B) Blocks VLAN assignment
- C) Sets static VLAN for all users
- D) Disables wireless access

Answer: A

Explanation: Dynamic VLAN assigns VLANs dynamically per policy.