

☒ Easy (10 MCQs)

1.

How many values can a single hexadecimal digit represent?

- A) 8
- B) 2
- C) 4
- D) 16

Answer: D

Explanation: Hexadecimal uses 0–F, i.e., 16 values.

2.

What is the hexadecimal value of decimal 10?

- A) 11
- B) A
- C) 0A
- D) 1010

Answer: B

3.

Which tool is used to view hexadecimal data?

- A) MS Paint

- B) HxD
 - C) Excel
 - D) VLC
- Answer: B**
-

4.

Initial assessment helps determine:

- A) Passwords
- B) Incident scope
- C) Evidence chain
- D) IP spoofing

Answer: B

5.

A typical file header in hex for a JPEG image is:

- A) 00 00
- B) FF D8
- C) 41 42
- D) 11 11

Answer: B

6.

Hexadecimal A is equal to decimal:

- A) 11
- B) 12
- C) 10
- D) 9

Answer: C

7.

Each hex digit represents how many bits?

- A) 2
- B) 4
- C) 8
- D) 16

Answer: B

8.

Incident notification checklist is used during:

- A) Relaxation
- B) Legal hearing
- C) Incident reporting
- D) System formatting

Answer: C

9.

Which base is hexadecimal?

- A) Base-10
- B) Base-2
- C) Base-8
- D) Base-16

Answer: D

10.

What is 0x41 in ASCII?

- A) 4
- B) A
- C) 1
- D) B

Answer: B

☒ Medium (20 MCQs)

11.

Which item is typically in an incident notification form?

- A) ISP plan
- B) User photos
- C) System affected
- D) Antivirus key

Answer: C

12.

How many hexadecimal digits are needed to represent 1 byte?

- A) 1
- B) 2
- C) 4
- D) 8

Answer: B

13.

Why are hexadecimal values used in forensics?

- A) Easier to remember
- B) Compress data

C) Efficient binary representation

D) Replace ASCII

Answer: C

14.

Which of the following would likely appear in an initial assessment?

A) Code length

B) IP address of affected host

C) File size

D) Page load time

Answer: B

15.

What is the hex value of binary 1010 1111?

A) AF

B) 10

C) B7

D) F1

Answer: A

16.

The practical use of bits in forensics includes:

- A) Drawing
- B) Image zooming
- C) Disk sector analysis
- D) Ad management

Answer: C

17.

Hex Fiend is used for:

- A) Playing music
- B) Analyzing hex data
- C) Reading Word files
- D) Typing reports

Answer: B

18.

When should an incident notification be filled?

- A) After backup
- B) After logging off
- C) As soon as incident is confirmed
- D) After deletion

Answer: C

19.

Hexadecimal values are useful for identifying:

- A) Video length
- B) Browser history
- C) File type headers
- D) User passwords

Answer: C

20.

What is 0xFF in binary?

- A) 10101010
- B) 11111111
- C) 00001111
- D) 10000000

Answer: B

21.

ASCII character for 0x31 is:

- A) A
- B) B
- C) 1
- D) 3

Answer: C

22.

What is the decimal equivalent of hex 1F?

- A) 31
- B) 15
- C) 16
- D) 20

Answer: A

23.

A common mistake during initial assessment is:

- A) Skipping log analysis
- B) Documenting symptoms
- C) Isolating systems
- D) Alerting team

Answer: A

24.

Slight diversion in a forensic lesson usually refers to:

- A) Movie break
- B) Low-priority case
- C) Off-topic, but essential technical concept
- D) Court ruling

Answer: C

25.

File signatures help forensic experts:

- A) Trace origin
- B) Validate code
- C) Identify true file types
- D) Modify size

Answer: C

26.

One byte is equal to:

- A) 2 bits
- B) 4 hex digits

- C) 8 bits
 - D) 16 bits
- Answer: C**
-

27.

Initial assessment should include:

- A) Employee's birth date
- B) System logs
- C) Playlist files
- D) Resolution size

Answer: B

28.

ASCII uses which base system?

- A) 2
- B) 8
- C) 10
- D) 16

Answer: D

29.

Which notation is most used in file analysis tools?

- A) Decimal
- B) Hexadecimal
- C) Roman
- D) Binary

Answer: B

30.

The hex for uppercase letter "Z" is:

- A) 5A
- B) 61
- C) 41
- D) 7A

Answer: A

☒ Hard (10 MCQs)

31.

What is the hex representation of binary 1110 1101?

- A) EC

- B) ED
 - C) EF
 - D) DE
- Answer: B**
-

32.

Which field is least likely in an incident checklist?

- A) IP of attacker
- B) Severity level
- C) Employee's social media
- D) Detection time

Answer: C

33.

Hex editors allow you to:

- A) Watch videos
- B) Modify RAM
- C) View and edit raw data at byte level
- D) Encrypt password files

Answer: C

34.

Hex "4D 5A" at the start of a file indicates:

- A) PDF file
- B) Word doc
- C) EXE file
- D) PNG

Answer: C

35.

One reason hexadecimal is used over binary is:

- A) Easier mapping of file headers
- B) Faster processing
- C) Reduces storage
- D) Harder to read

Answer: A

36.

In practical terms, what does 0x20 represent in ASCII?

- A) Enter
- B) Tab
- C) Space
- D) Slash

Answer: C

37.

To convert hex to ASCII, you need to:

- A) Multiply
- B) Use lookup table
- C) Encode
- D) Format

Answer: B

38.

What is 0xC0 converted to decimal?

- A) 192
- B) 120
- C) 220
- D) 160

Answer: A

39.

"Slight diversion" into bits and hex is essential because:

- A) Helps in case presentation
- B) Adds fun
- C) Makes analysis easier
- D) Provides low-level technical insight

Answer: D

40.

Which hex pattern helps in carving a PNG file?

- A) FF D8
- B) 89 50 4E 47
- C) 25 50 44 46
- D) 49 49 2A

Answer: B