

1.

What is live forensics primarily concerned with?

- A) Printed evidence
- B) Data from a powered-off system
- C) Volatile data from an active system
- D) Video surveillance

☒ **Answer: C**

Explanation: Live forensics targets volatile data from active/running systems.

2.

Which of the following is a common command to view running processes in Linux?

- A) mkdir
- B) ps
- C) cp
- D) ping

☒ **Answer: B**

3.

Which folder in Linux typically stores system logs?

- A) /boot
- B) /usr
- C) /var/log
- D) /mnt/log

☒ **Answer: C**

4.

What does RAM capture help investigate in live forensics?

- A) Disk encryption
- B) Memory-resident data like running processes and passwords
- C) BIOS settings
- D) Wi-Fi signal strength

☒ **Answer: B**

5.

Which tool can be used to collect data from mobile phones?

- A) HxD
- B) Cellebrite UFED
- C) FTK Imager
- D) AutoRuns

☒ **Answer: B**

6.

Which of the following is NOT volatile data?

- A) RAM
- B) Running processes
- C) Disk sectors
- D) Open ports

☒ Answer: C

7.

Which command shows logged-in users on a Linux system?

- A) who
- B) clear
- C) ls
- D) grep

☒ Answer: A

8.

Which tool is used to analyze Linux memory images?

- A) Volatility
- B) HxD
- C) DiskPart
- D) PsExec

☒ Answer: A

9.

Which mobile OS is analyzed in mobile forensics?

- A) Ubuntu
- B) Android
- C) Fedora
- D) Debian

☒ **Answer: B**

10.

Logical acquisition from a mobile device includes:

- A) Deleted files only
- B) Visible app data and user files
- C) BIOS data
- D) All Slack space

☒ **Answer: B**

☒ **20 Medium-Level MCQs**

11.

What is the purpose of a Faraday bag in mobile forensics?

- A) Increase signal strength
- B) Clean fingerprints
- C) Prevent network access
- D) Store backup

☒ **Answer: C**

12.

Which command lists open files in Linux?

- A) ls
- B) lsof
- C) find
- D) diff

☒ **Answer: B**

13.

Which of the following is considered volatile evidence?

- A) USB logs
- B) Browser history
- C) Clipboard content
- D) Email attachments

☒ Answer: C

14.

Which file in Linux stores user command history?

- A) /etc/shadow
- B) /etc/passwd
- C) ~/.bash_history
- D) /var/log/boot.log

☒ Answer: C

15.

Which mobile forensic tool specializes in iOS and iCloud data extraction?

- A) Oxygen Forensic Detective
- B) Elcomsoft
- C) FTK
- D) Volatility

☒ Answer: B

16.

The most volatile data is:

- A) Memory contents
- B) Network logs
- C) Disk partitions
- D) Print logs

☒ **Answer: A**

17.

What is LiME used for?

- A) Disk analysis
- B) Rootkit removal
- C) Linux memory acquisition
- D) Email tracing

☒ **Answer: C**

18.

ADB is a forensic tool used for which platform?

- A) Windows
- B) Linux
- C) Android
- D) iOS

☒ **Answer: C**

19.

Which of the following is a journaling file system used in Linux?

- A) FAT32
- B) NTFS
- C) ext4
- D) APFS

☒ **Answer: C**

20.

What is a challenge unique to mobile forensics?

- A) File permissions
- B) Disk size
- C) Strong encryption and app sandboxing
- D) File naming

☒ **Answer: C**

21.

Volatility plugins are used for:

- A) Changing MAC addresses
- B) Viewing Linux processes

- C) Parsing RAM images
- D) Building Linux distros

☒ **Answer: C**

22.

Which of the following best represents a Linux firewall log location?

- A) /etc/init.d
- B) /boot
- C) /var/log/syslog or messages
- D) /usr/log

☒ **Answer: C**

23.

Why is chain of custody important in mobile forensics?

- A) To reset the phone
- B) To track access to evidence
- C) To remove encryption
- D) To bypass login screen

☒ **Answer: B**

24.

Which command shows active TCP/IP connections in Linux?

- A) ls
- B) ifconfig
- C) netstat
- D) ps

☒ **Answer: C**

25.

Which forensic tool can recover deleted WhatsApp messages?

- A) AutoRuns
- B) Cellebrite
- C) Volatility
- D) FTK Imager

☒ **Answer: B**

26.

What type of data acquisition involves full bit-by-bit copy of device storage?

- A) Logical
- B) Manual
- C) File system
- D) Physical

☒ Answer: D

27.

Which Linux command displays the system's scheduled jobs?

- A) jobs
- B) systemd
- C) crontab -l
- D) history

☒ Answer: C

28.

iTunes backup can be used in forensics to extract data from:

- A) Linux machines
- B) Android tablets
- C) iOS devices
- D) Windows services

☒ Answer: C

29.

Which forensic term describes the order of data volatility?

- A) Pyramid of Importance
- B) Order of Volatility
- C) Stack Overflow
- D) RAM Ranking

☒ Answer: B

30.

What is a typical path to find cron jobs in Linux?

- A) /home/cron
- B) /etc/cron.d
- C) /sys/cron.d
- D) /boot/cron.conf

☒ Answer: B

☒ 10 Hard-Level MCQs

31.

Which mobile forensics extraction method retrieves even deleted data and slack space?

- A) Logical

- B) File system
 - C) Physical
 - D) Manual
- ☒ Answer: C
-

32.

Which mobile file system is commonly used in Android devices?

- A) ext4
 - B) APFS
 - C) NTFS
 - D) HFS+
- ☒ Answer: A
-

33.

What tool is best for live forensic memory extraction from Linux?

- A) rkhunter
 - B) LiME
 - C) chkrootkit
 - D) OSF
- ☒ Answer: B
-

34.

What is the biggest legal risk in mobile forensics without proper authorization?

- A) OS corruption
- B) Hash collision
- C) Evidence suppression in court
- D) Memory leak

☒ **Answer: C**

35.

Which tool allows command-line interaction with Android devices during forensics?

- A) PsExec
- B) Netstat
- C) ADB
- D) Tasklist

☒ **Answer: C**

36.

Which forensic concern applies MOST to jailbroken/rooted devices?

- A) Easier data access, but less evidentiary reliability
- B) Better signal
- C) Increased file compression
- D) Antivirus detection

☒ Answer: A

37.

Why is swap memory important in Linux forensics?

- A) Stores logs
- B) Temporary storage for processes – may contain passwords or evidence
- C) Increases screen resolution
- D) Affects boot time

☒ Answer: B

38.

In Android forensics, a pattern lock is an example of:

- A) File encryption
- B) Data compression
- C) Logical file access
- D) Access control

☒ Answer: D

39.

Which Linux artifact could indicate persistent malware?

- A) Clear browser history
- B) Cron jobs with suspicious binaries
- C) Clean .bash_history
- D) Disabled USB ports

☒ **Answer: B**

40.

A major risk in mobile cloud syncing forensics is:

- A) Backup loss
- B) Data overwrite or remote wipe
- C) File sorting
- D) Metadata loss

☒ **Answer: B**