

☒ Easy Level (10 Questions)

Q1. What is a database?

- A. A programming language
- B. A collection of tables
- C. A single row of data
- D. A web server

Answer: B

Explanation: A database is a collection of related tables.

Q2. Which SQL command is used to create a new database?

- A. INSERT
- B. MAKE DATABASE
- C. CREATE DATABASE
- D. NEW DATABASE

Answer: C

Explanation: CREATE DATABASE is the standard SQL command.

Q3. What does a table contain?

- A. Rows and variables
- B. Files and folders
- C. Rows and columns
- D. Classes and objects

Answer: C

Explanation: Tables are made up of rows (records) and columns (fields).

Q4. What is a schema in a database?

- A. A row of data
- B. A network protocol
- C. A logical container for database objects
- D. A table index

Answer: C

Explanation: A schema is a namespace for database objects.

Q5. Which command deletes a database?

- A. REMOVE DATABASE
- B. DELETE DATABASE
- C. DROP DATABASE
- D. ERASE DATABASE

Answer: C

Explanation: DROP DATABASE is used to remove a database.

Q6. What is the correct format to name a database?

- A. my database
- B. my-database
- C. my_database

D. My#Database

Answer: C

Explanation: Use lowercase and underscores.

Q7. In SQL, which clause is used to prevent errors when a database already exists?

A. NOT EXISTS

B. IF NOT EXISTS

C. EXISTS

D. IGNORE

Answer: B

Explanation: IF NOT EXISTS avoids error on duplicate creation.

Q8. Which of the following is not part of a table definition?

A. Column name

B. Data type

C. Constraint

D. File path

Answer: D

Explanation: File path is not used in defining a table structure.

Q9. In which type of database are schemas most commonly used?

A. MySQL

- B. PostgreSQL
- C. SQLite
- D. MongoDB

Answer: B

Explanation: PostgreSQL extensively uses schemas.

Q10. What will happen if you run DROP DATABASE university;?

- A. The university table is deleted
- B. The database is renamed
- C. The university database is deleted
- D. Nothing happens

Answer: C

Explanation: The command deletes the entire university database.

☒ Medium Level (20 Questions)

Q11. Which part of a table stores the actual data?

- A. Columns
- B. Constraints
- C. Rows
- D. Triggers

Answer: C

Explanation: Rows store the actual data entries.

Q12. What is the effect of CREATE DATABASE IF NOT EXISTS sales;?

- A. Creates a database always
- B. Drops and recreates sales
- C. Creates sales only if it doesn't exist
- D. Renames the sales database

Answer: C

Explanation: IF NOT EXISTS ensures it's created only once.

Q13. What is the main advantage of using schemas?

- A. Faster queries
- B. More storage
- C. Logical separation of objects
- D. Less memory usage

Answer: C

Explanation: Schemas separate objects logically.

Q14. What command creates a schema named "library"?

- A. CREATE SCHEMA library;
- B. NEW SCHEMA library;
- C. MAKE SCHEMA library;
- D. SCHEMA CREATE library;

Answer: A

Explanation: CREATE SCHEMA is the correct SQL syntax.

Q15. Which of the following is a valid database name?

- A. Sales!2023
- B. sales_data
- C. sales data
- D. 2023.sales

Answer: B

Explanation: Use alphanumeric and underscores.

Q16. What is the risk of using DROP DATABASE mydb; without precautions?

- A. Delays
- B. No risk
- C. Permanent data loss
- D. Backup creation

Answer: C

Explanation: It permanently deletes the database.

Q17. Which of these is NOT stored in a schema?

- A. Views
- B. Tables
- C. Indexes
- D. Operating System Files

Answer: D

Explanation: Schema does not store OS files.

Q18. In PostgreSQL, the default schema is:

- A. main
- B. root
- C. public
- D. default

Answer: C

Explanation: The default schema is public.

Q19. Best naming convention for table:

- A. Order@List
- B. order_list
- C. ORDERLIST
- D. orderList

Answer: B

Explanation: Lowercase with underscores is preferred.

Q20. What clause avoids errors when dropping non-existent databases?

- A. IF EXISTS
- B. SKIP
- C. IGNORE

D. ELSE

Answer: A

Explanation: DROP DATABASE IF EXISTS is safe.

Q22. What does this command do? CREATE DATABASE test_db CHARACTER SET utf8mb4;

A. Creates a new table in test_db

B. Creates a database with default character set

C. Creates a database using UTF-8 encoding

D. Creates a user with UTF-8 password

Answer: C

Explanation: The CHARACTER SET clause defines encoding for the DB.

Q23. Why are underscores preferred in database names?

A. To use uppercase letters

B. For better readability and compatibility

- C. To separate schemas
- D. They increase performance

Answer: B

Explanation: Underscores enhance readability and are widely supported.

Q24. Which is a valid way to group tables by department in a university database?

- A. Use different databases
- B. Use schemas like science.students, arts.faculty
- C. Name tables with department codes
- D. Store them all in one flat table

Answer: B

Explanation: Schemas are ideal for grouping logically.

Q25. Which of the following will result in an error if the database already exists?

- A. CREATE DATABASE IF NOT EXISTS mydb;
- B. CREATE DATABASE mydb;
- C. CREATE DATABASE mydb WITH IF EXISTS;
- D. CREATE DATABASE mydb UNLESS EXISTS;

Answer: B

Explanation: Without IF NOT EXISTS, an error is thrown.

Q26. Dropping a database deletes:

- A. Only the tables
- B. Only indexes
- C. The database and all objects inside
- D. Only stored procedures

Answer: C

Explanation: Entire database including tables, views, functions, etc., is deleted.

Q27. In PostgreSQL, what does this do?

`CREATE SCHEMA IF NOT EXISTS research;`

- A. Creates the entire database
- B. Creates a new user
- C. Creates a schema named research only if it doesn't exist
- D. Deletes the research schema

Answer: C

Explanation: Ensures no duplicate schema is created.

Q28. What is the result of using `DROP DATABASE production;` in a script?

- A. Deletes just one table
- B. Drops the production schema
- C. Deletes the production database completely
- D. Deletes views only

Answer: C

Explanation: Drops the entire database and all of its contents.

Q29. What is one of the key benefits of separating schemas in the same database?

- A. Increased physical storage
- B. Logical separation of data
- C. Better internet speed
- D. Faster disk access

Answer: B

Explanation: Schemas isolate logical data groups.

Q30. Which of the following would you use to delete a database if it exists without error?

- A. DELETE DATABASE university;
- B. REMOVE DATABASE university;
- C. DROP DATABASE IF EXISTS university;
- D. CLEAR DATABASE university;

Answer: C

Explanation: This syntax safely deletes the DB if it exists.

☒ Hard Level (10 Questions)

Q31. What happens internally when DROP DATABASE mydb; is run?

- A. It empties all tables
- B. It marks database as archived
- C. It removes all files related to the database from disk
- D. It only deletes metadata

Answer: C

Explanation: All associated physical files and objects are deleted.

Q32. Which of the following statements is FALSE about schemas?

- A. They can contain multiple tables and views
- B. They are useful for organizing database objects
- C. A schema is the same as a database
- D. A schema can belong to a specific user

Answer: C

Explanation: A schema is not the same as a database; it exists *within* a database.

Q33. What is the output of this MySQL command?

sql

CopyEdit

```
CREATE DATABASE test CHARACTER SET latin1 COLLATE latin1_general_ci;
```

- A. Creates database with UTF-8
- B. Creates schema only
- C. Creates database test with specific charset and collation
- D. Fails due to invalid syntax

Answer: C

Explanation: It creates a DB using Latin1 encoding and collation.

Q34. You want to isolate accounting and HR data. What is the best approach?

- A. Create different DB users
- B. Create a table for each
- C. Create separate schemas for accounting and HR
- D. Use two databases only

Answer: C

Explanation: Schemas are the best for logical data isolation within the same DB.

Q35. Why should you be cautious with DROP DATABASE?

- A. It can cause slow queries
- B. It locks the user account
- C. It is irreversible and deletes all data
- D. It requires expensive licensing

Answer: C

Explanation: It's a destructive, irreversible operation.

Q36. In PostgreSQL, what happens if you try to create a schema that already exists?

- A. It is ignored
- B. It throws an error unless IF NOT EXISTS is used
- C. It creates a duplicate
- D. The DB shuts down

Answer: B

Explanation: An error is thrown without IF NOT EXISTS.

Q37. Which of the following is NOT true about CREATE DATABASE command?

- A. It allocates physical storage
- B. It defines schema layout
- C. It can set encoding
- D. It creates a new logical container

Answer: B

Explanation: CREATE DATABASE does not define schema; it creates a logical container.

Q38. Which scenario best uses multiple databases instead of schemas?

- A. Multi-tenant SaaS with different customers
- B. Finance and HR within the same company
- C. Users and permissions for a small project
- D. Academic and research tables

Answer: A

Explanation: Separate databases help fully isolate data for multi-tenancy.

Q39. You receive an error “database already exists.” What should you do to avoid it in future?

- A. Use DROP DATABASE first
- B. Use IF EXISTS
- C. Use IF NOT EXISTS in CREATE DATABASE
- D. Use DELETE DATABASE

Answer: C

Explanation: IF NOT EXISTS avoids creation error.

Q40. Which of the following is most secure when deleting a DB from a production server?

- A. Run DROP DATABASE directly
- B. Use transaction block
- C. Take full backup and use DROP DATABASE IF EXISTS
- D. Use DELETE * FROM all tables

Answer: C

Explanation: Always take backup and safely check existence before deletion.

Would you like me to now format this as a **PDF or docx quiz sheet**, or should we continue with the **next topic**?

Tools

ChatGPT can mak