

☒ Concepts of Databases, Tables, and Schemas

1. ☒ What is a Database?

A **database** is an organized collection of structured information or data, typically stored electronically in a computer system. A **Database Management System (DBMS)** like MySQL, PostgreSQL, or Oracle allows users to interact with the database using SQL (Structured Query Language).

- A database stores **multiple related tables**.
- It provides centralized access and management of data.
- Helps in data integrity, consistency, and security.

2. ☒ What is a Table?

A **table** is a database object that stores data in rows and columns.

- Each **row** (record) represents a single data item.

- Each **column** (field) represents a specific attribute of the data.
- Tables have a defined **schema**: name, datatype, and constraints for each column.

Example:

sql

CopyEdit

```
CREATE TABLE students ( student_id INT PRIMARY KEY, name VARCHAR(100), age INT, course VARCHAR(50) );
```

3. ❏ What is a Schema?

A **schema** is a logical container for database objects like tables, views, procedures, etc.

-

It provides **namespace** separation within a database.

- Useful in multi-user environments to isolate user objects.
- In PostgreSQL, for example, schemas are heavily used.

Syntax:

sql

CopyEdit

```
CREATE SCHEMA college; CREATE TABLE college.students (...);
```

☒ Syntax and Examples for Creating Databases

Basic Syntax:

sql

CopyEdit

```
CREATE DATABASE database_name;
```

Example:

sql

CopyEdit

```
CREATE DATABASE university;
```

For specific configurations:

sql

CopyEdit

```
CREATE DATABASE university WITH ENCODING = 'UTF8' LC_COLLATE = 'en_US.UTF-8' LC_CTYPE = 'en_US.UTF-8' TEMPLATE = template0;
```

For MySQL:

sql

CopyEdit

```
CREATE DATABASE IF NOT EXISTS university CHARACTER SET utf8mb4 COLLATE utf8mb4_unicode_ci;
```

☒ Best Practices for Organizing and Naming Databases

1.

☒ **Use meaningful names**

Avoid vague names like db1 or test. Prefer student_records, sales_data, etc.

2.

☒ **Follow naming conventions**

-

Use lowercase and underscores (_) to separate words.

-

Avoid using spaces or special characters.

-

E.g., ecommerce_orders, hr_management.

3.

☒ **Group related tables into schemas**

Organize large databases by using schemas, e.g., finance.invoices, sales.customers.

4.

☒ **Avoid duplication**

Ensure no overlapping or redundant database names across environments.

5.

☒ **Include environment tag if needed**

Use suffixes or prefixes like dev_, test_, or prod_.

6.

☒ **Use IF NOT EXISTS when needed**

Prevents errors in scripts that may run multiple times.

☒ Syntax and Examples for Dropping Databases

Basic Syntax:

sql

CopyEdit

```
DROP DATABASE database_name;
```

Example:

sql

CopyEdit

```
DROP DATABASE university;
```

With IF EXISTS (recommended):

sql

CopyEdit

```
DROP DATABASE IF EXISTS university;
```

Precautions:

- This **deletes** the entire database and all contained objects.

-

Ensure **backups** are taken before dropping a database.