

☒ Easy (10 Questions)

1.

Which of the following is a good countermeasure against password cracking?

- A) Using short passwords
- B) Enforcing account lockouts after failed attempts
- C) Storing passwords in plain text
- D) Sharing passwords publicly

Answer: B

Explanation: Account lockout prevents brute force attacks by blocking after multiple failed attempts.

2.

An offline password attack involves:

- A) Trying passwords directly on the server
- B) Cracking password hashes without contacting the server
- C) Watching network traffic only
- D) Sending phishing emails

Answer: B

Explanation: Offline attacks crack stolen password hashes independently.

3.

Keyloggers are used to:

- A) Encrypt data
- B) Record keystrokes secretly
- C) Improve network speed
- D) Backup files

Answer: B

Explanation: Keyloggers capture typed passwords and sensitive info.

4.

Trojans usually:

- A) Appear as legitimate software
- B) Are always detected by antivirus
- C) Only infect mobile devices
- D) Are harmless programs

Answer: A

Explanation: Trojans disguise themselves to trick users into installation.

5.

Multi-factor authentication helps prevent:

- A) Password reuse
- B) Unauthorized access even if password is compromised
- C) Network congestion
- D) Email spam

Answer: B

Explanation: MFA adds extra layers of verification.

6.

An overt channel is:

- A) A hidden communication path
- B) A legitimate communication channel
- C) Always encrypted
- D) Used only by attackers

Answer: B

Explanation: Overt channels are normal communication paths.

7.

Reverse-connecting Trojans:

- A) Wait for attacker to connect to victim
- B) Initiate connection from victim to attacker
- C) Block all network traffic
- D) Only work on Linux systems

Answer: B

Explanation: They connect back to attacker, bypassing inbound firewall rules.

8.

Netcat can be used by attackers to:

- A) Scan ports only
- B) Create backdoors and transfer files
- C) Encrypt hard drives
- D) Remove malware

Answer: B

Explanation: Netcat is a versatile tool for network communication and remote control.

9.

Which spyware records screenshots and keystrokes?

- A) Rootkit
- B) Keylogger
- C) Screen scraper
- D) Adware

Answer: C

Explanation: Screen scrapers capture screen content.

10.

Password salting helps:

- A) Make passwords longer
- B) Prevent rainbow table attacks
- C) Encrypt passwords
- D) Store passwords in plain text

Answer: B

Explanation: Salting adds unique data to each password hash.

☒ Medium (20 Questions)

11.

Which is NOT a strong password policy?

- A) Using long passwords
- B) Requiring numbers and symbols
- C) Allowing "password123"
- D) Periodic password changes

Answer: C

Explanation: Weak passwords like "password123" should be disallowed.

12.

What is a passive online attack?

- A) Trying to guess passwords directly
- B) Eavesdropping on authentication without interaction
- C) Injecting malicious code
- D) Sending spam emails

Answer: B

Explanation: Passive attacks monitor without engaging.

13.

Offline password attacks require:

- A) Access to authentication system
- B) Password hash dump
- C) User cooperation
- D) No computing power

Answer: B

Explanation: Offline attacks use stolen hashes.

14.

Which malware disguises as legitimate software?

- A) Virus
- B) Worm
- C) Trojan
- D) Ransomware

Answer: C

Explanation: Trojans trick users by pretending to be useful apps.

15.

A backdoor in malware:

- A) Deletes files
- B) Provides hidden access for attackers
- C) Encrypts files
- D) Sends spam emails

Answer: B

Explanation: Backdoors allow unauthorized system access.

16.

Covert channels are used to:

- A) Speed up networks
- B) Hide data communication from detection
- C) Secure data with encryption
- D) Backup files

Answer: B

Explanation: Covert channels hide communication paths.

17.

Which Trojan type allows remote control?

- A) Downloader Trojan
- B) Rootkit Trojan
- C) Remote Access Trojan (RAT)
- D) Spy Trojan

Answer: C

Explanation: RATs give attackers full remote access.

18.

Downloader Trojans:

- A) Spy on user activities
- B) Download additional malware
- C) Encrypt hard drives
- D) Create backups

Answer: B

Explanation: Downloader Trojans fetch and install other malicious software.

19.

Which of the following is a sign of Trojan infection?

- A) Slow system performance
- B) Excessive network activity
- C) Disabled antivirus
- D) All of the above

Answer: D

Explanation: All are common indicators of infection.

20.

How do reverse-connecting Trojans bypass firewalls?

- A) Use inbound ports
- B) Connect outward to attacker
- C) Use encryption only
- D) Disable firewall

Answer: B

Explanation: They initiate outbound connections allowed by firewall rules.

21.

Active online attacks include:

- A) Phishing emails
- B) Brute force password guessing
- C) Listening to network traffic
- D) Spoofing MAC addresses

Answer: B

Explanation: Brute force attacks actively try passwords online.

22.

Salting a password:

- A) Adds random data before hashing
- B) Removes special characters
- C) Stores password in plaintext
- D) Uses outdated hash algorithms

Answer: A

Explanation: Salting strengthens password hashes.

23.

Which spyware captures form data in browsers?

- A) Keylogger
- B) Form grabber
- C) Screen scraper
- D) Adware

Answer: B

Explanation: Form grabbers capture submitted form data.

24.

Netcat is often called the:

- A) Swiss Army knife of networking
- B) Firewall
- C) Antivirus
- D) Encryption tool

Answer: A

Explanation: Netcat can do many network-related tasks.

25.

Which is NOT a typical Trojan type?

- A) RAT
- B) Downloader
- C) SQL Injection
- D) Spy Trojan

Answer: C

Explanation: SQL Injection is an attack method, not a Trojan.

26.

What does multi-factor authentication require?

- A) Password only
- B) Password and another verification factor
- C) Only biometrics

D) Only OTP

Answer: B

Explanation: MFA requires two or more independent credentials.

27.

What does a keylogger capture?

- A) Network traffic
- B) Typed keystrokes
- C) Screen content
- D) Hard drive sectors

Answer: B

Explanation: Keyloggers record keyboard input.

28.

An indication of covert channels is:

- A) High CPU usage
- B) Unexplained data in packet headers
- C) Open ports
- D) Firewall alerts

Answer: B

Explanation: Covert channels hide data in unexpected places.

29.

How do attackers often install Trojans?

- A) Email attachments
- B) Downloading software from untrusted sites
- C) Phishing
- D) All of the above

Answer: D

Explanation: All these are common infection vectors.

30.

Offline password cracking is:

- A) Easier with weak hashing algorithms
- B) Impossible without Internet
- C) Prevented by antivirus
- D) Only done by insiders

Answer: A

Explanation: Weak hashes allow faster cracking offline.

☒ Hard (10 Questions)

31.

Why is LM hash considered insecure?

- A) Uses weak hashing algorithm and no salting
- B) It is encrypted
- C) It is very long
- D) It requires a key

Answer: A

Explanation: LM hash is outdated, unsalted, and easily cracked.

32.

How does a reverse-connecting Trojan evade firewall detection?

- A) It blocks firewall logs
- B) It initiates outbound connections rather than waiting for inbound
- C) It encrypts all traffic
- D) It disables the firewall remotely

Answer: B

Explanation: Outbound connections are often allowed by default.

33.

What is a common use of Netcat by attackers?

- A) Sending spam
- B) Establishing reverse shells
- C) Encrypting files
- D) Generating keys

Answer: B

Explanation: Netcat creates reverse shells for remote access.

34.

Which technique detects Trojans by monitoring network traffic anomalies?

- A) Signature-based antivirus
- B) Behavioral analysis
- C) Firewall rule updates
- D) Password policies

Answer: B

Explanation: Behavioral monitoring can detect abnormal traffic from Trojans.

35.

Which countermeasure defends against keyloggers?

- A) Using screen scrapers
- B) Installing anti-keylogger software
- C) Avoiding multi-factor authentication
- D) Using simple passwords

Answer: B

Explanation: Anti-keylogger software detects and blocks keylogging activity.

36.

An example of an overt channel is:

- A) HTTP traffic
- B) Data hidden in packet timing
- C) Encrypted covert tunnels

D) Hidden filesystem data

Answer: A

Explanation: HTTP is a legitimate communication channel.

37.

Trojan horses differ from viruses because:

A) They replicate themselves

B) They disguise as useful software but don't self-replicate

C) They only affect hardware

D) They are harmless

Answer: B

Explanation: Trojans do not self-replicate, unlike viruses.

38.

What is the main risk of offline password attacks?

A) They are easily detected

B) They can be done without alerting systems

C) They require physical access only

D) They rely on social engineering

Answer: B

Explanation: Offline attacks don't trigger security alerts.

39.

A covert channel might use:

A) Normal DNS queries with hidden data

B) Obvious email spam

C) Cleartext passwords

D) Open Wi-Fi networks

Answer: A

Explanation: Covert channels hide data inside legitimate traffic.

40.

Which best describes a form grabber?

A) Captures data typed into web forms before submission

B) Logs keystrokes only

C) Screenshots user activity

D) Encrypts web traffic

Answer: A

Explanation: Form grabbers steal submitted form data.