

☒ Easy (10 Questions)

1.

What does “wrapping” in malware context mean?

- A) Encrypting malware inside another program
- B) Deleting system files
- C) Sending spam emails
- D) Running programs faster

Answer: A

Explanation: Wrapping hides malware by encrypting it inside another executable.

2.

Trojan Construction Kits are used to:

- A) Detect malware
- B) Build customized Trojans easily
- C) Remove viruses
- D) Encrypt files

Answer: B

Explanation: These kits automate Trojan creation.

3.

One key method to prevent Trojans is:

- A) Ignoring system updates
- B) Running only trusted applications (whitelisting)
- C) Sharing passwords
- D) Disabling antivirus

Answer: B

Explanation: Application whitelisting blocks unauthorized programs.

4.

Trojan evasion technique that changes malware code signature is called:

- A) Rootkit
- B) Polymorphism
- C) Encryption
- D) Compression

Answer: B

Explanation: Polymorphism alters code signatures to avoid detection.

5.

System File Verification helps by:

- A) Downloading new files
- B) Checking if system files have been tampered with
- C) Deleting all files
- D) Encrypting system files

Answer: B

Explanation: It detects changes in critical files caused by malware.

6.

Packing malware means:

- A) Compressing or encrypting it inside another file
- B) Sending it over email
- C) Running it on the server
- D) Installing updates

Answer: A

Explanation: Packing helps hide malware from scanners.

7.

Which tool can verify Windows system files?

- A) CMD
- B) SFC (System File Checker)
- C) Notepad
- D) Disk Cleanup

Answer: B

Explanation: SFC scans and repairs corrupted system files.

8.

Anti-debugging techniques:

- A) Help malware detect sandbox environments
- B) Remove viruses
- C) Encrypt data
- D) Monitor network traffic

Answer: A

Explanation: They detect if malware is running in controlled analysis environments.

9.

Trojan makers are mostly:

- A) Difficult to use
- B) Automated and user-friendly
- C) Only for experts
- D) Used to patch software

Answer: B

Explanation: They simplify Trojan creation for attackers.

10.

Which is NOT a Trojan evasion technique?

- A) Polymorphism
- B) Code obfuscation
- C) System updates
- D) Rootkit capabilities

Answer: C

Explanation: System updates help prevent Trojans, not evade them.

☒ Medium (20 Questions)

11.

Wrapping malware typically:

- A) Speeds up execution
- B) Hides malicious payload inside another executable
- C) Deletes system files
- D) Creates user accounts

Answer: B

Explanation: Wrapping conceals malware payloads.

12.

Which of these is a known Trojan construction kit?

- A) Sub7
- B) Wireshark
- C) Metasploit
- D) Nmap

Answer: A

Explanation: Sub7 is a famous Trojan builder.

13.

Application whitelisting works by:

- A) Blocking all programs
- B) Allowing only pre-approved applications to run
- C) Encrypting data
- D) Detecting malware signatures

Answer: B

Explanation: Whitelisting blocks unapproved programs.

14.

Polymorphic Trojans:

- A) Change their code to avoid detection
- B) Always run from the cloud
- C) Use the same signature every time
- D) Only affect Linux systems

Answer: A

Explanation: They mutate their code.

15.

What is the primary goal of system file verification?

- A) Identify malware by checking file integrity
- B) Delete user files
- C) Send alerts to attackers
- D) Install new drivers

Answer: A

Explanation: It detects unauthorized file changes.

16.

Which is a common Trojan evasion method?

- A) Anti-VM techniques
- B) Open source code
- C) Email filtering
- D) Using complex passwords

Answer: A

Explanation: Anti-VM prevents detection by sandbox environments.

17.

What does packing malware do to evade detection?

- A) Makes malware smaller
- B) Encrypts or compresses it to hide signature
- C) Runs malware in safe mode
- D) Updates system files

Answer: B

Explanation: Packing hides malware code.

18.

Which statement about Trojan makers is TRUE?

- A) Only experienced programmers use them
- B) They require no technical skills
- C) They help attackers generate custom Trojans quickly
- D) They clean infected machines

Answer: C

Explanation: Trojan makers facilitate quick creation.

19.

Rootkits in Trojan evasion:

- A) Help malware hide files and processes
- B) Remove malware
- C) Update system files
- D) Encrypt email traffic

Answer: A

Explanation: Rootkits hide malware presence.

20.

How does system hardening prevent Trojans?

- A) By allowing all programs
- B) Disabling unnecessary services and patching vulnerabilities
- C) Removing antivirus software
- D) Encrypting network traffic

Answer: B

Explanation: Hardening reduces attack surface.

21.

Which of the following is a typical Trojan payload?

- A) Denial of service attack

- B) Remote control of infected machine
- C) Installing games
- D) Running antivirus

Answer: B

Explanation: Trojans often enable attacker remote access.

22.

Code obfuscation helps malware by:

- A) Making source code hard to understand
- B) Increasing download speed
- C) Encrypting user data
- D) Sending alerts

Answer: A

Explanation: Obfuscation hides true code functionality.

23.

Why is user education important in preventing Trojans?

- A) Users can recognize suspicious files and avoid them
- B) Users can write their own antivirus
- C) Users patch systems automatically
- D) Users ignore all emails

Answer: A

Explanation: Awareness reduces risky behaviors.

24.

Which of these is NOT a function of a Trojan construction kit?

- A) Configure payloads
- B) Automate Trojan creation
- C) Perform network scans
- D) Add persistence mechanisms

Answer: C

Explanation: Network scanning is not a construction kit feature.

25.

Anti-debugging helps Trojans by:

- A) Preventing debugging and analysis
- B) Encrypting system files
- C) Removing antivirus
- D) Creating backdoors

Answer: A

Explanation: It avoids detection by analysts.

26.

System file verification tools:

- A) Can repair modified files
- B) Encrypt data
- C) Remove viruses automatically
- D) Block network access

Answer: A

Explanation: They restore original files if tampered.

27.

A Trojan wrapped inside another executable:

- A) Is easier to detect
- B) Runs visibly as two programs
- C) Is harder to detect by signature scanners
- D) Does not run on Windows

Answer: C

Explanation: Wrapping hides malware signatures.

28.

What is a common feature of Trojan evasion?

- A) Signing code with trusted certificates
- B) Sending spam
- C) Opening all network ports
- D) Deleting itself immediately

Answer: A

Explanation: Code signing helps bypass some defenses.

29.

Which method does NOT help prevent Trojans?

- A) Regular patching
- B) Application whitelisting
- C) Disabling firewalls
- D) Behavioral monitoring

Answer: C

Explanation: Disabling firewalls increases risk.

30.

A Trojan with anti-VM capability will:

- A) Run faster in virtual machines
- B) Detect it is in a VM and modify behavior
- C) Disable the host OS
- D) Encrypt all files

Answer: B

Explanation: To avoid analysis in sandbox environments.

☒ Hard (10 Questions)

31.

What is the main challenge of detecting packed Trojans?

- A) They don't run on Windows

- B) Their signatures are encrypted or compressed until runtime
- C) They always use known malware signatures
- D) They are harmless

Answer: B

Explanation: Packing hides malware code from scanners.

32.

Which of these techniques allows Trojans to maintain persistence?

- A) Registry key modification
- B) Disk defragmentation
- C) Email filtering
- D) Software updates

Answer: A

Explanation: Modifying startup keys ensures re-execution.

33.

How do rootkits assist Trojans?

- A) By hiding files and processes
- B) By uninstalling antivirus
- C) By encrypting emails
- D) By deleting system logs

Answer: A

Explanation: Rootkits conceal Trojan activity.

34.

System File Checker (SFC) works by:

- A) Replacing corrupted system files with cached copies
- B) Encrypting files on disk
- C) Deleting temporary files
- D) Scanning for Trojans only

Answer: A

Explanation: It restores original Windows files.

35.

Why are polymorphic Trojans difficult to detect?

- A) They delete themselves quickly
- B) They constantly change their code signature
- C) They only affect Linux systems
- D) They don't connect to the internet

Answer: B

Explanation: Changing signatures evade signature-based detection.

36.

What does an anti-debugging Trojan do when detected in a sandbox?

- A) Self-destructs or behaves benignly
- B) Sends an alert to admin
- C) Updates itself automatically
- D) Runs additional malware

Answer: A

Explanation: To avoid revealing its behavior.

37.

Which tool is commonly used for system file verification on Windows?

- A) Nmap
- B) SFC
- C) Wireshark
- D) Metasploit

Answer: B

Explanation: SFC verifies Windows system files.

38.

A Trojan that encrypts its payload until execution is using:

- A) Packing
- B) Code signing
- C) Anti-VM
- D) Reverse shell

Answer: A

Explanation: Encrypting payload is a packing technique.

39.

Which countermeasure specifically helps prevent Trojan evasion?

- A) Behavioral detection systems
- B) Email spam filters
- C) Disk cleanup utilities
- D) File compression tools

Answer: A

Explanation: Behavioral detection catches anomalous activity.

40.

Why is user training critical against Trojan threats?

- A) Users can spot phishing and suspicious downloads
- B) Users create malware
- C) Users can patch operating systems
- D) Users disable antivirus

Answer: A

Explanation: Awareness reduces infection risk.