

☒ Easy (10 Questions)

1.

What is physical security mainly concerned with?

- A) Protecting data from malware
- B) Protecting physical assets from unauthorized access
- C) Encrypting sensitive data
- D) Installing firewalls

Answer: B

Explanation: Physical security protects tangible assets like buildings and hardware.

2.

Why is physical security important?

- A) To prevent unauthorized physical access and theft
- B) To improve software efficiency
- C) To reduce electricity bills
- D) To speed up the internet

Answer: A

Explanation: It prevents physical breaches that could lead to data loss.

3.

Which of the following is a physical security control?

- A) CCTV cameras
- B) Antivirus software
- C) Encryption algorithms
- D) Password policies

Answer: A

Explanation: CCTV is a physical security measure.

4.

What does penetration testing simulate?

- A) A cyberattack to find vulnerabilities
- B) Software installation
- C) Hardware failure
- D) Data backup

Answer: A

Explanation: Pen testing mimics attacks to identify weaknesses.

5.

Which step in penetration testing involves gathering information without interacting with the target?

- A) Passive reconnaissance
- B) Exploitation
- C) Reporting
- D) Maintaining access

Answer: A

Explanation: Passive reconnaissance gathers info without direct interaction.

6.

What is an example of an environmental factor affecting physical security?

- A) Earthquakes
- B) Password strength
- C) Firewall configuration
- D) Antivirus updates

Answer: A

Explanation: Natural disasters impact physical security.

7.

Which of these is NOT a phase of penetration testing?

- A) Password cracking
- B) Scanning
- C) Gaining access
- D) Reporting

Answer: A

Explanation: Password cracking is a technique, not a pen test phase.

8.

Which physical security measure controls who can enter a building?

- A) Access control systems
- B) Intrusion detection system
- C) VPN
- D) Firewall

Answer: A

Explanation: Access control limits physical entry.

9.

Penetration testing helps organizations to:

- A) Identify and fix security weaknesses
- B) Delete old files
- C) Speed up the CPU
- D) Reduce power consumption

Answer: A

Explanation: It identifies vulnerabilities for remediation.

10.

A security guard is an example of:

- A) A physical security control
- B) A software firewall
- C) An encryption method
- D) A malware scanner

Answer: A

Explanation: Guards provide physical protection.

☒ Medium (20 Questions)

11.

Which of the following is an example of active reconnaissance in penetration testing?

- A) Port scanning
- B) Searching public records
- C) Monitoring social media without interaction
- D) Reading company websites

Answer: A

Explanation: Active reconnaissance involves interacting with the target.

12.

Which natural disaster requires specific physical security planning?

- A) Flood
- B) Phishing
- C) SQL Injection
- D) Malware infection

Answer: A

Explanation: Floods can damage physical infrastructure.

13.

What is the goal of maintaining access during penetration testing?

- A) Ensure long-term control over a compromised system
- B) Shut down the system immediately
- C) Patch the vulnerabilities
- D) Backup data

Answer: A

Explanation: Maintaining access allows persistent control for testing.

14.

Which penetration testing methodology focuses on human factors and social engineering?

- A) Social engineering testing
- B) Network scanning
- C) Vulnerability assessment
- D) Log analysis

Answer: A

Explanation: Social engineering targets human vulnerabilities.

15.

Which device is commonly used to detect unauthorized entry at a physical location?

- A) Motion sensors
- B) Antivirus software
- C) VPN
- D) Proxy server

Answer: A

Explanation: Motion sensors detect physical movement.

16.

Penetration testing reports should include:

- A) Vulnerabilities found and recommended fixes
- B) Password lists
- C) Server logs only
- D) Software source code

Answer: A

Explanation: Reports document vulnerabilities and remediation steps.

17.

What is tailgating in physical security?

- A) Unauthorized person following authorized person into a secure area
- B) Monitoring network traffic
- C) Virus infection method
- D) Firewall bypass technique

Answer: A

Explanation: Tailgating exploits physical access controls.

18.

Which of the following best describes a secure zone?

- A) An area with restricted physical access
- B) A Wi-Fi hotspot
- C) An unsecured door
- D) A software patch

Answer: A

Explanation: Secure zones restrict entry to authorized personnel.

19.

Penetration testing can be used to:

- A) Test physical security controls and cyber controls
- B) Increase system speed
- C) Update antivirus signatures
- D) Encrypt data

Answer: A

Explanation: Pen tests can cover both physical and cyber.

20.

Which of these is NOT a factor affecting physical security?

- A) Employee training
- B) Climate
- C) Firewall rules
- D) Building design

Answer: C

Explanation: Firewall rules are logical, not physical factors.

21.

Which of these is a passive physical security control?

- A) Locked doors
- B) Security guards
- C) Alarm systems
- D) CCTV monitoring

Answer: A

Explanation: Locked doors are passive barriers.

22.

During reconnaissance, which source is commonly used for passive information gathering?

- A) Public websites and social media
- B) Port scanning
- C) Password cracking
- D) Network sniffing

Answer: A

Explanation: Public info sources are passive.

23.

Which of the following is a physical security risk related to personnel?

- A) Insider threat
- B) Malware infection
- C) Firewall misconfiguration
- D) SQL injection

Answer: A

Explanation: Insider threats come from authorized users.

24.

Penetration testing tools commonly used for scanning include:

- A) Nmap and Nessus
- B) Wireshark and Tcpdump
- C) Metasploit and John the Ripper
- D) Snort and Bro

Answer: A

Explanation: Nmap and Nessus scan for open ports and vulnerabilities.

25.

What is a common physical barrier used to protect IT assets?

- A) Locked server rooms
- B) Encryption keys
- C) Password policies
- D) Antivirus software

Answer: A

Explanation: Physical locks protect access to servers.

26.

Which penetration testing phase involves verifying vulnerabilities?

- A) Exploitation
- B) Reporting
- C) Scanning

D) Reconnaissance

Answer: A

Explanation: Exploitation confirms vulnerabilities.

27.

Which of the following is NOT part of physical security?

- A) Firewall configuration
- B) Surveillance cameras
- C) Badge access systems
- D) Security guards

Answer: A

Explanation: Firewalls are network security, not physical.

28.

What is the main purpose of a penetration testing framework?

- A) To standardize testing approach
- B) To block attacks
- C) To encrypt data
- D) To clean malware

Answer: A

Explanation: Frameworks guide structured testing.

29.

Which penetration testing activity could involve social engineering?

- A) Phishing emails
- B) Port scanning
- C) SQL injection
- D) Buffer overflow

Answer: A

Explanation: Social engineering manipulates people.

30.

Which factor influences the effectiveness of physical security?

- A) Employee awareness and training
- B) Internet speed
- C) Antivirus updates
- D) Encryption level

Answer: A

Explanation: Trained employees improve security posture.

☒ Hard (10 Questions)

31.

Which penetration testing methodology includes OSSTMM, OWASP PTES, and NIST SP

800-115?

- A) Standardized frameworks for structured penetration testing
- B) Antivirus software types
- C) Firewall models
- D) Encryption algorithms

Answer: A

Explanation: These are recognized pen testing standards.

32.

Which of these best describes “red team” exercises in security?

- A) Simulated attacks to test defenses
- B) Firewall configuration reviews
- C) Software patching
- D) Network segmentation

Answer: A

Explanation: Red teams mimic attackers to find weaknesses.

33.

Which physical security threat is hardest to detect and mitigate?

- A) Insider threats
- B) Firewall misconfiguration
- C) Malware infection
- D) Network sniffing

Answer: A

Explanation: Insider threats originate from trusted users.

34.

How can penetration testers maintain access after exploiting a system?

- A) Installing backdoors or rootkits
- B) Shutting down the system
- C) Changing the wallpaper
- D) Encrypting data

Answer: A

Explanation: Backdoors ensure ongoing access.

35.

What is a common tool used to simulate social engineering attacks?

- A) SET (Social Engineering Toolkit)
- B) Nmap
- C) Wireshark
- D) Burp Suite

Answer: A

Explanation: SET is designed for social engineering testing.

36.

Which of the following best defines “tailgating” in physical security?

- A) Following authorized personnel into restricted areas without permission
- B) Sniffing network traffic

C) Phishing attack

D) SQL injection

Answer: A

Explanation: Tailgating bypasses physical access controls.

37.

Which technique is used during penetration testing to enumerate services running on open ports?

A) Banner grabbing

B) Password cracking

C) File encryption

D) Log analysis

Answer: A

Explanation: Banner grabbing collects service info from ports.

38.

Why is physical security a critical part of overall cybersecurity?

A) Because physical breaches can lead to digital compromises

B) It improves software performance

C) It reduces network latency

D) It updates antivirus software

Answer: A

Explanation: Physical access can bypass digital protections.

39.

Which of the following is an example of a penetration testing "white-box" approach?

A) Tester has full knowledge of the system

B) Tester has no knowledge of the system

C) Tester only performs passive reconnaissance

D) Tester scans only open ports

Answer: A

Explanation: White-box testing assumes full system knowledge.

40.

What is a major disadvantage of penetration testing?

A) It may cause disruption to systems if not done carefully

B) It slows down internet speed permanently

C) It removes all malware

D) It prevents all future attacks

Answer: A

Explanation: Pen tests can impact system availability if mishandled.