

❌ 10 Easy MCQs (with Answers & Explanations)

1.

What is the primary goal of mobile malware?

- A) Improve device performance
- B) Provide antivirus protection
- C) Steal data or harm the device
- D) Enhance UI

Answer: C

Explanation: Malware is designed to steal information, damage systems, or disrupt functionality.

2.

Which file format is used for Android apps?

- A) .exe
- B) .apk
- C) .bat
- D) .iso

Answer: B

Explanation: Android apps are packaged as APK (Android Package Kit) files.

3.

Which malware displays unwanted advertisements?

- A) Spyware
- B) Ransomware
- C) Adware
- D) Worm

Answer: C

Explanation: Adware shows excessive ads, often disrupting user experience.

4.

What does a Trojan typically do?

- A) Runs without user knowledge while posing as a legitimate app
- B) Scans for viruses
- C) Deletes junk files
- D) Updates the system

Answer: A

Explanation: Trojans disguise themselves to perform malicious actions secretly.

5.

What tool helps you decompile APKs into readable Java code?

- A) Chrome
- B) Wireshark
- C) JADX
- D) Notepad

Answer: C

Explanation: JADX is used to reverse APKs into Java source.

6.

What does "static analysis" refer to?

- A) Analyzing an app while it's running
- B) Observing battery performance
- C) Analyzing code without execution
- D) Reviewing network latency

Answer: C

Explanation: Static analysis is done without running the application.

7.

Which component defines permissions in an APK?

- A) main.java

- B) AndroidManifest.xml
- C) settings.json
- D) strings.xml

Answer: B

Explanation: AndroidManifest.xml declares permissions, components, and app metadata.

8.

Which tool is used for dynamic instrumentation of Android apps?

- A) Wireshark
- B) Frida
- C) Notepad
- D) Git

Answer: B

Explanation: Frida allows dynamic modification and observation of apps at runtime.

9.

What is a common behavior of spyware?

- A) Encrypting files
- B) Displaying ads
- C) Tracking user activity
- D) Optimizing RAM

Answer: C

Explanation: Spyware secretly collects and sends user data to attackers.

10.

Which command-line tool allows interaction with an Android device from a PC?

- A) curl
- B) ping
- C) adb
- D) chmod

Answer: C

Explanation: adb (Android Debug Bridge) connects and controls Android devices.

☒ 10 Medium MCQs (with Answers & Explanations)

11.

Which tool is best suited for both static and dynamic analysis in Android?

- A) Drozer
- B) APKTool
- C) MobSF
- D) Frida

Answer: C

Explanation: MobSF performs both static and dynamic analysis in one integrated platform.

12.

Which Android malware technique hides its code to evade detection?

- A) Obfuscation
- B) Reflection
- C) Hooking
- D) Packing

Answer: A

Explanation: Obfuscation makes code difficult to read and analyze.

13.

Which permission should raise red flags during analysis?

- A) INTERNET
- B) CAMERA
- C) ACCESS_FINE_LOCATION
- D) READ_SMS

Answer: D

Explanation: READ_SMS can be abused to intercept verification codes or messages.

14.

Which analysis technique helps identify data leaks in real-time?

- A) Static Analysis
- B) Dynamic Analysis
- C) Code Review
- D) Permissions Listing

Answer: B

Explanation: Dynamic analysis runs the app to observe behavior like data leakage.

15.

Which of the following is *least* likely to be a malware indicator?

- A) Constant background network traffic
- B) Accessing contacts without purpose
- C) Requests to disable antivirus
- D) Battery saver mode

Answer: D

Explanation: Battery saver is not typically related to malicious behavior.

16.

Which malware communicates with external servers to receive commands?

- A) C2-based malware
- B) Rootkits
- C) Adware

D) Ransomware

Answer: A

Explanation: Command-and-Control (C2) malware connects with attacker servers for instructions.

17.

What type of malware automatically spreads to nearby devices?

A) Trojan

B) Ransomware

C) Worm

D) Keylogger

Answer: C

Explanation: Worms self-replicate and spread without user input.

18.

What is the first step in Android APK analysis?

A) Checking code comments

B) Examining AndroidManifest.xml

C) Running app on device

D) Looking at Play Store rating

Answer: B

Explanation: Manifest reveals app structure, components, and permissions.

19.

Which attack allows malware to run privileged code by exploiting user trust?

A) Tapjacking

B) Obfuscation

C) Social engineering

D) Drive-by download

Answer: A

Explanation: Tapjacking tricks users into tapping concealed UI elements to allow permissions.

20.

How can malware developers evade detection by security researchers?

- A) Encrypt payloads
- B) Use simple code
- C) Request only one permission
- D) Avoid networking

Answer: A

Explanation: Encryption hides payloads from scanners and researchers.