

☒ EASY (10 Questions)

1. What does the "C" in the CIA triad stand for?

- A) Connectivity
- B) Confidentiality
- C) Classification
- D) Control

☒ **Answer:** B

☒ **Explanation:** Confidentiality ensures information is not disclosed to unauthorized individuals.

2. What is the purpose of authentication?

- A) Encrypt data
- B) Verify identity
- C) Limit bandwidth
- D) Analyze traffic

☒ **Answer:** B

☒ **Explanation:** Authentication confirms that a user is who they claim to be.

3. Which of the following is an example of a passive attack?

- A) Denial of Service
- B) Man-in-the-Middle
- C) Traffic analysis
- D) Malware infection

☒ **Answer:** C

☒ **Explanation:** Passive attacks observe without altering data—like sniffing or traffic analysis.

4. Which type of attack uses fake emails to trick users?

- A) Ransomware
- B) Brute-force
- C) Phishing
- D) Spoofing

☒ **Answer:** C

☒ **Explanation:** Phishing typically involves emails that deceive users into revealing sensitive information.

5. What is the principle of least privilege?

- A) Users get admin rights
- B) All users are treated equally
- C) Users get minimal required access
- D) No access to anyone

☒ **Answer:** C

☒ **Explanation:** Least privilege restricts users to only what is needed to perform their duties.

6. Which of these is a common insider threat?

- A) Hacktivist
- B) Competitor
- C) Employee data theft
- D) Phishing attack

☒ **Answer:** C

☒ **Explanation:** Insider threats often come from employees misusing access to data.

7. Which part of AAA ensures actions can be traced?

- A) Authentication
- B) Authorization
- C) Accounting
- D) Accessibility

☒ **Answer:** C

☒ **Explanation:** Accounting (also called accountability) logs user activity for audit purposes.

8. What type of attack modifies or disrupts systems?

- A) Passive
- B) Active
- C) Open
- D) Monitored

☒ **Answer:** B

☒ **Explanation:** Active attacks involve altering data or operations (e.g., MITM, DoS).

9. Which of the following is a human threat?

- A) Lightning strike
- B) SQL Injection
- C) Social engineering
- D) Network congestion

☒ **Answer:** C

☒ **Explanation:** Social engineering exploits human psychology to gain access to systems.

10. What does the term "authorization" mean?

- A) Allowing user access to resources
- B) Monitoring user traffic
- C) Encrypting files
- D) Detecting malware

☒ **Answer:** A

☒ **Explanation:** Authorization determines what a user can do after being authenticated.

☒ MEDIUM (20 Questions)

11. Which is NOT part of the CIA triad?

- A) Availability
- B) Confidentiality
- C) Accessibility
- D) Integrity

☒ **Answer:** C

☒ **Explanation:** CIA = Confidentiality, Integrity, Availability. Accessibility is not part of this model.

12. What type of threat is caused by unintentional human errors?

- A) Structured
- B) Environmental
- C) Unintentional
- D) Insider malicious

☒ **Answer:** C

☒ **Explanation:** Accidental deletion or misconfigurations are unintentional threats.

13. Which of these attacks typically disrupts availability?

- A) SQL Injection
- B) Denial of Service
- C) XSS
- D) Man-in-the-Middle

☒ **Answer:** B

☒ **Explanation:** DoS aims to make a service or system unavailable.

14. Which concept ensures the correctness of data?

- A) Availability
- B) Confidentiality
- C) Integrity
- D) Accessibility

☒ **Answer:** C

☒ **Explanation:** Integrity ensures data hasn't been altered or tampered with.

15. Which attack is most likely if input is not validated?

- A) DDoS
- B) SQL Injection
- C) Eavesdropping
- D) DNS poisoning

☒ **Answer:** B

☒ **Explanation:** Unvalidated input allows attackers to inject SQL commands.

16. What is a characteristic of a structured threat?

- A) Performed by amateurs
- B) Random in nature
- C) Planned and targeted
- D) Caused by natural disasters

☒ **Answer:** C

☒ **Explanation:** Structured threats involve skilled attackers with defined goals.

17. What is the goal of security policies?

- A) To encrypt data
- B) To define and enforce rules
- C) To create user accounts

D) To install antivirus

☒ **Answer:** B

☒ **Explanation:** Policies guide how security should be implemented and enforced.

18. Which is an example of malware that demands ransom?

- A) Worm
- B) Trojan
- C) Ransomware
- D) Keylogger

☒ **Answer:** C

☒ **Explanation:** Ransomware locks or encrypts data and demands payment.

19. Which principle prevents users from accessing unrelated data?

- A) Redundancy
- B) Need-to-Know
- C) Privilege Escalation
- D) Open Access

☒ **Answer:** B

☒ **Explanation:** Need-to-Know limits access to only the information required for a role.

20. What is an example of physical threat?

- A) Worm
- B) Lightning strike
- C) SQL Injection
- D) Spoofing

☒ **Answer:** B

☒ **Explanation:** Lightning or fires are physical threats affecting infrastructure.

21. What is a brute-force attack?

- A) Sniffing traffic
- B) Trying all combinations to guess passwords
- C) Deleting files
- D) Injecting SQL

☒ **Answer:** B

☒ **Explanation:** Brute-force tries many combinations to crack passwords or keys.

22. What distinguishes internal threats?

- A) Caused by network devices
- B) Originates within the organization
- C) Uses phishing
- D) Always unintentional

☒ **Answer:** B

☒ **Explanation:** Internal threats are initiated by insiders like employees or contractors.

23. Which attack intercepts communications between two parties?

- A) MITM
- B) SQL Injection
- C) DoS
- D) XSS

☒ **Answer:** A

☒ **Explanation:** MITM (Man-in-the-Middle) attacks monitor or alter communication.

24. In AAA, which step comes after authentication?

- A) Accounting
- B) Encoding
- C) Authorization
- D) Encryption

☒ **Answer:** C

☒ **Explanation:** After identity is confirmed, the system determines what the user can access.

25. What describes a virus?

- A) Self-replicating without user interaction
- B) Needs user to execute
- C) Resides in memory only
- D) Cannot infect files

☒ **Answer:** B

☒ **Explanation:** Viruses usually require user action to execute and spread.

26. What is the main focus of security awareness training?

- A) Enabling 2FA
- B) Informing users about security threats
- C) Writing secure code
- D) Upgrading systems

☒ **Answer:** B

☒ **Explanation:** Awareness training educates users about common threats like phishing.

27. Which classification applies to phishing?

- A) Environmental
- B) Structured
- C) External and Intentional
- D) Passive

☒ **Answer:** C

☒ **Explanation:** Phishing is an external, deliberate attack to steal user information.

28. Who is likely behind a structured attack?

- A) Random user
- B) Nation-state or crime group
- C) Beginner developer
- D) Accidental insider

☒ **Answer:** B

☒ **Explanation:** Structured attacks are planned by advanced, well-funded actors.

29. What term describes an attacker who uses prewritten tools without deep knowledge?

- A) Hacker
- B) Pen tester
- C) Script kiddie
- D) Insider

☒ **Answer:** C

☒ **Explanation:** Script kiddies use existing scripts without understanding the underlying concepts.

30. Which category includes man-made threats like malware?

- A) Natural threats
- B) Environmental threats
- C) Technical threats

D) Legal threats

☒ **Answer:** C

☒ **Explanation:** Malware is a technical threat introduced by humans.

☒ **HARD (10 Questions)**

31. What is the main purpose of classification of threats?

- A) Assign IP addresses
- B) Determine the response strategy
- C) Launch attacks
- D) Reduce storage

☒ **Answer:** B

☒ **Explanation:** Classifying threats helps prioritize and manage response efforts.

32. What is a defining characteristic of a man-in-the-middle attack?

- A) Involves physical theft
- B) Passive observation
- C) Intercepts and possibly alters communication
- D) Encrypts all data

☒ **Answer:** C

☒ **Explanation:** MITM attacks can both listen in and change the messages exchanged.

33. What is a security control designed to detect but not prevent threats?

- A) Preventive control
- B) Corrective control
- C) Detective control

D) Compensating control

☒ **Answer:** C

☒ **Explanation:** Detective controls (e.g., IDS, logs) alert on suspicious activity.

34. How do you classify a hurricane destroying a data center?

- A) Active threat
- B) External and natural threat
- C) Technical threat
- D) Insider threat

☒ **Answer:** B

☒ **Explanation:** Hurricanes are natural threats and affect physical infrastructure.

35. What is an example of a logic bomb?

- A) A script that runs when a condition is met
- B) A phishing website
- C) A Trojan downloader
- D) A USB keylogger

☒ **Answer:** A

☒ **Explanation:** Logic bombs are code triggered under specific conditions.

36. Which of the following is an example of non-repudiation?

- A) Password protection
- B) Digital signature
- C) Two-factor authentication
- D) CAPTCHA

☒ **Answer:** B

☒ **Explanation:** Digital signatures ensure the sender cannot deny sending a message.

37. Which system helps track user behavior and anomalies?

- A) Firewall
- B) VPN
- C) SIEM
- D) IDS

☒ **Answer:** C

☒ **Explanation:** SIEM systems aggregate logs and detect unusual behavior.

38. What type of threat is it when someone modifies database entries?

- A) Integrity attack
- B) Confidentiality attack
- C) Passive attack
- D) Availability attack

☒ **Answer:** A

☒ **Explanation:** Changing database content compromises integrity.

39. Which of the following would NOT help mitigate social engineering?

- A) Security awareness training
- B) Encryption
- C) Identity verification protocols
- D) Anti-phishing campaigns

☒ **Answer:** B

⌘ **Explanation:** While encryption secures data, it doesn't stop manipulation of people.

40. What principle involves tracing actions back to a user?

- A) Authorization
- B) Accountability
- C) Confidentiality
- D) Availability

⌘ **Answer:** B

⌘ **Explanation:** Accountability ensures that every action can be traced to its actor.