

☒ Easy (10 Questions)

1.

What is the primary goal of information security?

- A) Speed up network traffic
- B) Protect confidentiality, integrity, and availability of data
- C) Increase storage capacity
- D) Improve user interface

Answer: B

Explanation: Information security focuses on protecting the confidentiality, integrity, and availability (CIA triad) of information.

2.

Which of the following is NOT part of the CIA triad?

- A) Confidentiality
- B) Integrity
- C) Availability
- D) Authentication

Answer: D

Explanation: Authentication is a mechanism to enforce security, but the CIA triad consists of confidentiality, integrity, and availability.

3.

What is the main threat in wireless networks?

- A) Eavesdropping
- B) Overheating
- C) Physical damage
- D) Software licensing

Answer: A

Explanation: Wireless networks are susceptible to eavesdropping due to their open broadcast nature.

4.

Which technology helps secure wireless communications by encrypting traffic?

- A) WPA3
- B) FTP
- C) HTTP
- D) SMTP

Answer: A

Explanation: WPA3 is the latest Wi-Fi encryption protocol securing wireless networks.

5.

What is the main function of Mobile Device Management (MDM)?

- A) Manage device backups
- B) Control and secure mobile devices remotely
- C) Improve camera quality
- D) Optimize battery life

Answer: B

Explanation: MDM solutions help control and enforce security policies on mobile devices.

6.

Which of the following is a common credit card fraud method?

- A) Phishing
- B) Defragmentation
- C) Load balancing
- D) File compression

Answer: A

Explanation: Phishing tricks users into revealing sensitive credit card information.

7.

Which standard is commonly used for Information Security Management Systems (ISMS)?

- A) ISO 27001
- B) PCI-DSS
- C) IEEE 802.11
- D) HTTP/2

Answer: A

Explanation: ISO 27001 defines requirements for establishing an ISMS.

8.

What does encryption primarily protect?

- A) Confidentiality
- B) Integrity
- C) Availability
- D) Network speed

Answer: A

Explanation: Encryption transforms data to prevent unauthorized access, ensuring confidentiality.

9.

What kind of attack involves intercepting and reading network communications?

- A) Sniffing
- B) Phishing
- C) Brute force
- D) SQL Injection

Answer: A

Explanation: Sniffing captures data packets transmitted over the network.

10.

Which of the following is an example of a physical security control?

- A) Firewall
- B) Biometric access
- C) Antivirus software
- D) Data encryption

Answer: B

Explanation: Biometric access restricts physical entry to secure areas.

☒ Medium (20 Questions)

11.

Which attack exploits vulnerabilities in unsecured Wi-Fi networks?

- A) Man-in-the-middle (MITM)
- B) Cross-site scripting (XSS)
- C) SQL Injection
- D) Buffer overflow

Answer: A

Explanation: MITM attacks can intercept data on unsecured Wi-Fi networks.

12.

Tokenization in payment systems helps prevent:

- A) Data breaches by replacing sensitive data with tokens
- B) Server crashes
- C) User errors
- D) Network congestion

Answer: A

Explanation: Tokenization replaces credit card data with non-sensitive tokens for security.

13.

What is SIM swapping fraud?

- A) Attacker takes control of a victim's phone number to intercept OTPs
- B) Installing malware on SIM cards
- C) Physically swapping SIM cards between phones
- D) Replacing a SIM with an older version

Answer: A

Explanation: SIM swapping involves hijacking the victim's phone number to intercept authentication codes.

14.

Which of the following is NOT part of the ISO/IEC 27001 framework?

- A) Risk Assessment
- B) Risk Treatment
- C) Marketing Strategy
- D) Incident Response

Answer: C

Explanation: Marketing strategy is unrelated to the ISMS framework.

15.

Which of these is a form of access control based on policies set by system administrators?

- A) Mandatory Access Control (MAC)
- B) Discretionary Access Control (DAC)
- C) Role-Based Access Control (RBAC)

D) None of the above

Answer: A

Explanation: MAC enforces access based on system-wide policies, unlike DAC which is user-based.

16.

What is the main risk of lost or stolen mobile devices?

- A) Unauthorized access to sensitive information
- B) Increased battery usage
- C) Software updates failure
- D) Signal interference

Answer: A

Explanation: Lost devices can expose stored sensitive data to unauthorized users.

17.

Which of these is a fundamental goal of Information Security Management?

- A) Ensuring organizational security policies are implemented
- B) Increasing profit margins
- C) Designing user interfaces
- D) Optimizing databases

Answer: A

Explanation: ISM focuses on policy enforcement to protect information assets.

18.

What is a common sign of credit card fraud in mobile apps?

- A) Unexpected transaction alerts
- B) Slow app loading
- C) Battery drainage
- D) High CPU usage

Answer: A

Explanation: Unauthorized transactions are key indicators of fraud.

19.

What is a common security risk with public Wi-Fi?

- A) Data interception
- B) Excess bandwidth
- C) Strong encryption
- D) Faster speeds

Answer: A

Explanation: Public Wi-Fi is vulnerable to data interception by attackers.

20.

Which mobile security control can remotely erase data from a lost device?

- A) Remote wipe
- B) Firewall
- C) Antivirus
- D) VPN

Answer: A

Explanation: Remote wipe deletes sensitive data remotely to prevent misuse.

21.

What type of control is a firewall?

- A) Preventive control
- B) Detective control
- C) Corrective control
- D) Directive control

Answer: A

Explanation: Firewalls prevent unauthorized network access proactively.

22.

Which of the following best describes 'availability' in the CIA triad?

- A) Data is accessible when needed
- B) Data is kept confidential
- C) Data is unaltered
- D) Data is encrypted

Answer: A

Explanation: Availability ensures systems and data are accessible to authorized users.

23.

PCI-DSS is a standard related to:

- A) Credit card data protection
- B) Wireless network configuration
- C) Software development lifecycle
- D) Encryption algorithms

Answer: A

Explanation: PCI-DSS sets security requirements for payment card data.

24.

Which term refers to evaluating and prioritizing security risks?

- A) Risk assessment
- B) Threat modeling
- C) Data mining
- D) Encryption

Answer: A

Explanation: Risk assessment identifies potential threats and their impacts.

25.

What is a vulnerability?

- A) A weakness in a system that can be exploited
- B) An attacker's tool
- C) A type of malware
- D) A network protocol

Answer: A

Explanation: Vulnerabilities are flaws that attackers exploit to compromise systems.

26.

Which encryption is recommended to secure data on mobile devices?

- A) AES (Advanced Encryption Standard)
- B) DES
- C) MD5
- D) SHA-1

Answer: A

Explanation: AES is a strong encryption standard for securing mobile data.

27.

What is the main purpose of an incident response plan?

- A) Guide actions during and after a security incident
- B) Increase marketing reach
- C) Optimize server load
- D) Improve network speed

Answer: A

Explanation: Incident response plans help organizations handle security breaches effectively.

28.

What is the role of a security policy in Information Security Management?

- A) To define security rules and responsibilities
- B) To design software architecture
- C) To regulate software licensing
- D) To configure hardware

Answer: A

Explanation: Security policies set the ground rules for protecting information assets.

29.

Which wireless security protocol is considered outdated and insecure?

- A) WEP
- B) WPA3
- C) WPA2
- D) SSL

Answer: A

Explanation: WEP is outdated and vulnerable to attacks.

30.

Which attack manipulates network traffic to intercept data?

- A) Man-in-the-middle (MITM)
- B) Phishing
- C) Virus
- D) Ransomware

Answer: A

Explanation: MITM attacks intercept and alter communication between parties.

☒ Hard (10 Questions)

31.

What does the ISO/IEC 27001 standard specifically address?

- A) Requirements for establishing, implementing, maintaining, and improving an ISMS
- B) Network hardware specifications
- C) Software development life cycle
- D) User interface design

Answer: A

Explanation: ISO/IEC 27001 provides a framework for managing information security risks.

32.

How does tokenization differ from encryption in protecting credit card data?

- A) Tokenization replaces data with tokens, encryption transforms data into unreadable form
- B) Tokenization scrambles data, encryption replaces data
- C) Both are the same
- D) Tokenization only applies to passwords

Answer: A

Explanation: Tokenization replaces sensitive data with non-sensitive tokens, encryption encodes data.

33.

Which wireless attack technique involves impersonating a legitimate access point?

- A) Evil twin attack
- B) Brute force
- C) Phishing
- D) SQL Injection

Answer: A

Explanation: Evil twin attacks trick users into connecting to a rogue AP to steal data.

34.

What is the function of a Mobile Device Management (MDM) solution?

- A) Enforce security policies and manage mobile devices remotely
- B) Speed up mobile applications
- C) Increase battery life
- D) Improve network coverage

Answer: A

Explanation: MDM enforces device compliance and security controls.

35.

What is the biggest challenge in securing wireless networks?

- A) The broadcast nature of wireless signals
- B) Slow data speeds
- C) Cable management
- D) Hardware cost

Answer: A

Explanation: Wireless signals can be intercepted easily due to open transmission.

36.

What kind of fraud occurs when attackers hijack SMS messages to obtain OTPs?

- A) SIM swapping
- B) SQL Injection
- C) Buffer overflow
- D) Phishing

Answer: A

Explanation: SIM swapping enables attackers to receive OTPs sent via SMS.

37.

Which of the following is NOT a typical component of an Information Security Management System (ISMS)?

- A) Asset management
- B) Risk assessment
- C) Software debugging
- D) Incident management

Answer: C

Explanation: Software debugging is unrelated to ISMS processes.

38.

Which encryption algorithm is commonly used for securing mobile devices' data-at-rest?

- A) AES
- B) RSA
- C) SHA-256
- D) MD5

Answer: A

Explanation: AES is widely used for encrypting stored data.

39.

What does an incident response team typically do after a security breach?

- A) Analyze the breach and implement improvements
- B) Delete all data
- C) Publicize the breach immediately
- D) Ignore the incident

Answer: A

Explanation: Post-incident analysis helps prevent future breaches.

40.

Why is WPA3 considered more secure than WPA2?

- A) Uses stronger encryption and better protection against brute force attacks
- B) It is faster
- C) It is cheaper to implement
- D) It supports more devices

Answer: A

Explanation: WPA3 offers improved cryptographic strength and protection against offline password guessing.