REFERENCES

[1] “Wyrm: A Brain-Computer Interface Toolbox in Python” by Bastian Venthur, Sven D¨ahne, Johannes H¨ohne, Hendrik Heller and Benjamin Blankertz

[2] “Mu and Beta Rhythm Topographies During Motor Imagery and Actual Movements” by Dennis J. McFarland, Laurie A. Miner, Theresa M. Vaughan, and Jonathan R. Wolpaw

[3] “Decoding human motor activity from EEG single trials for a discrete two-dimensional cursor control” by Dandan Huang, Peter Lin, Ding-Yu Fei, Xuedong Chen and OuBai

[4] “Patients with ALS can use sensorimotor rhythms to operate a brain-computer interface” by Kubler et. al

[5] “Motor Imagery for Severely Motor-Impaired Patients: Evidence for Brain-Computer Interfacing as Superior Control Solution” by Ho¨hne J, Holz E, Staiger-Sa¨lzer P, Mu¨ ller K-R, Ku¨bler A et al.

[6] “An EEG-Based BCI System for 2-D Cursor Control by Combining Mu/Beta Rhythm and P300 Potential” by Yuanqing Li, Jinyi Long, Tianyou Yu, Zhuliang Yu, Chuanchu Wang, Haihong Zhang, and Cuntai Guan

[7] “Quadcopter control in three-dimensional space using a noninvasive motor imagery based brain-computer interface” by Karl LaFleur, Kaitlin Cassady, Alexander Doud, Kaleb Shades, EitanRogin, and Bin He

[8] “Classification of Executed and Imagined Motor Movement EEG Signals” by Jason Sleight, PreetiPillai, Shiwali Mohan

[9] “An ERD/ERS Analysis of the Relation between Human Arm and Robot Manipulator Movements” by Ernesto Pablo Lana, Bruno VilhenaAdorno, Carlos Julio Tierra-Criollo

[10] “Virtual Keyboard Controlled by Spontaneous EEG Activity” by B. Obermaier, G. R. Mueller and G. Pfurtscheller

[11] “Motor Imagery Based On Wavelet Power Spectrum for a Brain Computer Interface” by Javier Castillo-Garcia, Eduardo Caicedo , Berthil Borges Longo, Alan Floriano and TeodianoBastos-Filho