Product Requirements Document (PRD)

Seven Deuce Game - Online Poker Variant

Document Version: 1.0

Date: January 19, 2026

Product Manager: Himanshu Tomar

Engineering Manager: Vipin Kumar

Designer: Jatin Sharma

Status: Active Feature

Feature Demo: CoinPoker showcases the Seven Deuce Game and Fast & Furious tables on their official YouTube channel: CoinPoker YouTube - Seven Deuce Game (0.22)

Note: Streams and highlights of High Stakes Cash Game World Championship featuring Seven Deuce gameplay are available on the channel.

---

1. Executive Summary

1.1 Overview

The Seven Deuce Game is an innovative poker variant that transforms poker's worst starting hand (7-2) into a bounty-earning opportunity. This feature adds an exciting twist to traditional Texas Hold'em cash games by rewarding players who win pots while holding 7-2 (suited or offsuit) with bounties collected from all players at the table.

1.2 Business Objectives

- - **Differentiation**: Positi on CoinPoker as the only platform offering Seven Deuce games online

- - **Player Engagement**: Increase session duration and table activity through high-action gameplay
- - **Revenue Growth**: Drive rake generation through increased hand volume and player participation
- - **User Acquisition**: Attract players seeking unique poker experiences and entertainment value
- - **Retention**: Create memorable moments that encourage repeat play

1.3 Success Metrics

- - **Primary KPIs:**

- Daily Active Users (DAU) on Seven Deuce tables
- Average hands per hour (target: 20% increase vs standard tables)
- Player retention rate (7-day and 30-day)
- Revenue per user (RPU) from Seven Deuce games

- - **Secondary KPIs:**

- Table occupancy rate
- Average session duration
- Bounty distribution frequency
- New player conversion rate
- Social sharing/word-of-mouth metrics

---

2. Product Context

2.1 Problem Statement

Traditional online poker can become monotonous, with optimal play often leading to conservative strategies. Players seek:

- - More excitement and unpredictability
- - Opportunities for creative play beyond standard strategy
- - Entertainment value alongside competitive gameplay
- - Unique experiences that differentiate online poker rooms

2.2 Target Audience

Primary Personas:

1. **"Action Seekers"** (40% of target)

- Age: 25-45
- Experience: Intermediate to advanced
- Motivation: Entertainment, excitement, bragging rights
- Pain points: Boring standard games, predictable gameplay

2. **"Social Players"** (35% of target)

- Age: 21-40
- Experience: Recreational to intermediate
- Motivation: Fun moments, social interaction, memorable hands
- Pain points: Serious grind culture, lack of entertainment

3. **"High-Stakes Enthusiasts"** (25% of target)

- Age: 30-55
- Experience: Advanced to professional
- Motivation: New challenges, variety, psychological warfare
- Pain points: Stale meta-game, need for variety

2.3 Market Analysis

- - **Competitive Landscape**: No direct competitors offering this specific variant online
- - **Market Gap**: Limited innovation in online cash game formats
- - **Opportunity**: First-mover advantage in bounty-based poker variants
- - **Risk**: Educational barrier for new players unfamiliar with the format

---

3. Feature Requirements

3.1 Core Functionality

3.1.1 Game Mechanics

Must Have:

- - Integration with Texas Hold'em cash game engine
- - Bounty system triggered by 7-2 wins (suited or offsuit)
- - Automatic bounty distribution from all players to winner
- - 5 big blind (BB) bounty per player at the table
- - Mandatory hand reveal for winning 7-2 hands
- - Support for 7-max table format

Should Have:

- - Real-time bounty tracker visible to all players
- - Animation/celebration for bounty wins
- - Hand history including bounty payouts
- - Statistics tracking for 7-2 bounty wins

Could Have:

- - Leaderboards for most bounties won
- - Achievement badges for bounty milestones
- - Bounty multipliers during special promotions

3.1.2 Bounty System

Bounty Rules:

4. **Initial Buy-in**: Every player pays 5BB bounty when joining table
5. **Bounty Pool**: Accumulated separately from table stack
6. **Trigger Condition**: Win pot holding 7-2 (suited or offsuit)
7. **Distribution**: Winner receives 5BB from each player at table
8. **Split Scenarios**: Multiple 7-2 winners split bounty evenly
9. **Funding**: Bounty does NOT come from players' table stacks
10. **Rebuy/Add-on**: Additional 5BB bounty charged on rebuys

Technical Requirements:

- - Separate bounty balance tracking per player
- - Atomic transaction for bounty distribution
- - Bounty pool calculation updates in real-time
- - Protection against double-spending or race conditions
- - Audit trail for all bounty transactions

3.1.3 Table Configuration

Fast and Furious Integration:

- - Maximum 7 players per table
- - 20-second time banks (reduced from standard)
- - Mandatory show for winning hands
- - Accelerated gameplay pace
- - Stakes range: $0.01/$0.02 to $100/$200

Table Identification:

- - Clear visual indicators for Seven Deuce tables
- - Dedicated lobby section/filter
- - Badge or icon distinguishing from standard tables

3.2 User Interface Requirements

3.2.1 Lobby

Must Have:

- - Dedicated "Seven Deuce" or "Fast and Furious" tab
- - Clear bounty information per table
- - Visual indicators showing active bounty pools
- - Stake filtering specific to Seven Deuce games
- - Player count and seat availability

Display Elements:

- - Table name: "Fast and Furious - Seven Deuce"
- - Stakes (e.g., "$1/$2")
- - Current bounty pool size
- - Number of players (e.g., "5/7")
- - Average pot size (optional)

3.2.2 In-Game Display

Must Have:

- - Bounty pool counter visible at all times
- - Individual player bounty contributions shown
- - Clear indication when 7-2 is dealt to player
- - Animation/notification on bounty win
- - Updated balance reflecting bounty payouts

HUD Elements:

```
┌──────────────────────────────┐
│  Bounty Pool: 175BB (7 players) │
│  Your Contribution: 5BB         │
└──────────────────────────────┘
```

Bounty Win Animation:

- - Visual celebration (confetti, coins, etc.)
- - Sound effect
- - Pop-up showing bounty amount won
- - Updated balance with animation

3.2.3 Mobile Optimization

Must Have:

- - Responsive design for iOS and Android
- - Touch-optimized controls
- - Legible bounty information on smaller screens
- - Simplified animations for performance
- - Efficient bandwidth usage for bounty updates

3.3 Backend Requirements

3.3.1 Game Logic

Core Functions:

```
calculateBountyPool(numPlayers, bountyPerPlayer)
  → returns total bounty available

validateBountyWin(winningHand, showdownCards)
  → returns boolean if 7-2 win is valid

distributeBounty(winnerId, playerList, bountyAmount)
  → executes atomic bounty distribution

handleSplitBounty(winnerIds[], playerList, totalBounty)
  → splits bounty evenly among multiple winners

recordBountyTransaction(tableId, winnerId, amount, timestamp)
  → logs to database for audit trail
```

Data Models:

```
TABLE seven_deuce_bounties (
```

```
  id BIGINT PRIMARY KEY,
  table_id BIGINT,
  hand_id BIGINT,
  winner_id BIGINT,
  bounty_amount DECIMAL(10,2),
  num_players INT,
  timestamp TIMESTAMP,
  winning_hand VARCHAR(4),
  FOREIGN KEY (table_id) REFERENCES poker_tables(id),
  FOREIGN KEY (hand_id) REFERENCES hand_history(id),
  FOREIGN KEY (winner_id) REFERENCES users(id)
);

TABLE player_bounty_balance (
  player_id BIGINT,
  table_id BIGINT,
  current_bounty DECIMAL(10,2),
  last_updated TIMESTAMP,
  PRIMARY KEY (player_id, table_id)
);

-- Extension to existing wallet_transactions table
-- Add new transaction types without creating separate table
ALTER TABLE wallet_transactions
  ADD COLUMN bounty_metadata JSONB;

-- New transaction types to be added to enum:
-- 'BOUNTY_ENTRY', 'BOUNTY_WIN', 'BOUNTY_CONTRIBUTION', 'BOUNTY_REFUND'

-- bounty_metadata structure:
-- {
--   "bounty_type": "seven_deuce",
--   "table_id": "table_12345",
--   "hand_id": "hand_67890",
--   "num_players": 7,
--   "winner_id": "player_abc" // for contributions
-- }
```

3.3.2 RNG Integration

Requirements:

- - Maintain existing provably fair RNG system
- - No modification to card shuffling algorithm
- - Seven Deuce detection post-shuffle
- - Verification system includes bounty information

Fairness Verification:

- - Players can verify any 7-2 bounty win was legitimate
- - Hand history includes shuffle verification
- - Bounty payout logs available for player review

3.3.3 Transaction Processing

Must Have:

- - Real-time bounty balance updates
- - ACID compliance for all bounty transactions
- - Rollback capability for edge cases
- - Concurrent transaction handling
- - Sub-second processing time

Error Handling:

- - Insufficient bounty balance scenarios
- - Network disconnection during bounty win
- - Player leaving table during bounty distribution
- - Database connection failures

3.4 Wallet & Transaction Integration

3.4.1 Transaction Types

New Transaction IDs Required:

- - `BOUNTY_ENTRY` - Player pays 5BB bounty when joining table
- - `BOUNTY_WIN` - Player receives bounty from other players
- - `BOUNTY_CONTRIBUTION` - Debit from player when someone else wins
- - `BOUNTY_REFUND` - Refund if player leaves before hand completes (edge case)

Transaction Properties:

```
{
  transactionId: "uuid",
  type: "BOUNTY_WIN" | "BOUNTY_ENTRY" | "BOUNTY_CONTRIBUTION" |
"BOUNTY_REFUND",
  playerId: "string",
  tableId: "string",
  handId: "string", // optional, for bounty wins
  amount: "decimal",
  currency: "string", // uses existing wallet currency
  timestamp: "datetime",
  status: "completed" | "pending" | "failed",
  metadata: {
    bountyType: "seven_deuce",
    numPlayers: "integer",
    winnerId: "string" // for contributions
  }
}
```

3.4.2 Wallet Integration Requirements

Leveraging Existing System:

- - Use current wallet balance system (no separate bounty wallet needed)
- - Bounty transactions appear in standard transaction history
- - Filter/tag for "Seven Deuce Bounty" in UI
- - Real-time balance updates using existing infrastructure
- - Same withdrawal process applies to bounty winnings

Implementation Notes:

- - No new payment rails required
- - No cryptocurrency conversion logic needed
- - Bounties use player's current wallet balance in their chosen currency
- - Standard wallet security and audit trails apply

3.5 Compliance & Security

3.5.1 Responsible Gaming

Must Have:

- - Clear disclosure of bounty costs
- - Bounty spending limits (daily/weekly/monthly)
- - Integration with existing responsible gaming tools
- - Warning messages for high-frequency bounty play
- - Self-exclusion applies to Seven Deuce games

Display Requirements:

- - Bounty cost transparency at table join
- - Running total of bounty contributions
- - Alert when bounty spending exceeds threshold

3.5.2 Fair Play Protection

Anti-Abuse Measures:

- - Collusion detection algorithms
- - Pattern recognition for chip dumping via bounties
- - IP address/device monitoring
- - Unusual win rate analysis
- - Manual review flags for suspicious activity

Security:

- - Encrypted bounty transactions
- - Rate limiting on table joins to prevent abuse
- - Bot detection integrated with bounty system
- - Multi-factor authentication for high-bounty tables

3.5.3 Legal Compliance

Requirements:

- - Compliance with Anjouan gaming license
- - Age verification (18+ globally)
- - Geo-blocking for restricted jurisdictions
- - Terms of Service updates for bounty system
- - Dispute resolution procedures for bounty disagreements

---

4. User Experience Flow

4.1 Player Journey

4.1.1 Discovery & Onboarding

11. **New User Registration**

- Welcome bonus promotion (150% up to $2,000)
- Tutorial option for Seven Deuce rules
- Practice mode or low-stakes introduction

12. **First-Time Table Join**

- Pop-up explaining Seven Deuce rules
- "Don't show again" option for experienced players
- Clear bounty cost disclosure
- Confirmation before entering table

13. **In-Game Tutorial** (Optional)

- Interactive guide highlighting UI elements

- Example hand showing bounty win
- Tips for strategic play

4.1.2 Core Gameplay Loop

```
Player joins table
    ↓
Pays 5BB bounty entry fee
    ↓
Receives cards each hand
    ↓
[If dealt 7-2] → UI indicator shown
    ↓
Play hand normally
    ↓
[If win with 7-2] → Bounty triggered
    ↓
Animation plays
    ↓
Bounty distributed from all players
    ↓
Balance updated
    ↓
Continue playing or cash out
```

4.1.3 Bounty Win Experience

Sequence:

14. Hand wins at showdown or via fold
15. 7-2 cards automatically revealed
16. Celebration animation triggers (2-3 seconds)
17. Bounty calculation displays
18. Individual contributions from each player shown
19. Total bounty amount added to player's balance
20. Notification/chat message: "Player X won the Seven Deuce bounty!"
21. Resume next hand

4.2 Information Architecture

4.2.1 Lobby Navigation

```
Main Lobby
├── Cash Games
│   ├── Standard Tables
│   └── Fast and Furious (Seven Deuce) ←
│       ├── Stakes Filter
```

```
│        ├── Table Size Filter (7-max only)
│        └── Active Tables List
├── Tournaments
├── Sit & Go
└── Casino Games
```

4.2.2 Table View Hierarchy

```
Game Table
├── Card Display Area
├── Player Positions (7-max)
│   ├── Player Info
│   ├── Stack Size
│   └── Bounty Contribution Badge
├── Bounty Pool Display (prominent)
├── Pot Display
├── Community Cards
├── Action Buttons
└── Chat Panel
```

---

5. Technical Specifications

5. Technical Specifications

5.1 Performance Requirements

5.1.1 Response Times

- - Table join/leave: < 500ms
- - Bounty calculation: < 100ms
- - Balance update: < 200ms
- - UI animation: 60 FPS minimum
- - Bounty distribution: < 1 second total

5.1.2 Scalability

- - Support 10,000+ concurrent players
- - 1,000+ simultaneous Seven Deuce tables
- - 100,000+ hands processed per hour
- - 99.9% uptime SLA
- - Auto-scaling based on load

5.1.3 Data Storage

- - Hand history retention: 5 years
- - Bounty transaction logs: Permanent
- - Player statistics: Permanent
- - Real-time data cache: 24 hours
- - Backup frequency: Hourly incremental, daily full

5.2 API Specifications

5.2.1 Key Endpoints

```
// Get available Seven Deuce tables
GET /api/v1/tables/seven-deuce
Response: {
  tables: [
    {
      id: "table_12345",
      stakes: "1/2",
      players: 5,
      maxPlayers: 7,
      bountyPool: 35,
      status: "active"
    }
  ]
}

// Join Seven Deuce table
POST /api/v1/tables/seven-deuce/join
Body: {
  tableId: "table_12345",
  buyIn: 200,
  bountyAccepted: true
}
Response: {
  success: true,
  seatNumber: 3,
  bountyCharged: 5
}

// Get bounty pool info
GET /api/v1/tables/:tableId/bounty
Response: {
```

```
  totalBounty: 35,
  bountyPerPlayer: 5,
  playerCount: 7,
  yourContribution: 5
}

// Record bounty win (uses existing wallet system)
POST /api/v1/bounty/win
Body: {
  tableId: "table_12345",
  handId: "hand_67890",
  winnerId: "player_abc",
  winningHand: "7h2s"
}
Response: {
  success: true,
  bountyAmount: 35,
  newBalance: 235,
  transactionId: "tx_xyz",
  transactionType: "BOUNTY_WIN"
}

// Get transaction history (filtered for bounties)
GET /api/v1/wallet/transactions?type=bounty
Response: {
  transactions: [
    {
      id: "tx_123",
      type: "BOUNTY_WIN",
      amount: 35,
      timestamp: "2026-01-19T10:30:00Z",
      tableId: "table_12345"
    },
    {
      id: "tx_124",
      type: "BOUNTY_CONTRIBUTION",
      amount: -5,
      timestamp: "2026-01-19T10:25:00Z",
      winnerId: "player_xyz"
    }
  ]
}
```

5.3 Data Analytics & Reporting

5.3.1 Tracking Events

Player Actions:

- - `seven_deuce_table_joined`
- - `seven_deuce_dealt`
- - `seven_deuce_won`

- - `seven_deuce_bounty_collected`
- - `seven_deuce_table_left`

System Events:

- - `bounty_pool_created`
- - `bounty_distributed`
- - `bounty_transaction_failed`
- - `table_bounty_threshold_reached`

5.3.2 Reports & Dashboards

Operations Dashboard:

- - Active Seven Deuce tables
- - Total bounties distributed (hourly/daily/monthly)
- - Average bounty pool size
- - Most popular stake levels
- - Error rates and system health

Business Intelligence:

- - Revenue from Seven Deuce rake
- - Player lifetime value (LTV) comparison
- - Conversion funnel (lobby → table → bounty win)
- - Retention cohort analysis
- - A/B test results for feature variations

Player-Facing Stats:

- - Personal bounties won
- - Bounty win rate
- - Largest single bounty
- - Total bounties paid out
- - Win rate with 7-2

---

6. Marketing & Growth Strategy

6.1 Launch Strategy

6.1.1 Pre-Launch (4 weeks before)

Objectives:

- - Build awareness and excitement
- - Educate players about the format
- - Drive pre-registrations

Tactics:

- - Teaser campaign on social media
- - Influencer partnerships (poker streamers)
- - Email campaign to existing users
- - Blog posts explaining Seven Deuce history
- - Video tutorials featuring the game

6.1.2 Launch (Week 1)

Objectives:

- - Maximize initial player adoption
- - Generate word-of-mouth
- - Capture media attention

Tactics:

- - Launch event with special bounty multipliers
- - Live-streamed gameplay with influencers
- - Press release distribution
- - Social media hashtag campaign (#SevenDeuceChallenge)
- - Special promotions (double bounties for first 72 hours)

6.1.3 Post-Launch (Weeks 2-12)

Objectives:

- - Sustain engagement
- - Iterate based on feedback
- - Optimize conversion

Tactics:

- - Weekly bounty leaderboards
- - Player testimonials and highlights
- - Regular content updates (strategy guides)
- - Community challenges
- - A/B testing for UI/UX improvements

6.2 Promotional Campaigns

6.2.1 "Bounty Hunter" Campaign

Duration: 4 weeks

Mechanics:

- - Track total bounties won per player
- - Weekly prizes for top 10 bounty hunters
- - Grand prize: Trip to live poker event
- - Badge/title for high performers

6.2.2 "First Win Bonus"

Duration: Ongoing for new players

Mechanics:

- - 2x bounty payout for first Seven Deuce win
- - One-time bonus credited automatically
- - Incentivizes trying the format

6.2.3 "Happy Hour" Bounties

Duration: Daily, 7-9 PM EST

Mechanics:

- - 1.5x bounty multiplier during peak hours
- - Drives traffic to prime time
- - Increases table density

6.3 Content Strategy

6.3.1 Educational Content

- - "How to Play Seven Deuce Game" video series
- - Strategy guides for optimal bluffing
- - Hand history breakdowns
- - Pro player tips and insights

6.3.2 Entertainment Content

- - Highlight reels of biggest bounty wins

- - Player reaction compilations
- - "Best Bluffs" monthly compilation
- - Live streams of high-stakes Seven Deuce tables

6.3.3 Community Content

- - User-generated content contests
- - Player interviews about memorable wins
- - Discord/Reddit community discussions
- - Weekly AMAs with CoinPoker team

---

7. Risk Assessment & Mitigation

7.1 Technical Risks

Risk	Probability	Impact	Mitigation
Bounty distribution bug	Medium	High	Comprehensive testing, transaction rollback capability, staged rollout
RNG manipulation concerns	Low	Critical	Maintain provably fair system, transparent verification, third-party audits
Server overload during peak	Medium	High	Auto-scaling infrastructure, load testing, CDN optimization
Database transaction conflicts	Medium	Medium	ACID compliance, pessimistic locking, retry logic
Mobile performance issues	High	Medium	Simplified animations, progressive enhancement, performance benchmarking

7.2 Business Risks

Risk	Probability	Impact	Mitigation

Low player adoption	Medium	High	Strong marketing, influencer partnerships, attractive promotions
Cannibalization of standard tables	High	Medium	Position as complementary offering, maintain standard table health
Negative player feedback	Low	Medium	Beta testing, early access program, rapid iteration based on feedback
Competitive response	Low	High	First-mover advantage, continuous innovation, patent/trademark protection
Regulatory challenges	Low	Critical	Legal review, compliance documentation, jurisdictional analysis

7.3 Operational Risks

Risk	Probability	Impact	Mitigation
Collusion/chip dumping	Medium	High	AI-based detection, manual review, strict enforcement, player education
Customer support overload	High	Medium	Comprehensive FAQ, video tutorials, chatbot assistance, staffing increase
Bounty abuse/exploitation	Medium	Critical	Rate limiting, pattern recognition, community reporting, ban policies
Payment processing issues	Low	High	Multiple payment providers, redundancy, real-time monitoring

7.4 Contingency Plans

Scenario 1: Low Adoption

- - Increase promotional bounties (2x/3x multipliers)
- - Reduce bounty cost temporarily (3BB instead of 5BB)
- - Enhanced tutorial and onboarding
- - Influencer livestream marathon
- - Temporary rake reduction

Scenario 2: Technical Failure

- - Immediate rollback to last stable version
- - Compensate affected players with bonus chips

- - Transparent communication via all channels
- - Post-mortem analysis and fixes
- - Phased re-launch after testing

Scenario 3: Exploitation Discovery

- - Emergency patch deployment
- - Temporary suspension of affected feature
- - Forensic analysis of exploited hands
- - Bans for malicious actors, warnings for unintentional
- - Enhanced monitoring and detection

---

8. Success Criteria & Measurements

8.1 Launch Targets (First 30 Days)

Adoption Metrics:

- - 5,000+ unique players trying Seven Deuce
- - Average 50+ concurrent Seven Deuce tables
- - 20% of cash game revenue from Seven Deuce
- - 500,000+ hands dealt

Engagement Metrics:

- - Average session duration: 45+ minutes
- - Return rate (7-day): 40%+
- - Bounties won per 100 hands: 1-2
- - Player rating (satisfaction survey): 4.2+/5

Financial Metrics:

- - Incremental rake revenue: $50,000+
- - New player deposits attributed to feature: $100,000+
- - Cost per acquisition (CPA) improvement: 15%

8.2 Long-Term KPIs (12 Months)

Scale Metrics:

- - 50,000+ unique Seven Deuce players
- - 25% of total cash game volume
- - Average 200+ concurrent tables
- - 10M+ hands dealt

Retention Metrics:

- - 30-day retention: 35%+
- - 90-day retention: 20%+
- - Reactivation of lapsed players: 10%+
- - Lifetime value (LTV) increase: 30%+

Financial Metrics:

- - Annual revenue contribution: $500,000+
- - ROI: 250%+
- - Player acquisition cost (PAC) reduction: 20%
- - Average revenue per user (ARPU) increase: 25%

8.3 Quality Metrics

Technical Performance:

- - System uptime: 99.9%+
- - Average latency: <100ms
- - Error rate: <0.1%
- - Successful bounty distribution: 99.99%

Customer Satisfaction:

- - Net Promoter Score (NPS): 50+
- - Support ticket volume: <2% of players
- - Average resolution time: <2 hours
- - Feature satisfaction rating: 4.5+/5

8.4 Monitoring & Reporting

Real-Time Dashboards:

- - Active tables and player count
- - Bounty distribution rate
- - System health metrics
- - Revenue tracking

Weekly Reports:

- - Player acquisition and retention
- - Engagement metrics (session duration, hands played)
- - Revenue and rake analysis
- - Top performers and leaderboards

Monthly Reviews:

- - Comprehensive performance analysis
- - A/B test results
- - Feature roadmap progress
- - Strategic recommendations

---

9. Development Roadmap

9.1 Pre-Development Phase (Weeks 1-2)

Week 1: Planning & Requirements

- - Finalize technical specifications
- - UI/UX mockups and prototypes
- - Database schema design
- - API endpoint documentation
- - Transaction type definitions
- - Security and compliance review

Week 2: Design Finalization

- - Complete UI/UX design system
- - Frontend component library
- - Animation and interaction specifications
- - Design handoff to engineering

9.2 Development Phase (Weeks 3-8)

Week 3-4: Backend Development

- - Backend bounty system implementation
- - Wallet transaction type extensions (4 new types)
- - Game logic integration with Texas Hold'em engine
- - RNG system integration
- - Database implementation

Week 5-6: Frontend Development

- - Lobby UI implementation
- - In-game bounty display components
- - Bounty win animations and celebrations
- - Mobile responsive design
- - Real-time updates via WebSocket

Week 7: Integration & Testing

- - Frontend-backend integration
- - End-to-end testing
- - Cross-browser testing
- - Mobile device testing (iOS/Android)
- - Performance optimization

Week 8: QA & Bug Fixes

- - Comprehensive QA testing
- - Load testing (10,000 concurrent users)
- - Security testing
- - Transaction integrity testing
- - Bug fixes and refinements

9.3 Pre-Launch Phase (Weeks 9-10)

Week 9: Internal Testing

- - Internal team testing
- - Stakeholder demo and feedback
- - Final bug fixes
- - Performance tuning
- - Documentation completion

Week 10: Soft Launch Preparation

- - Marketing materials finalization
- - Customer support training
- - Help documentation publishing
- - Monitoring and alerting setup
- - Launch readiness review

9.4 Launch (Week 11)

Launch Day:

- - Feature goes live to all users
- - All stake levels available ($0.01/$0.02 to $100/$200)
- - Marketing campaign activation
- - Close monitoring of system performance
- - Support team on standby

Launch Week:

- - Daily performance reviews
- - User feedback collection
- - Quick bug fixes if needed
- - Marketing optimization
- - Success metrics tracking

9.5 Post-Launch Support (Weeks 12-16)

Immediate Post-Launch (Weeks 12-13):

- - Continuous monitoring and support
- - Address any critical issues
- - Collect and analyze user feedback
- - Performance optimization
- - Marketing campaign analysis

Stabilization (Weeks 14-16):

- - Non-critical bug fixes
- - Minor UX improvements based on feedback
- - Analytics review and reporting
- - Documentation updates
- - Feature optimization

---

10. Support & Documentation

10.1 Player Documentation

Help Center Articles:

- - "What is the Seven Deuce Game?"
- - "How to Win Bounties in Seven Deuce"
- - "Seven Deuce Rules and Payouts"
- - "Strategy Tips for Seven Deuce Games"
- - "Troubleshooting Seven Deuce Issues"

Video Tutorials:

- - 2-minute explainer video
- - 5-minute strategy guide
- - Live gameplay walkthrough
- - FAQ video compilation

In-App Guidance:

- - First-time user tutorial
- - Tooltips on bounty system
- - Rule reminders during gameplay
- - Help button with contextual support

10.2 Customer Support Preparedness

Training Materials:

- - Seven Deuce rules reference guide
- - Common issues and resolutions
- - Bounty payout verification process
- - Escalation procedures

Support Tools:

- - Bounty transaction lookup system
- - Hand replay with bounty information
- - Player statistics for support verification
- - Automated responses for common queries

SLA Targets:

- - First response: <1 hour
- - Resolution (simple): <4 hours
- - Resolution (complex): <24 hours

- - Customer satisfaction: 90%+

10.3 Developer Documentation

Technical Docs:

- - API reference guide
- - Database schema documentation
- - Bounty calculation algorithms
- - Integration guides for partners

Maintenance Guides:

- - Deployment procedures
- - Monitoring and alerting setup
- - Incident response playbook
- - Rollback procedures

---

11. Legal & Compliance

11.1 Terms of Service Updates

Required Additions:

- - Seven Deuce bounty system explanation
- - Bounty payout terms and conditions
- - Dispute resolution for bounty disagreements
- - Player obligations regarding fair play

Key Clauses:

- - "Players acknowledge that bounties are separate from table stakes"
- - "Collusion or chip dumping for bounty purposes is strictly prohibited"
- - "CoinPoker reserves the right to void bounties in cases of suspected fraud"
- - "Bounty rules may be modified with 30 days notice"

11.2 Responsible Gaming

Player Protection Measures:

- - Bounty spending limits (daily/weekly/monthly)
- - Warning messages for high-frequency play
- - Mandatory breaks after extended sessions
- - Self-exclusion applies to all Seven Deuce games

Transparency Requirements:

- - Clear display of bounty costs before joining
- - Running total of bounty contributions
- - Historical bounty spending in account settings
- - Warnings when approaching spending limits

11.3 Data Privacy

Player Data Handling:

- - GDPR compliance for EU players
- - Secure storage of bounty transaction history
- - Player rights to data access and deletion
- - Opt-in for marketing related to Seven Deuce

Third-Party Sharing:

- - No sharing of individual bounty data
- - Anonymized aggregate statistics only
- - Transparency in data usage policies

---

12. Competitive Analysis

12.1 Current Market Landscape

Major Competitors:

22. **PokerStars** - No Seven Deuce variant, standard cash games only
23. **GGPoker** - Offers various promotions but no bounty-based 7-2 format
24. **888poker** - Traditional formats, some promotional variants
25. **PartyPoker** - Standard offerings, focus on MTTs

Competitive Advantages:

- - **First Mover**: Only platform offering online Seven Deuce games
- - **Provably Fair**: Blockchain-based RNG verification
- - **Crypto Native**: Seamless crypto payments and withdrawals
- - **Innovation Culture**: Track record of unique game formats

Competitive Risks:

- - Competitors could copy the format
- - Need continuous innovation to maintain edge
- - Brand strength vs. established platforms

12.2 Differentiation Strategy

Unique Selling Points:

26. **Exclusive Format**: "Play Seven Deuce only on CoinPoker"
27. **Crypto-First**: Instant payouts, no banking delays
28. **Transparency**: Provably fair + bounty verification
29. **Community Focus**: Engaged player base, responsive development

Messaging:

- - "The Only Place for Online Seven Deuce Action"
- - "Turn Poker's Worst Hand into Your Best Payday"
- - "Provably Fair, Undeniably Fun"

---

13. Appendices

13.1 Glossary of Terms

- - **Seven Deuce (7-2)**: The weakest starting hand in poker (7 and 2 of any suit)

- - **Bounty**: A reward paid by all players to the winner of a pot holding 7-2
- - **Fast and Furious**: CoinPoker's accelerated cash game format with shorter time banks
- - **Big Blind (BB)**: The larger of two forced bets in poker; bounties are measured in BBs
- - **Showdown**: When remaining players reveal cards to determine the winner
- - **Offsuit**: Cards of different suits (e.g., 7♠ 2♣)
- - **Suited**: Cards of the same suit (e.g., 7♥ 2♥)
- - **7-max**: Table with maximum of 7 players
- - **RNG**: Random Number Generator, used for fair card shuffling
- - **Rake**: Commission taken by poker room from each pot

13.2 References & Research

Internal Documents:

- - CoinPoker Technical Architecture Guide
- - CoinPoker Payment Processing Documentation
- - RNG Fairness Verification Whitepaper
- - User Research Reports (Q3-Q4 2025)

External Research:

- - Poker Variant Popularity Study (Global Poker Index, 2025)
- - Online Gambling Trends Report (H2 Gambling Capital, 2025)
- - Cryptocurrency Adoption in Gaming (Chainalysis, 2025)

Competitive Intelligence:

- - PokerStars Product Feature Audit (2025)
- - GGPoker Innovation Timeline (2023-2025)
- - Emerging Poker Platforms Analysis (Poker Industry PRO, 2025)

13.3 Stakeholder Sign-Off

Stakeholder	Role	Sign-Off Date	Status
[Name]	Product Manager	[Date]	Pending
[Name]	Engineering Lead	[Date]	Pending
[Name]	Design Lead	[Date]	Pending
[Name]	Marketing Director	[Date]	Pending
[Name]	Legal Counsel	[Date]	Pending

[Name]	CEO/Founder	[Date]	Pending

Document History

Version	Date	Author	Changes
1.0	January 19, 2026	Product Team	Initial PRD creation

Document Status: Draft for Review

Next Review Date: [To be determined]

Owner: Product Management Team

Contact: [product@coinpoker.com]

This PRD is confidential and proprietary to CoinPoker. Distribution limited to internal stakeholders and authorized partners only.