


ViEW (Version control system in Excel, Word)

Version: 0.1

A software tool to use Git in Office | Excel, Word



Tools Installation

MS Excel 2013 Professional Plus

Bonobo Git Server

Fork Git Client

Git for Windows

Batch programs

Environment PATH variables

Terms


1. Repository

Repository is termed as any folder with files (any format), sub-folders inside it.



2. `remotes/origin/master`

It refers to the **master** (or main) branch of the repository kept at remote server.



In the image above,

1 - shows the `origin/master`, basically the master (or main) branch of repository (named - ViEW) kept at remote location.

3. `branch/master`

It refers to the **master** (or main) branch of the repository (named - ViEW) kept at local storage (like PC, desktop).

In the image above,


2 - shows the `branches/master`, basically the master (or main) branch of folder kept at local location.

NOTE: Both the masters (at remote & local) are in sync.

Operations


1. `init`

It refers to initializing a non-git (or normal) folder to git repository.




Example:

Normal repository:



Git repository:



NOTE: From now onwards, **Git repository** will be called as **repository** (in short).

2. **status**

3. **clone**

4. **stage**

5. **commit**

6. **push**

7. **fetch**

8. **pull**

Utility

- **showc**
- **diffc1**
- **diffc2**
- **autopush**
- **allsync**