

GPK.Battles Game


Testing Report

ABHIJIT ROY

Content

- Run-1
- Run-2
- Run-3
- Run-4
- Run-5
- Run-6
- Run-7
- Run-8
- Run-9
- Run-10

Workflow



RUN-1

1. gbuser111111 transfer desired cards to escrow contract gpkbatescrow

Pre

Activity

Post

sassets

offersofferssassetssntassetsstattokenconfigs

Enter Parameters

Scopegbuser111111

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh TableC Refresh

Table Result

#	Id (key)	owner	author	category	ldata	mdata
1	100000000007690	gbuser111111	gpkbattlesco	exotic	[]	["backling":"QmYkMDk81d8TohNHnFwpeESF3Npfd671NrbPKKG8e25/back/1j]
2	100000000007692	gbuser111111	gpkbattlesco	exotic	[]	["backling":"QmYkMDk81d8TohNHnFwpeESF3Npfd671NrbPKKG8e25/back/1j]
3	100000000007720	gbuser111111	gpkbattlesco	exotic	[]	["backling":"QmYkMDk81d8TohNHnFwpeESF3Npfd671NrbPKKG8e25/back/9j]

```
$ cleoswt push action simpleassets transfer '{"from": "gbuser11111", "to": "gpkbatescrow", "assetids": ["100000000007690", "100000000007692"]}', "memo": "transfer cards for gpk.battles playing"' -p gbuser11111@active
executed transaction: 14523f79cf6263e233e9e8283e12181ae4c1b9011c63cc05ac1868200e782ccc 216 bytes 673 us
# simpleassets <= simpleassets::transfer {"from":"gbuser11111","to":"gpkbatescrow","assetids":["100000000007690","100000000007692"],"100000000007692","100000000007692"}
# gbuser11111 <= simpleassets::transfer {"from":"gbuser11111","to":"gpkbatescrow","assetids":["100000000007690","100000000007692"],"100000000007692","100000000007692"}
# gpkbatescrow <= simpleassets::transfer {"from":"gbuser11111","to":"gpkbatescrow","assetids":["100000000007690","100000000007692"],"100000000007692","100000000007692"}
warning: transaction executed locally, but may not be confirmed by the network yet }
```

sassets

offersofferssassetssntassetsstattokenconfigs

Enter Parameters

Scopegbuser111111

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh TableC Refresh

Table Result

No Data

cardwallet

cardwallet

Enter Parameters

Scopegbuser111111

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh TableC Refresh

Table Result

No Data

cardwallet

cardwallet

Enter Parameters

Scopegbuser111111

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh TableC Refresh

Table Result

#	card_id (key)	contract_ac	usage_status
1	100000000007690	simpleassets	available
2	100000000007692	simpleassets	available
3	100000000007720	simpleassets	available

gfeewallet

configs gfeewallet ongamestat players usergamestat

Enter Parameters

Scopegbuser111111

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh TableC Refresh

Table Result

No Data

gfeewallet

configs gfeewallet ongamestat players usergamestat

Enter Parameters

Scopegbuser111111

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh TableC Refresh

Table Result

No Data

2. gbuser111111 select 3 cards

Pre

cardwallet

Activity

Post

cardwallet

cardwallet

Enter Parameters

Scope

gbuser111111

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	card_id (key)	contract_ac	usage_status
1	10000000007690	simpleassets	available
2	10000000007692	simpleassets	available
3	10000000007720	simpleassets	available

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gbuser111111

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	balance
1	1.00000000 WAX

players

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gpkbattlesc1

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	[]

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111111", "simpleassets", "10000000007690", "10000000007692", "10000000007720"]' -p gbuser111111@active
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: the player is not in the gamefee wallet table.
pending console output:
```

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111111", "simpleassets", "10000000007690", "10000000007692", "10000000007720"]' -p gbuser111111@active
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: The player has no min. balance i.e. '1.00000000 WAX' in the gamefee wallet.
pending console output:
```

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111111", "simpleassets", "10000000007690", "10000000007692", "10000000007720"]' -p gbuser111111@active
executed transaction: 6280caea046a5b881230ef680de9a13c9e4f40a1e8fcded1e4a559bac44c67a 136 bytes 511 us
# gpkbattlesc1 <= gpkbattlesc1::sel3card
{"player": "gbuser111111", "asset_contract_ac": "simpleassets", "card1_id": "10000000007690", "card2_id": "..."}
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player": "gbuser111111", "card_id": "10000000007690", "status": "selected"}
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player": "gbuser111111", "card_id": "10000000007692", "status": "selected"}
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player": "gbuser111111", "card_id": "10000000007720", "status": "selected"}
# gpkbattlesc1 <= gpkbattlesc1::empifyplayer
{"asset_contract_ac": "simpleassets", "player": "gbuser111111"}
warn 2021-03-13T14:58:56.847 cleos main.cpp:513 print_result warning:
transaction executed locally, but may not be confirmed by the network yet
```

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gbuser111111

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	balance
1	1.00000000 WAX

players

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gpkbattlesc1

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["gbuser111111"]

3. **gbuser111111** pairs with a player

Pre

players

Activity

Post

players

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gpkbattlesc1

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	asset_contract_ac(key)	players_list
1	simpleassets	["gbuser111111"]

ongamestat

ongamestat

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gpkbattlesc1

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

No Data

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gbuser111111

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	balance
1	1.00000000 WAX

```
$ cleoswt push action gpkbattlesc1 pairwplayer '["gbuser111111", "simpleassets"]' -p
gbuser111111@active
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: players_list must be min. 2 in size.
pending console output:
```

```
$ cleoswt push action gpkbattlesc1 pairwplayer '["gbuser111111", "simpleassets"]' -p
gbuser111111@active
executed transaction: 11089e052297fa14b76df782de9af716d969357bcf6486a4488beb703033e7c 112 bytes 771
us
# gpkbattlesc1 <=> gpkbattlesc1::pairwplayer
{"player_1":"gbuser111111","asset_contract_ac":"simpleassets"}
warning: transaction executed locally, but may not be confirmed by the network yet ]
```

gbuser111111

Pre

Activity

Post

ongamestat

[illegible]

gfeewallet

config

gfwallet

orgamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuser111111

Search...

Search...

100


 Refresh

Table Result

No Data

configs

glowwallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuser111113

Search...

Search...

100

Refresh

Table Result

No Data

```
$ clocsvt push action gpkbattlescl play '["10001739108425"]' -p gpkbattlescl@systemkeys
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: the player - gbuser111111 is not in the gamefee wallet table.
pending console output:
```

```
$ clocsvt push action gpkbattlescl play '["10001739108425"]' -p gpkbattlescl@systemkeys
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: the player - gbuser111113 is not in the gamefee wallet table.
pending console output:
```

```
$ cleoswt push action gpkbattlescl play '['10001739108425']' -p gpkbattlescl@systemkeys
executed transaction: e44ae2f7847b689963e02e6b9ef94847cd6c69c06d4da0c325561c8b8297 104 bytes 317
us
# gpkbattlescl <= gpkbattlescl:play {"game_id":"10001739108425"}
# gpkbattlescl <= gpkbattlescl:indecipbal {"player":"gbuser11111","qty":"1.00000000 WAX"}
# gpkbattlescl <= gpkbattlescl:indecipbal {"player":"gbuser11113","qty":"1.00000000 WAX"}
# orng.wax <= orng.wax:requestrand {"assoc_id":"10001739108425","signing_value":"4873772729523820055","caller":"gpkbattlescl"}
warning: transaction executed locally, but may not be confirmed by the network yet ]
```


5. Disburse nodraw cards by gpkbattlesco contract account

Pre

Activity

Post

ongamestat

accounts

players

cardwallet

ongamestat

accounts

players

cardwallet

usergamestat

```
$ cleosw get table gpkbattlesco gpkbattlescl ongamestat --show-player --lower 10001739108425 --limit 1
{
  "rows": [
    {
      "data": {
        "game_id": "10001739108425",
        "player_1": "gbuser11111",
        "player_2": "gbuser11113",
        "game_fee": 1,
        "game_won": 0,
        "drawn": 0,
        "cards_won": 0,
        "asset_contract_ac": "simpleassets",
        "player_1_card_id": "1000000000770",
        "player_2_card_id": "1000000000772"
      },
      "key": "10001739108425"
    }
  ],
  "next_key": "10001739108425"
}
```

Scope	Lower Bound	Upper Bound	Limit	Refresh Table
gpkbatincome	Search...	Search...	100	<button>Refresh</button>
Table Result				
#			balance	
1			147100000000WAX	

Scope	Lower Bound	Upper Bound	Limit	Refresh Table
gpkbattlescl	Search...	Search...	100	<button>Refresh</button>
Table Result				
#	asset_contract_ac(key)	players_list		
1	simpleassets	["gbuser11111", "gbuser11113", "gbuser11112", "gbuser11115", "gbuser11122"]		

```
$ cleosw push action gpkbattlescl disndcards '["10001739108425"]' -p gpkbattlescl@systemkeys
executed transaction: 9ee95ab78e26b28cc5a3222544a1814e9eb34817021c5baea84e12e58303fb90 104 bytes 754 US
# gpkbattlescl <= gpkbattlescl::disndcards {"game_id":"10001739108425"}
# gpkbatincome <= eosio.token:transfer {"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# eosio.token <= eosio.token:transfer {"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# gpkbattlescl <= gpkbattlescl::sendalert {"user":"gbuser11111","message":"your game with id: 10001739108425 is moved to 'usergamestat' tab..."}
# gpkbattlescl <= gpkbattlescl::sendalert {"user":"gbuser11113","message":"your game with id: 10001739108425 is moved to 'usergamestat' tab..."}
# gpkbattlescl <= eosio.token:transfer {"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# gpkbatincome <= eosio.token:transfer {"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# eosio.token <= eosio.token:transfer {"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# gpkbattlescl <= eosio.token:transfer {"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# gbuser11111 <= gpkbattlescl::sendalert {"user":"gbuser11111","message":"your game with id: 10001739108425 is moved to 'usergamestat' tab..."}
# gbuser11113 <= gpkbattlescl::sendalert {"user":"gbuser11113","message":"your game with id: 10001739108425 is moved to 'usergamestat' tab..."}
warning: transaction executed locally, but may not be confirmed by the network yet }
```

Scope	Lower Bound	Upper Bound	Limit	Refresh Table
gbuser11111	Search...	Search...	100	<button>Refresh</button>
Table Result				
#	card_id(key)	contract_ac	usage_status	
1	100000000007690	simpleassets	selected	
2	100000000007692	simpleassets	selected	
3	100000000007720	simpleassets	selected	

Scope	Lower Bound	Upper Bound	Limit	Refresh Table
gbuser11113	Search...	Search...	100	<button>Refresh</button>
Table Result				
#	card_id(key)	contract_ac	usage_status	
1	100000000007714	simpleassets	selected	
2	100000000007716	simpleassets	selected	
3	100000000007722	simpleassets	selected	

Scope	Lower Bound	Upper Bound	Limit	Refresh Table
gpkbattlescl	Search...	Search...	100	<button>Refresh</button>
Table Result				
#			balance	
1			147100000000WAX	

Scope	Lower Bound	Upper Bound	Limit	Refresh Table
gpkbatincome	Search...	Search...	100	<button>Refresh</button>
Table Result				
#			balance	
1			147100000000WAX	

Scope	Lower Bound	Upper Bound	Limit	Refresh Table
gpkbattlescl	Search...	Search...	100	<button>Refresh</button>
Table Result				
#	asset_contract_ac(key)	players_list		
1	simpleassets	["gbuser11112", "gbuser11114", "gbuser11122", "gbuser11115", "gbuser11122"]		

Scope	Lower Bound	Upper Bound	Limit	Refresh Table
gbuser11111	Search...	Search...	100	<button>Refresh</button>
Table Result				
#	card_id(key)	contract_ac	usage_status	
1	100000000007690	simpleassets	available	
2	100000000007692	simpleassets	available	
3	100000000007716	simpleassets	available	
4	100000000007720	simpleassets	available	

Scope	Lower Bound	Upper Bound	Limit	Refresh Table
gbuser11113	Search...	Search...	100	<button>Refresh</button>
Table Result				
#	card_id(key)	contract_ac	usage_status	
1	100000000007714	simpleassets	available	
2	100000000007722	simpleassets	available	

```
$ cleosw get table gpkbattlescl gbuser11111 usergamestat --show-player
{
  "rows": [
    {
      "data": {
        "asset_contract_ac": "simpleassets",
        "game_id": "10001739108425",
        "player_1": "gbuser11111",
        "player_2": "gbuser11113",
        "game_fee": 1,
        "game_won": 0,
        "drawn": 0,
        "cards_won": 0,
        "asset_contract_ac": "simpleassets",
        "player_1_card_id": "1000000000770",
        "player_2_card_id": "1000000000772"
      },
      "key": "10001739108425"
    }
  ],
  "next_key": "10001739108425"
}
```

```
$ cleosw get table gpkbattlescl gbuser11113 usergamestat --show-player
{
  "rows": [
    {
      "data": {
        "asset_contract_ac": "simpleassets",
        "game_id": "10001739108425",
        "player_1": "gbuser11111",
        "player_2": "gbuser11113",
        "game_fee": 1,
        "game_won": 0,
        "drawn": 0,
        "cards_won": 0,
        "asset_contract_ac": "simpleassets",
        "player_1_card_id": "1000000000770",
        "player_2_card_id": "1000000000772"
      },
      "key": "10001739108425"
    }
  ],
  "next_key": "10001739108425"
}
```

RUN-2

1. gbuser111113 transfer desired cards to escrow contract gpkbatescrow

Pre

sassets

offersofferssassets

snttassetsstattokenconfigs

Enter Parameters

Scopegbuser111113

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh Table

Table Result

#	id (key)	owner	author	category	ldata	mdata
1	100000000007714	gbuser111113	gpkbattlesco	exotic	0	["backing","QnYMD4B1d8TdR4nfVpeESF3NpAd671N6PKKG8a25/back/1.js"]
2	100000000007716	gbuser111113	gpkbattlesco	exotic	0	["backing","QnYMD4B1d8TdR4nfVpeESF3NpAd671N6PKKG8a25/back/2.js"]
3	100000000007722	gbuser111113	gpkbattlesco	exotic	0	["backing","QnYMD4B1d8TdR4nfVpeESF3NpAd671N6PKKG8a25/back/10.js"]

cardwallet

cardwallet

Enter Parameters

Scopegbuser111113

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh Table

Table Result

No Data

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scopegbuser111113

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh Table

Table Result

No Data

Activity

```
$ cleoswt push action simpleassets transfer '{"from": "gbuser111113", "to": "gpkbatescrow", "assetids": ["100000000007714", "100000000007716", "100000000007722"], "memo": "transfer cards for gpk.battles playing"}' -p gbuser111113@active

executed transaction: f46b1c8277b46974d11ba31b86172df224eef1e42dd3ed9e0dd6221781ed552d 216 bytes 571 us
# simpleassets <= simpleassets::transfer {"from":"gbuser111113","to":"gpkbatescrow","assetids":["100000000007714","100000000007716","100000000007716","100000000007716"]}
# gbuser111113 <= simpleassets::transfer {"from":"gbuser111113","to":"gpkbatescrow","assetids":["100000000007714","100000000007716","100000000007716","100000000007716"]}
# gpkbatescrow <= simpleassets::transfer {"from":"gbuser111113","to":"gpkbatescrow","assetids":["100000000007714","100000000007716","100000000007716","100000000007716"]}
warning: transaction executed locally, but may not be confirmed by the network yet ]
```

sassets

offersofferssassets

snttassetsstattokenconfigs

Enter Parameters

Scopegbuser111113

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh Table

Table Result

No Data

cardwallet

cardwallet

Enter Parameters

Scopegbuser111113

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh Table

Table Result

#	card_id (key)	contract_ac	usage_status
1	100000000007714	simpleassets	available
2	100000000007716	simpleassets	available
3	100000000007722	simpleassets	available

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scopegbuser111113

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh Table

Table Result

No Data

2. gbuser111113 select 3 cards

Pre

cardwallet

cardwallet

Enter Parameters

Scope

gbuser111113

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	card_id (key)	contract_ac	usage_status
1	10000000007714	simpleassets	available
2	10000000007716	simpleassets	available
3	10000000007722	simpleassets	available

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gbuser111113

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	balance
1	1.00000000 WAX

players

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gpkbattlesc1

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["gbuser111112","gbuser111114","gbuser111121","gbuser111115","gbuser111122","gbuser111111"]

Activity

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111113", "simpleassets", "10000000007714", "10000000007716", "10000000007722"]' -p gbuser111113@active
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: the player - gbuser111113 is not in the gamefee wallet table.
pending console output:
```

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111113", "simpleassets", "10000000007714", "10000000007716", "10000000007722"]' -p gbuser111113@active
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: The player - gbuser111113 has no min. balance i.e. '1.00000000 WAX' in the gamefee wallet.
pending console output:
```

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111113", "simpleassets", "10000000007714", "10000000007716", "10000000007722"]' -p gbuser111113@active
executed transaction: 6f783bd5fed6e6045fd731186a7f77d55a95bd007024dc68e6da936a3475de5 136 bytes 517 us
# gpkbattlesc1 <= gpkbattlesc1::sel3card
{"player":"gbuser111113","asset_contract_ac":"simpleassets","card1_id":"10000000007714","card2_id":...
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player":"gbuser111113","card_id":"10000000007714","status":"selected"}
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player":"gbuser111113","card_id":"10000000007716","status":"selected"}
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player":"gbuser111113","card_id":"10000000007722","status":"selected"}
# gpkbattlesc1 <= gpkbattlesc1::empifypayer
{"asset_contract_ac":"simpleassets","player":"gbuser111113"}
warning: transaction executed locally, but may not be confirmed by the network yet }
```

Post

cardwallet

cardwallet

Enter Parameters

Scope

gbuser111113

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	card_id (key)	contract_ac	usage_status
1	10000000007714	simpleassets	selected
2	10000000007716	simpleassets	selected
3	10000000007722	simpleassets	selected

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gbuser111113

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	balance
1	1.00000000 WAX

players

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gpkbattlesc1

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["gbuser111112","gbuser111114","gbuser111121","gbuser111115","gbuser111122","gbuser111111","gbuser111113"]

3. `gbuser111113` pairs with a player

Pre

players

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gpkbattles1

Search...

Search...

100


 Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["gbuser1111112","gbuser111114","gbuser111121","gbuser111115","gbuser111122","gbuser111111","gbuser111113"]

ongamestat

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gpkbattlesc1

Search...

Search...

100

Refresh

Table Result

No Data

gfeewallet

configs

gleewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuser111113

Search...

Search...

100


 Refresh

Table Result

#	balance
1	1.00000000 WAX

Activity

```
$ cleoswtx push action gpkbattlescl pairwplayer "[gbuster111113", "simpleassets"] -p
gbuster111113active
  executed transaction: 88c959a756cd613aa482d38c2612949b61af58755f2ea018d86bee0ea4254f  112 bytes  717
us
# gpkbattlescl <= gpkbattlescl:pairwplayer
{player_1:"gbuster111113",asset_contract_ac:"simpleassets"}
warning: transaction executed locally, but may not be confirmed by the network yet ]
```

Post

players

configs

gfwcwallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gpkbattlesc1

Search...

Search...

100

Refresh

Table Result

#	asset_contract_ac(key)	players_list
1	simpleassets	["gbuser111112","gbuser111114","gbuser111121","gbuser111115","gbuser111111"]

ongamestat

[illegible]

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuser111113

Search...

Search...

100


 Refresh

Table Result

#	balance
1	1.00000000 WAX

contract account

Pre

Activity

Post

ongamestat

accounts

players

ongamestat

accounts

players

usergamestat

cardwallet

cardwallet

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit


Refresh Table

ghoer111113

Search...

Search...

100

 Refresh

#	card_id (key)	contract_ac	usage_status
1	100000000007714	simpleassets	selected
2	100000000007716	simpleassets	selected
3	100000000007722	simpleassets	selected

cardwallet

Enter Parameters

scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuser111122

Search...

Search...

100

Refresh

#	card_id (key)	contract_ac	usage_status
1	100000000007706	simpleassets	selected
2	100000000007710	simpleassets	selected
3	100000000007729	simpleassets	selected

```
$ cleoswt push action gpkbattlescl disndcards {'10001739128875'} -p gpkbattlescl@systemkeys
executed transaction: 6ed0471259eb4df98037fba807079c02c6e7d1cc6df32df8c2dfbfaae4035fd 104 bytes 606
us
# gpkbattlescl <= gpkbattlescl::disndcards {"game_id":"10001739128875"}
# gpkbatescrow <= gpkbatescrow::disburse {"game_id":"10001739128875"}
# gpkbattlescl <= gpkbattlescl::moergameinfo {"game_id":"10001739128875","message":"your game with
id: '10001739128875' is moved to 'usergamestat...
# eosio.token <= eosio.token::transfer
{"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# eosio.token <= eosio.token::transfer
{"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# gpkbattlescl <= gpkbattlescl::sendalert {"user":"gbuster11113","message":"your game with id:
'10001739128875' is moved to 'usergamestat' tab...
# gpkbattlescl <= gpkbattlescl::sendalert {"user":"gbuster11122","message":"your game with id:
'10001739128875' is moved to 'usergamestat' tab...
# gpkbattlescl <= eosio.token::transfer
{"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# gpkbatincome <= eosio.token::transfer
{"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# gpkbattlescl <= eosio.token::transfer
{"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# gpkbatincome <= eosio.token::transfer
{"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# gbuster11113 <= gpkbattlescl::sendalert {"user":"gbuster11113","message":"your game with id:
'10001739128875' is moved to 'usergamestat' tab...
# gbuster11112 <= gpkbattlescl::sendalert {"user":"gbuster11122","message":"your game with id:
'10001739128875' is moved to 'usergamestat' tab...
warning: transaction executed locally, but may not be confirmed by the network yet }
```

```

$ curlnet get table gpkbattlesci ghoselrlllll usergamestat1 --show-payer
{"rows": [
  {
    "data": {
      "asset_contract_id": "1nqplnassets",
      "game_id": 1,
      "id": "188477919138975"
    },
    "win": 0,
    "loss": 1,
    "draw": 0,
    "game": 1,
    "cards_won": []
  },
  {
    "payer": "gpkbattlesci"
  }
],
  "more": false,
  "next_key": ""
}

```

```

$ clevis get table gkbattlecsl gbuster111222 usergamestat --show-payer
{
  "rows": [
    {
      "data": {
        "assetContract.ac": "simplesassets",
        "game_id": 1,
        "id": "1800179312875",
        "wins": 1,
        "losses": 0,
        "draws": 0,
        "games": 1,
        "cards_won": 1,
        "losses_won": 722,
        "payer": "gkbattlecsl"
      }
    }
  ],
  "more": false,
  "next_key": ""
}

```

THANKS

