

GPK.Battles Game


Testing Report

ABHIJIT ROY

Content

- Run-1
- Run-2
- Run-3
- Run-4
- Run-5
- Run-6
- Run-7
- Run-8
- Run-9
- Run-10

Workflow



RUN-1

1. gbuser111111 transfer desired cards to escrow contract gpkbatescrow

Pre

Activity

Post

sassets

offersofferssassetssntassetsstattokenconfigs

Enter Parameters

Scopegbuser111111

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh Table

Table Result

#	Id (key)	owner	author	category	ldata	mdata
1	100000000007690	gbuser111111	gpkbattlesco	exotic	[]	["backling":"QmYkMDk81d8TohNHnFwpeESF3Npd671NrbPKKG8e25/back/1j]
2	100000000007692	gbuser111111	gpkbattlesco	exotic	[]	["backling":"QmYkMDk81d8TohNHnFwpeESF3Npd671NrbPKKG8e25/back/1j]
3	100000000007720	gbuser111111	gpkbattlesco	exotic	[]	["backling":"QmYkMDk81d8TohNHnFwpeESF3Npd671NrbPKKG8e25/back/9j]

```
$ cleoswt push action simpleassets transfer '{"from": "gbuser11111", "to": "gpkbatescrow", "assetids": ["100000000007690", "100000000007692"]}', "memo": "transfer cards for gpk.battles playing"' -p gbuser11111@active
executed transaction: 14523f79cf6263e233e9e8283e12181ae4c1b9011c63cc05ac1868200e782ccc 216 bytes 673 us
# simpleassets <= simpleassets::transfer {"from":"gbuser11111","to":"gpkbatescrow","assetids":["100000000007690","100000000007692"],"100000000007692","100000000007692"}
# gbuser11111 <= simpleassets::transfer {"from":"gbuser11111","to":"gpkbatescrow","assetids":["100000000007690","100000000007692"],"100000000007692","100000000007692"}
# gpkbatescrow <= simpleassets::transfer {"from":"gbuser11111","to":"gpkbatescrow","assetids":["100000000007690","100000000007692"],"100000000007692","100000000007692"}
warning: transaction executed locally, but may not be confirmed by the network yet }
```

sassets

offersofferssassetssntassetsstattokenconfigs

Enter Parameters

Scopegbuser111111

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh Table

Table Result

No Data

cardwallet

cardwallet

Enter Parameters

Scopegbuser111111

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh Table

Table Result

No Data

cardwallet

cardwallet

Enter Parameters

Scopegbuser111111

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh Table

Table Result

#	card_id (key)	contract_ac	usage_status
1	100000000007690	simpleassets	available
2	100000000007692	simpleassets	available
3	100000000007720	simpleassets	available

gfeewallet

configs gfeewallet ongamestat players usergamestat

Enter Parameters

Scopegbuser111111

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh Table

Table Result

No Data

gfeewallet

configs gfeewallet ongamestat players usergamestat

Enter Parameters

Scopegbuser111111

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh Table

Table Result

No Data

2. gbuser111111 select 3 cards

Pre

cardwallet

Activity

Post

cardwallet

cardwallet

Enter Parameters

Scope

gbuser111111

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	card_id (key)	contract_ac	usage_status
1	10000000007690	simpleassets	available
2	10000000007692	simpleassets	available
3	10000000007720	simpleassets	available

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gbuser111111

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	balance
1	1.00000000 WAX

players

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gpkbattlesc1

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	[]

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111111", "simpleassets", "10000000007690", "10000000007692", "10000000007720"]' -p gbuser111111@active
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: the player is not in the gamefee wallet table.
pending console output:
```

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111111", "simpleassets", "10000000007690", "10000000007692", "10000000007720"]' -p gbuser111111@active
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: The player has no min. balance i.e. '1.00000000 WAX' in the gamefee wallet.
pending console output:
```

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111111", "simpleassets", "10000000007690", "10000000007692", "10000000007720"]' -p gbuser111111@active
executed transaction: 6280caea046a5b881230ef680de9a13c9e4f40a1e8fcded1e4a559bac44c67a 136 bytes 511 us
# gpkbattlesc1 <= gpkbattlesc1::sel3card
{"player": "gbuser111111", "asset_contract_ac": "simpleassets", "card1_id": "10000000007690", "card2_id": "..."}
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player": "gbuser111111", "card_id": "10000000007690", "status": "selected"}
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player": "gbuser111111", "card_id": "10000000007692", "status": "selected"}
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player": "gbuser111111", "card_id": "10000000007720", "status": "selected"}
# gpkbattlesc1 <= gpkbattlesc1::empifyplayer
{"asset_contract_ac": "simpleassets", "player": "gbuser111111"}
warn 2021-03-13T14:58:56.847 cleos main.cpp:513 print_result warning:
transaction executed locally, but may not be confirmed by the network yet
```

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gbuser111111

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	balance
1	1.00000000 WAX

players

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gpkbattlesc1

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["gbuser111111"]

gbuser111111

Pre

players

configs

feewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gpkbattles1

Search...

Search...

100

Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["gbuser111111"]

ongamestat

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gpkbattlesc:1

Search...

Search...

100


 Refresh

Table Result

No Data

gfeewallet

configs

gfoewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gouser111111

Search...

Search...

100


 Refresh

Table Result

#	balance
1	1.00000000 WAX

Activity

```
$ cleoswt push action gpkbattlescl pairwplayer '["gbuser111111", "simpleassets"]' -p
gbuser111111@active
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: players_list must be min. 2 in size.
pending console output:
```

```
$ cleosw push action gpkbattlescl pairwplayer '["gbuser111111", "simpleassets"]' -p
gbuser111111@active
executed transaction: 11089e0522976fa14b76df782de9af716d969357bcf6486a4488beb703033e7c 112 bytes 771
us
# gpkbattlescl <= gpkbattlescl:pairwplayer
{"player_1": "gbuser111111", "asset_contract_ac": "simpleassets"}
warning: transaction executed locally, but may not be confirmed by the network yet ]
```

Post

players

configs

freewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gpkbattles1

Search...

Search...

100

Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["gbuser111112","gbuser111114","gbuser111121","gbuser111115","gbuser111122"]

ongamestat

[illegible]

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuster111111

Search...

Search...

100

Refresh

Table Result

#	balance
1	1.00000000 WAX

guser11111

Pre

Activity

Post

ongamestat

[illegible]

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuser111111

Search...

Search...

100


 Refresh

Table Result

No Data

config

gfwallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuser111113

Search...

Search...

100

Refresh

Table Result

No Data

```
$ cleoswt push action gpkbattlescl play '["10001739108425"]' -p gpkbattlescl@systemkeys
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: the player - gbuster111111 is not in the gamefee wallet table.
pending console output:
```

```
$ cleswt push action gpkbattlescl play '["10001739108425"]' -p gpkbattlescl@systemkeys
Error 3059003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: the player - gbuster11113 is not in the gamefee wallet table.
pending console output:
```

```
$ cleoswt push action gpkbattlescl play '['10001739108425']' -p gpkbattlescl@systemkeys
executed transaction: ed4ae2f7847b689963e2e6b9ef94847cd6c96e6d4cda9c325561c8b8297 104 bytes 317
us
# gpkbattlescl <= gpkbattlescl: {'game_id':'10001739108425'}
# gpkbattlescl <= gpkbattlescl:inidcplbal {'player':'gbuser111111','qty':'1.00000000 WAX'}
# gpkbattlescl <= gpkbattlescl:inidcplbal {'player':'gbuser111111','qty':'1.00000000 WAX'}
#   org.wax <= org.wax:requestrand
{"assoc_id":"10001739108425","signing_value":"4873772729523820055","caller":"gpkbattlescl"}
warning: transaction executed locally, but may not be confirmed by the network yet ]
```

ongamestat

[illegible]

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gouser111111

Search...

Search...

100


 Refresh

Table Result

#	balance
1	1.00000000 WAX

configs

gsewallist

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuser111111

Search...

Search...

100


 Refresh

Table Result

No Data

configs

freewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuser111113

Search...

Search...

100

Refresh

Table Result

No Data

RUN-2

1.

gbuser111113

transfer desired cards to escrow contract

gpkbatescrow

Pre

sassets

offers

offers

sassets

snttassets

stat

tokenconfigs

Enter Parameters

Scope

gbuser111113

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	id (key)	owner	author	category	ldata	mdata
1	100000000007714	gbuser111113	gpkbattlesco	exotic	0	["backing":"QnYMD4B1d8TdR4nfVpeESF3NpAd671N6PKKG8e25/back/1.js"]
2	100000000007716	gbuser111113	gpkbattlesco	exotic	0	["backing":"QnYMD4B1d8TdR4nfVpeESF3NpAd671N6PKKG8e25/back/2.js"]
3	100000000007722	gbuser111113	gpkbattlesco	exotic	0	["backing":"QnYMD4B1d8TdR4nfVpeESF3NpAd671N6PKKG8e25/back/10.js"]

cardwallet

cardwallet

Enter Parameters

Scope

gbuser111113

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

No Data

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gbuser111113

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

No Data

Activity

```
$ cleoswt push action simpleassets transfer '{"from": "gbuser111113", "to": "gpkbatescrow", "assetids": ["100000000007714", "100000000007716", "100000000007722"], "memo": "transfer cards for gpk.battles playing"}' -p gbuser111113@active

executed transaction: f46b1c8277b46974d11ba31b86172df224eef1e42dd3ed9e0dd6221781ed552d 216 bytes 571 us
# simpleassets <= simpleassets::transfer {"from":"gbuser111113","to":"gpkbatescrow","assetids":["100000000007714","100000000007716","100000000007716"],"memo":"transfer cards for gpk.battles playing"}
# gbuser111113 <= simpleassets::transfer {"from":"gbuser111113","to":"gpkbatescrow","assetids":["100000000007714","100000000007716","100000000007716"],"memo":"transfer cards for gpk.battles playing"}
# gpkbatescrow <= simpleassets::transfer {"from":"gbuser111113","to":"gpkbatescrow","assetids":["100000000007714","100000000007716","100000000007716"],"memo":"transfer cards for gpk.battles playing"}
warning: transaction executed locally, but may not be confirmed by the network yet ]
```

Post

sassets

offers

offers

sassets

snttassets

stat

tokenconfigs

Enter Parameters

Scope

gbuser111113

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

No Data

cardwallet

cardwallet

Enter Parameters

Scope

gbuser111113

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	card_id (key)	contract_ac	usage_status
1	100000000007714	simpleassets	available
2	100000000007716	simpleassets	available
3	100000000007722	simpleassets	available

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gbuser111113

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

No Data

2. gbuser111113 select 3 cards

Pre

cardwallet

cardwallet

Enter Parameters

Scope

gbuser111113

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	card_id (key)	contract_ac	usage_status
1	100000000007714	simpleassets	available
2	100000000007716	simpleassets	available
3	100000000007722	simpleassets	available

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gbuser111113

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	balance
1	1.00000000 WAX

players

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gpkbattlesc1

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["gbuser111112","gbuser111114","gbuser111121","gbuser111115","gbuser111122","gbuser111111"]

Activity

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111113", "simpleassets", "100000000007714", "100000000007716", "100000000007722"]' -p gbuser111113@active
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: the player - gbuser111113 is not in the gamefee wallet table.
pending console output:
```

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111113", "simpleassets", "100000000007714", "100000000007716", "100000000007722"]' -p gbuser111113@active
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: The player - gbuser111113 has no min. balance i.e. '1.00000000 WAX' in the gamefee wallet.
pending console output:
```

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111113", "simpleassets", "100000000007714", "100000000007716", "100000000007722"]' -p gbuser111113@active
executed transaction: 6f783bd5fed6e6045fd731186a7f77d55a95bd007024dc68e6da936a3475de5 136 bytes 517 us
# gpkbattlesc1 <= gpkbattlesc1::sel3card
{"player":"gbuser111113","asset_contract_ac":"simpleassets","card1_id":"100000000007714","card2_id":...
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player":"gbuser111113","card_id":"100000000007714","status":"selected"}
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player":"gbuser111113","card_id":"100000000007716","status":"selected"}
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player":"gbuser111113","card_id":"100000000007722","status":"selected"}
# gpkbattlesc1 <= gpkbattlesc1::empifypayer
{"asset_contract_ac":"simpleassets","player":"gbuser111113"}
warning: transaction executed locally, but may not be confirmed by the network yet }
```

Post

cardwallet

cardwallet

Enter Parameters

Scope

gbuser111113

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	card_id (key)	contract_ac	usage_status
1	100000000007714	simpleassets	selected
2	100000000007716	simpleassets	selected
3	100000000007722	simpleassets	selected

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gbuser111113

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	balance
1	1.00000000 WAX

players

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gpkbattlesc1

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["gbuser111112","gbuser111114","gbuser111121","gbuser111115","gbuser111122","gbuser111111","gbuser111113"]

players

Activity

Post

ongamestat

configs

greewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gpkbattles1

Search...

Search...

100

Refresh

Table Result

No Data

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuser111113

Search...

Search...

100


 Refresh

Table Result

#	balance
1	1.00000000 WAX

players

configs

gfwallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gpkbattlesc1

Search...

Search...

100

Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["gbuser111112","gbuser111114","gbuser111121","gbuser111115","gbuser111111"]

ongamestat

[illegible]

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gbuser111113

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table


 Refresh

Table Result

#	balance
1	1.00000000 WAX

gbuser111113

Pre

ongamestat

[illegible]

gfeewallet

configs

gfoewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

guser111113

Search...

Search...

100

Refresh

Table Result

#	balance
1	1.00000000 WAX

Activity

```
$ cleoswt push action gpkbattlescl play '["10001739128875"]' -p gpkbattlescl@systemkeys

Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: the player - gbuster11113 is not in the gamefee wallet table.
pending console output:
```

```
$ cleoswt push action gpkbattlescl play '["10001739128875"]' -p gpkbattlescl@systemkeys

Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: the player - gbuster11122 is not in the gamefee wallet table.
pending console output:
```

```
$ cleoswt push action gpkbattlescl play '['10001739128875']' -p gpkbattlesclsystemkeys
executed transaction: 71cd84e4d0acbab843b9f3fc4c9abc8ce3c3ab2bb286230a66149fc3c6c3gae 104 bytes 331
us
# gpkbattlescl == gpkbattlescl::play {"game_id":"'10001739128875'"
# gpkbattlescl == gpkbattlescl::inldecplbal {"player":"'gbuser111113","qty":"'1.00000000 WAX'"
# gpkbattlescl == gpkbattlescl::inldecplbal {"player":"'gbuser111122","qty":"'1.00000000 WAX'"
# org.wax == org.wax::requestrand
{"assoc":"'10001739128875","signing_value":"'13967546786151424246","caller":"'gpkbattlescl'"
warning: transaction executed locally, but may not be confirmed by the network yet }
```

Post

ongamestat

[illegible]

gfeewallet

configs

gfreevalist

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuser111113

Search...

Search...

100

Refresh

Table Result

No Data

configs

gfeowallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuster111122

Search...

Search...

100

Refresh

Table Result

No Data

contract account

Pre

Activity

Post

ongamestat

accounts

players

cardwallet

ongamestat

accounts

players

usergamestat

cardwallet

```
1.  
  "more": false,  
  "next_key": ""  
}
```

```

$ cleoswt push action gpkbattlescl disncards '{"10001739128875"}' -p gpkbattlescl@systemkeys
executed transaction: 6ed0471259eb4df98037ba087079c02c68ed1cc68df3d2f8c2fbfaea4035fd 184 bytes 606
us
# gpkbattlescl <= gpkbattlescl::disncards {"game_id":"10001739128875"}
# gpkbatescrow <= gpkbatescrow::disburse {"game_id":"10001739128875"}
# gpkbattlescl <= gpkbattlescl::moergameinfo {"game_id":"10001739128875","message":"your game with
id: '10001739128875' is moved to 'usergamestat...'
# eosio.token <= eosio.token::transfer {"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# eosio.token <= eosio.token::transfer {"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# gpkbattlescl <= gpkbattlescl::sendalert {"user":"gbuster11113","message":"your game with id:
'10001739128875' is moved to 'usergamestat' tab..."}
# gpkbattlescl <= gpkbattlescl::sendalert {"user":"gbuster11122","message":"your game with id:
'10001739128875' is moved to 'usergamestat' tab..."}
# gpkbattlescl <= eosio.token::transfer {"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# gpkbatincome <= eosio.token::transfer {"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# gpkbattlescl <= eosio.token::transfer {"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# gpkbatincome <= eosio.token::transfer {"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# gbuster11113 <= gpkbattlescl::sendalert {"user":"gbuster11113","message":"your game with id:
'10001739128875' is moved to 'usergamestat' tab..."}
# gbuster11122 <= gpkbattlescl::sendalert {"user":"gbuster11122","message":"your game with id:
'10001739128875' is moved to 'usergamestat' tab..."}
warning: transaction executed locally, but may not be confirmed by the network yet ]

```

RUN-3

1. **gbuser111115** transfer desired cards to escrow contract **gpkbatescrow**

Pre

sassets

offers

offers

assets

simpleassets

stat

tokenconfigs

Enter Parameters

Scope

gbuser111115

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	id (key)	owner	author	category	ldata	mdata
1	10000000007694	gbuser111115	gpkbattlesco	exotic	0	["backing":"QmYkMDk81d8ToHhHfWpeESF3Npfu673NrbPGKG8e25/back/13"]
2	10000000007703	gbuser111115	gpkbattlesco	exotic	0	["backing":"QmYkMDk81d8ToHhHfWpeESF3Npfu673NrbPGKG8e25/back/6.jp"]
3	10000000007712	gbuser111115	gpkbattlesco	exotic	0	["backing":"QmYkMDk81d8ToHhHfWpeESF3Npfu673NrbPGKG8e25/back/12"]
4	10000000007721	gbuser111115	gpkbattlesco	exotic	0	["backing":"QmYkMDk81d8ToHhHfWpeESF3Npfu673NrbPGKG8e25/back/14"]

Activity

```
$ cleoswt push action simpleassets transfer '{"from": "gbuser111115", "to": "gpkbatescrow", "assetIds": ["10000000007694", "10000000007712", "10000000007721"], "memo": "transfer cards for gpk.battles playing"}' -p gbuser111115@active
executed transaction: 131b0a9caa0ac280c055b4dcc3305fcae3064212aa1705796f1b971bf1459216 216 bytes 624 us
# simpleassets <= simpleassets::transfer {"from":"gbuser111115","to":"gpkbatescrow","assetIds":["10000000007694","10000000007712","10000000007721"], "memo": "transfer cards for gpk.battles playing"}
# gbuser111115 <= simpleassets::transfer {"from":"gbuser111115","to":"gpkbatescrow","assetIds":["10000000007694","10000000007712","10000000007721"], "memo": "transfer cards for gpk.battles playing"}
# gpkbatescrow <= simpleassets::transfer {"from":"gbuser111115","to":"gpkbatescrow","assetIds":["10000000007694","10000000007712","10000000007721"], "memo": "transfer cards for gpk.battles playing"}
warning: transaction executed locally, but may not be confirmed by the network yet ]
```

Post

sassets

offers

offers

assets

simpleassets

stat

tokenconfigs

Enter Parameters

Scope

gbuser111115

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	id (key)	owner	author	category	ldata	mdata
1	10000000007703	gbuser111115	gpkbattlesco	exotic	0	["backing":"QmYkMDk81d8ToHhHfWpeESF3Npfu673NrbPGKG8e25/back/6.jp"]

cardwallet

cardwallet

Enter Parameters

Scope

gbuser111115

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

No Data

cardwallet

cardwallet

Enter Parameters

Scope

gbuser111115

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	card_id (key)	contract_ac	usage_status
1	10000000007694	simpleassets	available
2	10000000007712	simpleassets	available
3	10000000007721	simpleassets	available

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gbuser111115

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

No Data

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gbuser111115

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

No Data

2. gbuser111115 select 3 cards

Pre

cardwallet

cardwallet

Enter Parameters

Scope

gbuser111115

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	card_id (key)	contract_ac	usage_status
1	10000000007694	simpleassets	available
2	10000000007712	simpleassets	available
3	10000000007721	simpleassets	available

gfeewallet

configs gfeewallet ongamestat players usergamestat

Enter Parameters

Scope

gbuser111115

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	balance
1	1.00000000 WAX

players

configs gfeewallet ongamestat players usergamestat

Enter Parameters

Scope

gpkbattlesc1

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["gbuser111114","gbuser111121","gbuser111111","gbuser111112"]

Activity

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111115", "simpleassets", "10000000007694", "10000000007712", "10000000007721"]' -p gbuser111115@active
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: the player - gbuser111115 is not in the gamefee wallet table.
pending console output:
```

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111115", "simpleassets", "10000000007694", "10000000007712", "10000000007721"]' -p gbuser111115@active
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: The player - gbuser111115 has no min. balance i.e. '1.00000000 WAX' in the gamefee wallet.
pending console output:
```

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111115", "simpleassets", "10000000007694", "10000000007712", "10000000007721"]' -p gbuser111115@active
executed transaction: 328666f9d1c9f997ce9f163a9d221aac7674b0434e7f4b8a835d0d572065ff37 136 bytes 499 us
# gpkbattlesc1 <= gpkbattlesc1:sel3card
{"player":"gbuser111115","asset_contract_ac":"simpleassets","card1_id":"10000000007694","card2_id":...
# gpkbatescrow <= gpkbatescrow:setcstatus
{"player":"gbuser111115","card_id":"10000000007694","status":"selected"}
# gpkbatescrow <= gpkbatescrow:setcstatus
{"player":"gbuser111115","card_id":"10000000007712","status":"selected"}
# gpkbatescrow <= gpkbatescrow:setcstatus
{"player":"gbuser111115","card_id":"10000000007721","status":"selected"}
# gpkbattlesc1 <= gpkbattlesc1:empifyplayer
{"asset_contract_ac":"simpleassets","player":"gbuser111115"}
warning: transaction executed locally, but may not be confirmed by the network yet ]
```

Post

cardwallet

cardwallet

Enter Parameters

Scope

gbuser111115

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	card_id (key)	contract_ac	usage_status
1	10000000007694	simpleassets	selected
2	10000000007712	simpleassets	selected
3	10000000007721	simpleassets	selected

gfeewallet

configs gfeewallet ongamestat players usergamestat

Enter Parameters

Scope

gbuser111115

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	balance
1	1.00000000 WAX

players

configs gfeewallet ongamestat players usergamestat

Enter Parameters

Scope

gpkbattlesc1

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["gbuser111114","gbuser111121","gbuser111111","gbuser111112","gbuser111115"]

Activity

Post

players

ongamestat

configs

greewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gpkbattlesc1

Search...

Search...

100


 Refresh

Table Result

No Data

gfeewallet

configs

greewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuser111115

Search...

Search...

100

Refresh

Table Result

#	balance
1	1.00000000 WAX

Activity

Post

ongamestat

```
> cinsert get table gubkhattiesci gubkhattiesci ongemstat --show-payer --lower 1000073961368 --limit 1  
"rows": [{  
  "data": {  
    "game_id": "1000073961368",  
    "player_1": "gshuse111111",  
    "player_2": "gshuse111111",  
    "game_fee": "1.000000000 MAX",  
    "pl_gfes_deducted": "x",  
    "m2_gfes_deducted": "x",  
    "asset_contract_addr": "simpleassets",  
    "player1_cards": [],  
    "player2_cards": [],  
    "player1_cards_combo": "",  
    "player2_cards_combo": "",  
    "start_timestamp": 1615785104,  
    "end_timestamp": 0,  
    "result": "draw",  
    "winner": "",  
    "loser": "",  
    "winner_transfer_cards": [],  
    "loser_transfer_cards": [],  
    "card_won": 0,  
    "status": "waitforidraw",  
    "random_val": "aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa",  
    "draw_count": 1,  
    "ndraw_count": 0,  
    "total_play_count": 1  
  },  
  "payer": "gubkhattiesci"  
},  
],  
"more": false,  
"next_key": ""
```

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuser111115

Search...

Search...

100

Refresh

Table Result

No Data

5. gbuser111115 gbuser111112 select 3 cards again

Pre

cardwallet

Activity

Post

cardwallet

cardwallet

Enter Parameters

Scopegbuser111115Lower Bound:Search...Upper Bound:Search...Limit100Refresh TableRefresh

Table Result

#	card_id(key)	contract_ac	usage_status
1	10000000007694	simpleassets	selected
2	10000000007712	simpleassets	selected
3	10000000007721	simpleassets	selected

cardwallet

Enter Parameters

Scopegbuser111112Lower Bound:Search...Upper Bound:Search...Limit100Refresh TableRefresh

Table Result

#	card_id(key)	contract_ac	usage_status
1	10000000007693	simpleassets	selected
2	10000000007695	simpleassets	selected
3	10000000007697	simpleassets	selected

gfeewallet

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scopegbuser111115Lower Bound:Search...Upper Bound:Search...Limit100Refresh TableRefresh

Table Result

No Data

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scopegbuser111112Lower Bound:Search...Upper Bound:Search...Limit100Refresh TableRefresh

Table Result

No Data

players

players

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scopegpkbattlesc1Lower Bound:Search...Upper Bound:Search...Limit100Refresh TableRefresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["gbuser111114"]

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111115", "simpleassets", "10000000007694", "10000000007712", "10000000007721"]' -p gbuser111115@active
executed transaction: 10faab0cd35640c8dbfe170c78a4af16d2554171fbee6fa8b25be6904a57a95b 136 bytes 442 us
# gpkbattlesc1 <= gpkbattlesc1::sel3card
{"player":"gbuser111115","asset_contract_ac":"simpleassets","card1_id":"10000000007694","card2_id":...
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player":"gbuser111115","card_id":"10000000007694","status":"selected"}
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player":"gbuser111115","card_id":"10000000007712","status":"selected"}
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player":"gbuser111115","card_id":"10000000007721","status":"selected"}
warning: transaction executed locally, but may not be confirmed by the network yet }
```

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111112", "simpleassets", "10000000007693", "10000000007695", "10000000007697"]' -p gbuser111112@active
executed transaction: 635e63fd5d2a25b0e0b3e2609f8713647c08a78496a98de135b46ff5dfb6a3ed 136 bytes 564 us
# gpkbattlesc1 <= gpkbattlesc1::sel3card
{"player":"gbuser111112","asset_contract_ac":"simpleassets","card1_id":"10000000007693","card2_id":...
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player":"gbuser111112","card_id":"10000000007693","status":"selected"}
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player":"gbuser111112","card_id":"10000000007695","status":"selected"}
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player":"gbuser111112","card_id":"10000000007697","status":"selected"}
warning: transaction executed locally, but may not be confirmed by the network yet }
```

6. `gbuser111115` play again for last time

Pre

Activity

Post

ongamestat

accounts

players

ongamestat

usergamestat

accounts

players

cardwallet

cardwallet

THANKS

