

GPK.Battles Game

Testing Report

ABHIJIT ROY

Content

- Run-4
- Run-5
- Run-6

RUN-4

1. gbuser111114 transfer desired cards to escrow contract gpkbatescrow

Pre

sassets

offersofferssassetsnftassetsstattokenconfigs

Enter Parameters

Scopegbuser111114

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh TableRefresh

Table Result

#	Id (key)	owner	author	category	ldata	mdata
1	100000000007691	gbuser111114	gpkbattlesco	exotic	[]	["backing":"QmYkMDk81d8ToI4NHfWpeESF3Npfd671NrbPKiKG2e25/back/3.jp
2	100000000007702	gbuser111114	gpkbattlesco	exotic	[]	["backing":"QmYkMDk81d8ToI4NHfWpeESF3Npfd671NrbPKiKG2e25/back/11.jp
3	100000000007709	gbuser111114	gpkbattlesco	exotic	[]	["backing":"QmYkMDk81d8ToI4NHfWpeESF3Npfd671NrbPKiKG2e25/back/3.jp
4	100000000007711	gbuser111114	gpkbattlesco	exotic	[]	["backing":"QmYkMDk81d8ToI4NHfWpeESF3Npfd671NrbPKiKG2e25/back/6.jp

Activity

```
$ cleoswt push action simpleassets transfer '{"from": "gbuser111114", "to": "gpkbatescrow", "assetids": ["100000000007691", "100000000007702", "100000000007711"]', "memo": "transfer cards for gpk.battles playing"}' -p gbuser111114@active
executed transaction: 7f5795c58c226921af45e93c488d449c8fd609287e1212bb241afecdf380410d 216 bytes 591 us
# simpleassets <= simpleassets::transfer {"from":"gbuser111114","to":"gpkbatescrow","assetids":["100000000007691","100000000007702","100000000007711"]}
# gbuser111114 <= simpleassets::transfer {"from":"gbuser111114","to":"gpkbatescrow","assetids":["100000000007691","100000000007702","100000000007711"]}
# gpkbatescrow <= simpleassets::transfer {"from":"gbuser111114","to":"gpkbatescrow","assetids":["100000000007691","100000000007702","100000000007711"]}
warning: transaction executed locally, but may not be confirmed by the network yet ]
```

Post

sassets

offersofferssassetsnftassetsstattokenconfigs

Enter Parameters

Scopegbuser111114

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh TableRefresh

Table Result

#	Id (key)	owner	author	category	ldata	mdata
1	100000000007709	gbuser111114	gpkbattlesco	exotic	[]	["backing":"QmYkMDk81d8ToI4NHfWpeESF3Npfd671NrbPKiKG2e25/back/3.jp

cardwallet

cardwallet

Enter Parameters

Scopegbuser111114

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh TableRefresh

Table Result

#	card_id (key)	contract_ac	usage_status
1	100000000007691	simpleassets	available
2	100000000007702	simpleassets	available
3	100000000007711	simpleassets	available

cardwallet

cardwallet

Enter Parameters

Scopegbuser111114

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh TableRefresh

Table Result

No Data

gfeewallet

configs gfeewallet ongamestat players usergamestat

Enter Parameters

Scopegbuser111114

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh TableRefresh

Table Result

No Data

gfeewallet

configs gfeewallet ongamestat players usergamestat

Enter Parameters

Scopegbuser111114

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh TableRefresh

Table Result

No Data

2. gbuser111114 select 3 cards

Pre

cardwallet

cardwallet

Enter Parameters

Scope

gbuser111114

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	card_id (key)	contract_ac	usage_status
1	100000000007691	simpleassets	available
2	100000000007702	simpleassets	available
3	100000000007711	simpleassets	available

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gbuser111114

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	balance
1	1.00000000 WAX

players

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gpkbattlesc1

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	[]

Activity

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111114", "simpleassets", "100000000007691", "100000000007702", "100000000007711"]' -p gbuser111114@active
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: the player - gbuser111114 is not in the gamefee wallet table.
pending console output:
```

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111114", "simpleassets", "100000000007691", "100000000007702", "100000000007711"]' -p gbuser111114@active
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: The player - gbuser111114 has no min. balance i.e. '1.00000000 WAX' in the gamefee wallet.
pending console output:
```

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111114", "simpleassets", "100000000007691", "100000000007702", "100000000007711"]' -p gbuser111114@active
executed transaction: a407a2d657a177bc8876feab3974261db72deab0578b79de147698165fd44af 136 bytes 586 us
# gpkbattlesc1 <= gpkbattlesc1::sel3card
{"player": "gbuser111114", "asset_contract_ac": "simpleassets", "card1_id": "100000000007691", "card2_id": "...
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player": "gbuser111114", "card_id": "100000000007691", "status": "selected"}
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player": "gbuser111114", "card_id": "100000000007702", "status": "selected"}
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player": "gbuser111114", "card_id": "100000000007711", "status": "selected"}
# gpkbattlesc1 <= gpkbattlesc1::emp(fyplayer
{"asset_contract_ac": "simpleassets", "player": "gbuser111114"}
warning: transaction executed locally, but may not be confirmed by the network yet ]
```

Post

cardwallet

cardwallet

Enter Parameters

Scope

gbuser111114

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	card_id (key)	contract_ac	usage_status
1	100000000007691	simpleassets	selected
2	100000000007702	simpleassets	selected
3	100000000007711	simpleassets	selected

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gbuser111114

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	balance
1	1.00000000 WAX

players

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gpkbattlesc1

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["gbuser111114"]

3. `gbuser111114` pairs with a player

Pre

players

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gpkbattles1

Search...

Search...

100


 Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["gbuster111114","gbuser111121"]

ongamestat

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gpkbattlesc1

Search...

Search...

100

Refresh

Table Result

No Data

gfeewallet

configs

gfreewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

guser111114

Search...

Search...

100


 Refresh

Table Result

#	balance
1	1.00000000 WAX

Activity

```
# cleosuit push action gpkbattlescl pairwplayer '{"gbuser111114", "simpleassets"}' -p gpkbattlescl111140active
executed transaction: 018a4a8ed46d742ed5b7c7c421d09cb3a8c42e837a0e08386fa3b96cfff19b1 112 bytes 693 us
# gpkbattlescl <= gpkbattlescl:pairwplayer
{"player_1":"gbuser111114","asset_contract_ac":"simpleassets"}
warning: transaction executed locally, but may not be confirmed by the network yet ]
```

Post

players

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gpkbattles1

Search...

Search...

100

Refresh

Table Result

#	asset_contract_ac(key)	players_list
1	simpleassets	[]

ongamestat

[illegible]

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuser111114

Search...

Search...

100


 Refresh

Table Result

#	balance
1	1.00000000 WAX

gbuser111114

Pre

ongamestat

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbruser1111114

Search...

Search...

100


 Refresh

Table Result

#	balance
1	1.00000000 WAX

Activity

```

$ cleoswt push action gpkbattlescl play '[{"10001739297352"}]' -p gpkbattlescl@systemkeys
executed transaction: b1fdc728abb0bc1ec1306c477ad856ca10d1b3c0bdf30a5576fbaa2753cc2248 104 bytes 674
us
# gpkbattlescl <= gpkbattlescl:play {"game_id":"10001739297352"}
# gpkbattlescl <= gpkbattlescl:indecrlbal {"player":"guser111114","qty":"1.00000000 WAX"}
# gpkbattlescl <= gpkbattlescl:indecrlbal {"player":"guser111121","qty":"1.00000000 WAX"}
# gpkbatescrow <= gpkbatescrow:setstatus
{"player":"guser111114","card_id":"100000000007691","status":"available"}
# gpkbatescrow <= gpkbatescrow:setstatus
{"player":"guser111114","card_id":"100000000007702","status":"available"}
# gpkbatescrow <= gpkbatescrow:setstatus
{"player":"guser111114","card_id":"100000000007711","status":"available"}
# gpkbatescrow <= gpkbatescrow:setstatus
{"player":"guser111121","card_id":"100000000007705","status":"available"}
# gpkbatescrow <= gpkbatescrow:setstatus
{"player":"guser111121","card_id":"100000000007707","status":"available"}
# gpkbatescrow <= gpkbatescrow:setstatus
{"player":"guser111121","card_id":"100000000007727","status":"available"}
# gpkbattlescl <= gpkbattlescl:sendalert {"user":"guser111114","message":"You have one last chance to select card, as game with id: 1000173..."
# gpkbattlescl <= gpkbattlescl:sendalert {"user":"guser111121","message":"You have one last chance to select card, as game with id: 1000173..."
# guser111114 <= gpkbattlescl:sendalert {"user":"guser111114","message":"You have one last chance to select card, as game with id: 1000173..."
# guser111121 <= gpkbattlescl:sendalert {"user":"guser111121","message":"You have one last chance to select card, as game with id: 1000173..."
warning: transaction executed locally, but may not be confirmed by the network yet
]

```

Post

ongamestat

```
$ cleosat get table gpkbbattlescl gpkbbattlescl ongamestat --show-payer  
{  
  "rows": [{  
    "data": {  
      "game_id": "10001739297352",  
      "player_1": "gbuser111114",  
      "player_2": "gbuser111121",  
      "game_fee": "1.00000000 MAX",  
      "p1_gfee_deducted": "y",  
      "p2_gfee_deducted": "y",  
      "asset_contract_ac": "simpleassets",  
      "player1_cards": [],  
      "player2_cards": [],  
      "player1_cards_combo": "",  
      "player2_cards_combo": "",  
      "start_timestamp": 1615041159,  
      "end_timestamp": 0,  
      "result": "draw",  
      "winner": "",  
      "loser": "",  
      "winner_transfer_cards": [],  
      "loser_transfer_cards": [],  
      "card_won": 0,  
      "status": "waitdeldraw",  
      "random_value": "oooooooooooooooooooooooooooooooooooooooooooo",  
      "draw_count": 1,  
      "nodraw_count": 0,  
      "total_play_count": 1  
    },  
    "payer": "gpkbbattlescl"  
  }],  
  "more": false,  
  "next_key": ""  
}
```

gfeewallet

configs

gfwallet

onrganestat

players

usergamestat

Enter Parameters

Scope

Lower Bounds

Upper Bounds

Limit

Refresh Table

gbuser1111114

Search...

Search...

100

Refresh

Table Result

No Data

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuser111121

Search...

Search...

100

Refresh

Table Result

No Data

5. `gbuser111121` select 3 cards, but `gbuser111114` doesn't

Pre

cardwallet

Enter Parameters

Input	Lower Bound	Upper Bound	Limit	Action
Input given110221	<input type="text"/>	<input type="text"/>	100	Add New

Table Result

#	card_id(Sys)	contract_no	usage_status
1	S000000000000705	contracts	available
2	S000000000000707	contracts	available
3	S000000000000712	contracts	available

Enter Parameters

Name:	Lower Bound:	Upper Bound:	Limit:	Action: Click
guess 111114	Search:	Search:	100	Click Buttons

Table Result

#	cmd_id[hex]	cmdstr_hex	usage_title
1	1000000000000000f015	stripHexStr	available
2	1000000000000000f02	stripHexStr	available
3	1000000000000000f11	stripHexStr	available

gfeewallet

[config](#)
[glomerul](#)
[organomet](#)
[players](#)
[unorganomet](#)

Enter Parameters

Scope	Lower Bound:	Upper Bound:	Limit	Refresh Table
glomer111321	<input type="text" value="Search..."/>	<input type="text" value="Search..."/>	100	Refresh

Table Result

No Data

config

flowchart

organizational

showers

userparameter

Enter Parameters

Scope	Lower Bound:	Upper Bound:	Limit	Refresh Table
ghisler111114	<input type="text" value="Search..."/>	<input type="text" value="Search..."/>	300	Refresh

Table Result

No Data

players

configs

feewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gukbattles1

Search...

Search...

100



 Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	

Activity

```
$ cleoswt push action gpkbbattles1 sel3card '{"player":"11121", "simpleassets": "10000000000705", "100000000007707", "10000000000727"}' -p gbuserr11121gactev
executed transaction: 37caa26e6a0c6d5347e48c81007f896f71e4c17f6dd272b3f39fc3d72625 136 bytes 584
us
# gpkbbattles1 <=> gpkbbattles1:sel3card
{"player":"gbuserr11121","asset_contract":{"simpleassets"},"card_id":"100000000007705","card_id":...
# gpkbatescrow <=> gpkbatescrow:setstatus
{"player":"gbuserr11121","card_id":"100000000007705","status":"selected"}
# gpkbatescrow <=> gpkbatescrow:setstatus
{"player":"gbuserr11121","card_id":"100000000007707","status":"selected"}
# gpkbatescrow <=> gpkbatescrow:setstatus
{"player":"gbuserr11121","card_id":"100000000007727","status":"selected"}
warning: transaction executed locally, but may not be confirmed by the network yet ]
```

Post

cardwallet

Loadable

Enter Parameters

Lower Bound

Upper Bound

Limit

Refresh

ghow-111111

Search...

Search...

100

IC Filter

Table Result

#	cat_id[Key]	control_cat	savage_status
1	32000000000000007505	singhasasto	affected
2	30000000000000007507	singhasasto	affected
3	30000000000000007527	singhasasto	unaffected

gettable

submitter

Enter Parameters

Name

Lower Bound

Upper Bound

Limit

Default Value

ghost/11111114

None

None

100

Get Results

Table Result

#	conf_id[hex]	CONFID_AC	snapo_status
1	10000000000070F5	dingbeisets	available
2	10000000000070D2	dingbeisets	available
3	100000000000711C	dingbeisets	available

ongamestat

```
> clemson get table gahabattlesci gahabattlesci ongamestat --show_payer
{
  "room": {
    "data": {
      "game_id": "1688173929393",
      "player_1": "gahabattlesci1",
      "player_2": "gahabattlesci2",
      "game_event": "1. drawhouse card",
      "pl_gfx deducted": "y",
      "pl_gfx deducted": "y",
      "asset_contract_id": "1616666666",
      "player1_cards": [],
      "player2_cards": [
        "10000000007785",
        "10000000007785",
        "10000000007785"
      ],
      "player1_cards_combo": [],
      "player2_cards_combo": "xals",
      "start_timestamp": 1615043159,
      "end_timestamp": 0,
      "result": "draw",
      "winner": "",
      "loser": "",
      "winner_transfer_cards": [],
      "loser_transfer_cards": [],
      "card_suit": 0,
      "status": "waitingdraw",
      "drawhouse_card": "10000000007785",
      "draw_count": 1,
      "drawhouse_count": 1,
      "total_play_count": 1
    },
    "payer": "gahabattlesci"
  },
  "more": false,
  "next_key": ""
}
```

gfeewallet

Enter Parameters

Scope	Lower Bound	Upper Bound	Unit	Network Tables
glower111121	Search...	Search...	100	Edit Table

Table Result

No Data

Enter Parameters

Scope	Lower Bound:	Upper Bound:	Limit	Refresh Table
glowr 1111134	<input type="text" value="Search..."/>	<input type="text" value="Search..."/>	100	<input type="button" value="C Refresh"/>

Table Result

No Data

players

configs

freewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gpkbattlesc1

Search...

Search...

100


 Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	[]

6. After 1-draw, delete game row for at least 1 defaulter i.e.

gbuser111114

Pre

Activity

Post

cardwallet

accounts

cardwallet

accounts

ongamestat

ongamestat

gfeewallet

gfeewallet

players

players

```
$ cleoswt push action gpkbattlesc1 deldrawgame '{"game_id": "10001739297352", "defaulter_pl_list": ["gbuser111112"]}' -p gpkbattlesc1@systemkeys
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: defaulter_pl doesn't exist either as player_1 or player_2
pending console output:
```

```
$ cleoswt push action gpkbattlesc1 deldrawgame '{"game_id": "10001739297352", "defaulter_pl_list": ["gbuser111112", "gbuser111115"]}' -p gpkbattlesc1@systemkeys
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: The parsed defaulter_pl_list count doesn't match with that of the computed_defaulter_pl_list. Please parse the actual no. of defaulter players.
pending console output:
```

```
$ cleoswt push action gpkbattlesc1 deldrawgame '{"game_id": "10001739297352", "defaulter_pl_list": ["gbuser111121"]}' -p gpkbattlesc1@systemkeys
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: defaulter player has selected cards. So, gbuser111121 is not a defaulter.
pending console output:
```

```
$ cleoswt push action gpkbattlesc1 deldrawgame '{"game_id": "10001739297352", "defaulter_pl_list": ["gbuser111114"]}' -p gpkbattlesc1@systemkeys
executed transaction: 7a1e3b0d9806a741e793f7c158769f5b0c96156223726a5ad1145eadab09d 112 bytes 595 us
# gpkbattlesc1 <- gpkbattlesc1:deldrawgame {"game_id": "10001739297352", "defaulter_pl_list": ["gbuser111114"]}
# eosio.token <-> eosio.token:transfer
{"from": "gpkbattlesc1", "to": "gbuser111121", "quantity": "1.00000000 WAX", "memo": "transfer game fee to ..."}
# eosio.token <-> eosio.token:transfer
{"from": "gpkbattlesc1", "to": "gpkbattlesc1", "quantity": "1.00000000 WAX", "memo": "transfer game fee for ..."}
# gpkbatescrow <-> gpkbatescrow:setstatus
{"player": "gbuser111121", "card_id": "1000000000007700", "status": "available"}
# gpkbatescrow <-> gpkbatescrow:setstatus
{"player": "gbuser111121", "card_id": "1000000000007700", "status": "available"}
# gpkbattlesc1 <-> eosio.token:transfer
{"from": "gpkbattlesc1", "to": "gbuser111121", "quantity": "1.00000000 WAX", "memo": "transfer game fee to ..."}
# gpkbattlesc1 <-> eosio.token:transfer
{"from": "gpkbattlesc1", "to": "gbuser111121", "quantity": "1.00000000 WAX", "memo": "transfer game fee for ..."}
# gpkbattlesc1 <-> eosio.token:transfer
{"from": "gpkbattlesc1", "to": "gpkbattlesc1", "quantity": "1.00000000 WAX", "memo": "transfer game fee for ..."}
# gpkbattlesc1 <-> eosio.token:transfer
{"from": "gpkbattlesc1", "to": "gpkbattlesc1", "quantity": "1.00000000 WAX", "memo": "transfer game fee for ..."}
warning: transaction executed locally, but may not be confirmed by the network yet
```

cardwallet

Enter Parameters

Scope: gbuser111121 Lower Bound: Search... Upper Bound: Search... Limit: 100 Refresh Table

Table Result

#	card_id(key)	contract_ac	single_status
1	1000000000007700	gpkbattlesc1	available
2	1000000000007700	gpkbattlesc1	available
3	1000000000007700	gpkbattlesc1	available

cardwallet

Enter Parameters

Scope: gbuser111114 Lower Bound: Search... Upper Bound: Search... Limit: 100 Refresh Table

Table Result

#	card_id(key)	contract_ac	single_status
1	1000000000007700	gpkbattlesc1	available
2	1000000000007700	gpkbattlesc1	available
3	1000000000007700	gpkbattlesc1	available

gfeewallet

Enter Parameters

Scope: gbuser111121 Lower Bound: Search... Upper Bound: Search... Limit: 100 Refresh Table

Table Result

No Data

gfeewallet

Enter Parameters

Scope: gbuser111114 Lower Bound: Search... Upper Bound: Search... Limit: 100 Refresh Table

Table Result

No Data

accounts

Enter Parameters

Scope: gpkbattlesc1 Lower Bound: Search... Upper Bound: Search... Limit: 100 Refresh Table

Table Result

#	balance
1	1470.00000000 WAX

ongamestat

Enter Parameters

Scope: gpkbattlesc1 Lower Bound: Search... Upper Bound: Search... Limit: 100 Refresh Table

Table Result

No Data

cardwallet

Enter Parameters

Scope: gbuser111121 Lower Bound: Search... Upper Bound: Search... Limit: 100 Refresh Table

Table Result

#	card_id(key)	contract_ac	single_status
1	1000000000007700	gpkbattlesc1	available
2	1000000000007700	gpkbattlesc1	available
3	1000000000007700	gpkbattlesc1	available

cardwallet

Enter Parameters

Scope: gbuser111114 Lower Bound: Search... Upper Bound: Search... Limit: 100 Refresh Table

Table Result

#	card_id(key)	contract_ac	single_status
1	1000000000007700	gpkbattlesc1	available
2	1000000000007700	gpkbattlesc1	available
3	1000000000007700	gpkbattlesc1	available

gfeewallet

Enter Parameters

Scope: gbuser111121 Lower Bound: Search... Upper Bound: Search... Limit: 100 Refresh Table

Table Result

No Data

gfeewallet

Enter Parameters

Scope: gbuser111114 Lower Bound: Search... Upper Bound: Search... Limit: 100 Refresh Table

Table Result

No Data

players

Enter Parameters

Scope: gpkbattlesc1 Lower Bound: Search... Upper Bound: Search... Limit: 100 Refresh Table

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	[]

players

Enter Parameters

Scope: gpkbattlesc1 Lower Bound: Search... Upper Bound: Search... Limit: 100 Refresh Table

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	[]

RUN-5

1. gbuser111113 transfer desired cards to escrow contract gpkbatescrow

Pre

sassets

offersofferssassets

snttassetsstattokenconfigs

Enter Parameters

Scopegbuser111113

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh Table

Table Result

#	id (key)	owner	author	category	ldata	mdata
1	100000000007714	gbuser111113	gpkbattlesco	exotic	0	["backing","QnYMD4B1d8TdR4nfVpeESF3NpAd671N6PKKG8a25/back/1.js"]
2	100000000007716	gbuser111113	gpkbattlesco	exotic	0	["backing","QnYMD4B1d8TdR4nfVpeESF3NpAd671N6PKKG8a25/back/2.js"]
3	100000000007722	gbuser111113	gpkbattlesco	exotic	0	["backing","QnYMD4B1d8TdR4nfVpeESF3NpAd671N6PKKG8a25/back/10.js"]

cardwallet

cardwallet

Enter Parameters

Scopegbuser111113

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh Table

Table Result

No Data

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scopegbuser111113

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh Table

Table Result

No Data

Activity

```
$ cleoswt push action simpleassets transfer '{"from": "gbuser111113", "to": "gpkbatescrow", "assetids": ["100000000007714", "100000000007716", "100000000007722"], "memo": "transfer cards for gpk.battles playing"}' -p gbuser111113@active

executed transaction: f46b1c8277b46974d11ba31b86172df224eef1e42dd3ed9e0dd6221781ed552d 216 bytes 571 us
# simpleassets <= simpleassets::transfer {"from":"gbuser111113","to":"gpkbatescrow","assetids":["100000000007714","100000000007716","100000000007716"],"memo":"transfer cards for gpk.battles playing"}
# gbuser111113 <= simpleassets::transfer {"from":"gbuser111113","to":"gpkbatescrow","assetids":["100000000007714","100000000007716","100000000007716"],"memo":"transfer cards for gpk.battles playing"}
# gpkbatescrow <= simpleassets::transfer {"from":"gbuser111113","to":"gpkbatescrow","assetids":["100000000007714","100000000007716","100000000007716"],"memo":"transfer cards for gpk.battles playing"}
warning: transaction executed locally, but may not be confirmed by the network yet ]
```

Post

sassets

offersofferssassets

snttassetsstattokenconfigs

Enter Parameters

Scopegbuser111113

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh Table

Table Result

No Data

cardwallet

cardwallet

Enter Parameters

Scopegbuser111113

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh Table

Table Result

#	card_id (key)	contract_ac	usage_status
1	100000000007714	simpleassets	available
2	100000000007716	simpleassets	available
3	100000000007722	simpleassets	available

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scopegbuser111113

Lower Bound:Search...

Upper Bound:Search...

Limit100

Refresh Table

Table Result

No Data

2. gbuser111113 select 3 cards

Pre

cardwallet

cardwallet

Enter Parameters

Scope

gbuser111113

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	card_id (key)	contract_ac	usage_status
1	10000000007714	simpleassets	available
2	10000000007716	simpleassets	available
3	10000000007722	simpleassets	available

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gbuser111113

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	balance
1	1.00000000 WAX

players

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gpkbattlesc1

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["gbuser111112","gbuser111114","gbuser111121","gbuser111115","gbuser111122","gbuser111111"]

Activity

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111113", "simpleassets", "10000000007714", "10000000007716", "10000000007722"]' -p gbuser111113@active
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: the player - gbuser111113 is not in the gamefee wallet table.
pending console output:
```

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111113", "simpleassets", "10000000007714", "10000000007716", "10000000007722"]' -p gbuser111113@active
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: The player - gbuser111113 has no min. balance i.e. '1.00000000 WAX' in the gamefee wallet.
pending console output:
```

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111113", "simpleassets", "10000000007714", "10000000007716", "10000000007722"]' -p gbuser111113@active
executed transaction: 6f783bd5fed6e6045fd731186a7f77d55a95bd007024dc68e6da936a3475de5 136 bytes 517 us
# gpkbattlesc1 <= gpkbattlesc1::sel3card
{"player":"gbuser111113","asset_contract_ac":"simpleassets","card1_id":"10000000007714","card2_id":...
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player":"gbuser111113","card_id":"10000000007714","status":"selected"}
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player":"gbuser111113","card_id":"10000000007716","status":"selected"}
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player":"gbuser111113","card_id":"10000000007722","status":"selected"}
# gpkbattlesc1 <= gpkbattlesc1::empifypayer
{"asset_contract_ac":"simpleassets","player":"gbuser111113"}
warning: transaction executed locally, but may not be confirmed by the network yet }
```

Post

cardwallet

cardwallet

Enter Parameters

Scope

gbuser111113

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	card_id (key)	contract_ac	usage_status
1	10000000007714	simpleassets	selected
2	10000000007716	simpleassets	selected
3	10000000007722	simpleassets	selected

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gbuser111113

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	balance
1	1.00000000 WAX

players

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gpkbattlesc1

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["gbuser111112","gbuser111114","gbuser111121","gbuser111115","gbuser111122","gbuser111111","gbuser111113"]

3. `gbuser111113` pairs with a player

Pre

players

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gpkbattles1

Search...

Search...

100


 Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["gbuser1111112","gbuser111114","gbuser111121","gbuser111115","gbuser111122","gbuser111111","gbuser111113"]

ongamestat

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gpkbattlesc1

Search...

Search...

100

Refresh

Table Result

No Data

gfeewallet

configs

gleewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuser111113

Search...

Search...

100


 Refresh

Table Result

#	balance
1	1.00000000 WAX

Activity

```
$ cleoswtx push action gpkbattlescl pairwplayer "[gbuster111113", "simpleassets"] -p
gbuster111113active
  executed transaction: 88c959a756cd613aa482d38c2612949b61af58755f2ea018d86bee0ea4254f  112 bytes  717
  us
# gpkbattlescl <= gpkbattlescl:pairwplayer
  {player_1:"gbuster111113",asset_contract_ac:"simpleassets"}
warning: transaction executed locally, but may not be confirmed by the network yet ]
```

Post

players

configs

gfwcwallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gpkbattlesc1

Search...

Search...

100

Refresh

Table Result

#	asset_contract_ac(key)	players_list
1	simpleassets	["gbuser111112","gbuser111114","gbuser111121","gbuser111115","gbuser111111"]

ongamestat

[illegible]

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuser111113

Search...

Search...

100


 Refresh

Table Result

#	balance
1	1.00000000 WAX

gbuser111113

Pre

ongamestat

[illegible]

gfeewallet

configs

gfoewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuger111113

Search...

Search...

100


 Refresh

Table Result

#	balance
1	1.00000000 WAX

Activity

```
$ cleoswt push action gpkbattle1esc1 play '["10001739128875"]' -p gpkbattle1esc1@systemkeys
```

Error 3050003: eosio_assert_message assertion failure

Error Details:

assertion failure with message: the player - gbuster11113 is not in the gamefee wallet table.

pending console output:

```
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: the player - gbuser111122 is not in the gamefee wallet table.
pending console output:
```

```

$ cleosw push action gpkbattlescl push '{"10001739128875"}' -p gpkbattlesclssystemkeys
executed transaction: 71cd84e4d0cabb843b99f3fc4c9cb8ce3c3ab2b268239a66149f3bc63aae 104 bytes 331
us
# gpkbattlescl <= gpkbattlescl:play {"game_id":"10001739128875"}
# gpkbattlescl <= gpkbattlescl:inlndecpbal {"player":"gbuster111113","qty":"1.00000000 WAX"}
# gpkbattlescl <= gpkbattlescl:inlndecpbal {"player":"gbuster111122","qty":"1.00000000 WAX"}
# org.wax <= org.wax:requestrand
{"assoc_id":"10001739128875","signing_value":"13967546786151424246","caller":"gpkbattlescl"}
warning: transaction executed locally, but may not be confirmed by the network yet

```

Post

ongamestat

[illegible]

gfeewallet

configs

gfeewallet

orgamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuser111113

Search...

Search...

100


 Refresh

Table Result

No Data

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuser111122

Search...

Search...

100


 Refresh

Table Result

No Data

contract account

Pre

Activity

Post

ongamestat

accounts

players

ongamestat

accounts

players

usergamestat

cardwallet

cardwallet

usergamestat

```
$ cleoswt get table gpkbattlescl gbuser111123 usergamestat --show-payer
{
  "rows": [],
  "more": false,
  "next_key": ""
}
```

```
$ cleoswt get table gpkbattlescl gbuser111122 usergamestat --show-payer
{
  "rows": [],
  "more": false,
  "next_key": ""
}
```

```

$ cleoswt push action gpkbattlescl disncards '[{"game_id":"10001739128875"}]' -p gpkbattlescl@systemkeys
executed transaction: 6e0d471259eb4df998b7fba080709c02c687ddcc6df83df28fcbf6aae4035fd 104 bytes 666
us
# gpkbattlescl <= gpkbattlescl:disncards {"game_id":"10001739128875"}
# gpkbatescrow <= gpkbatescrow:disburse {"game_id":"10001739128875"}
# gpkbattlescl <= gpkbattlescl:moergameinfo {"game_id":"10001739128875","message":"your game with
id: '10001739128875' is moved to 'usergamestat...'
# eosio.token <= eosio.token:transfer
{"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# eosio.token <= eosio.token:transfer
{"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# gpkbattlescl <= gpkbattlescl:sendalert {"user":"gbuster11113","message":"your game with id:
'10001739128875' is moved to 'usergamestat' tab...
# gpkbattlescl <= gpkbattlescl:sendalert {"user":"gbuster11112","message":"your game with id:
'10001739128875' is moved to 'usergamestat' tab...
# gpkbattlescl <= eosio.token:transfer
{"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# gpkbatincome <= eosio.token:transfer
{"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# gpkbattlescl <= eosio.token:transfer
{"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# gpkbatincome <= eosio.token:transfer
{"from":"gpkbattlescl","to":"gpkbatincome","quantity":"1.00000000 WAX","memo":"transfer game fee"}
# gbuster11113 <= gpkbattlescl:sendalert {"user":"gbuster11113","message":"your game with id:
'10001739128875' is moved to 'usergamestat' tab...
# gbuster11112 <= gpkbattlescl:sendalert {"user":"gbuster11112","message":"your game with id:
'10001739128875' is moved to 'usergamestat' tab...
warning: transaction executed locally, but may not be confirmed by the network yet ]

```

```
3 clessnet get table gpkbattles1c gbuster111222 usergamestat --show-payer
4
5 "rows": [
6   {
7     "data": {
8       "asset_contract_id": "simpleassets",
9       "game_ids": [
10        "10001739120075"
11      ],
12       "wins": 1,
13       "loses": 0,
14       "draws": 0,
15       "games": 1,
16       "cards_won": [
17        "100000000007722"
18      ],
19       "payer": "gpkbattles1c"
20     },
21     "more": false,
22     "next_key": ""
23   }
24 ]
```

```
$ clocout get table gpkbattlescl guser/111111 usergamestat --show-payer
{"rows": [{"data": {"asset_contract_ac": "simpleassets",
  "game_id": "10001739128875",
  "wins": 0,
  "loses": 0,
  "draws": 0,
  "games": 1,
  "cards_won": []},
  "payer": "gpkbattlescl"}],
  "more": false,
  "next key": ""}
```

RUN-6

1. gbuser111115 transfer desired cards to escrow contract gpkbatescrow

Pre

sassets

offers

offers

assets

simpleassets

stat

tokensconfigs

Enter Parameters

Scope

gbuser111115

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	id (key)	owner	author	category	ldata	mdata
1	10000000007694	gbuser111115	gpkbattlesco	exotic	0	["backing":"QmYkMDk81d8ToHhHfWpeESF3Npfu673NrbPGKG8e25/back/13"]
2	10000000007703	gbuser111115	gpkbattlesco	exotic	0	["backing":"QmYkMDk81d8ToHhHfWpeESF3Npfu673NrbPGKG8e25/back/6.jp"]
3	10000000007712	gbuser111115	gpkbattlesco	exotic	0	["backing":"QmYkMDk81d8ToHhHfWpeESF3Npfu673NrbPGKG8e25/back/12"]
4	10000000007721	gbuser111115	gpkbattlesco	exotic	0	["backing":"QmYkMDk81d8ToHhHfWpeESF3Npfu673NrbPGKG8e25/back/14"]

Activity

```
$ cleoswt push action simpleassets transfer '{"from": "gbuser111115", "to": "gpkbatescrow", "assetIds": ["10000000007694", "10000000007712", "10000000007721"], "memo": "transfer cards for gpk.battles playing"}' -p gbuser111115@active
executed transaction: 131b0a9caa0ac280c055b4dcc3305fcae3064212aa1705796f1b971bf1459216 216 bytes 624 us
# simpleassets <= simpleassets::transfer {"from":"gbuser111115","to":"gpkbatescrow","assetIds":["10000000007694","10000000007712","10000000007721"], "memo": "transfer cards for gpk.battles playing"}
# gbuser111115 <= simpleassets::transfer {"from":"gbuser111115","to":"gpkbatescrow","assetIds":["10000000007694","10000000007712","10000000007721"], "memo": "transfer cards for gpk.battles playing"}
# gpkbatescrow <= simpleassets::transfer {"from":"gbuser111115","to":"gpkbatescrow","assetIds":["10000000007694","10000000007712","10000000007721"], "memo": "transfer cards for gpk.battles playing"}
warning: transaction executed locally, but may not be confirmed by the network yet ]
```

Post

sassets

offers

offers

assets

simpleassets

stat

tokensconfigs

Enter Parameters

Scope

gbuser111115

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	id (key)	owner	author	category	ldata	mdata
1	10000000007703	gbuser111115	gpkbattlesco	exotic	0	["backing":"QmYkMDk81d8ToHhHfWpeESF3Npfu673NrbPGKG8e25/back/6.jp"]

cardwallet

cardwallet

Enter Parameters

Scope

gbuser111115

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	card_id (key)	contract_ac	usage_status
1	10000000007694	simpleassets	available
2	10000000007712	simpleassets	available
3	10000000007721	simpleassets	available

cardwallet

cardwallet

Enter Parameters

Scope

gbuser111115

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

No Data

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gbuser111115

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

No Data

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gbuser111115

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

No Data

2. gbuser111115 select 3 cards

Pre

cardwallet

cardwallet

Enter Parameters

Scope

gbuser111115

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	card_id (key)	contract_ac	usage_status
1	10000000007694	simpleassets	available
2	10000000007712	simpleassets	available
3	10000000007721	simpleassets	available

gfeewallet

configs gfeewallet ongamestat players usergamestat

Enter Parameters

Scope

gbuser111115

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	balance
1	1.00000000 WAX

players

configs gfeewallet ongamestat players usergamestat

Enter Parameters

Scope

gpkbattlesc1

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["gbuser111114","gbuser111121","gbuser111111","gbuser111112"]

Activity

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111115", "simpleassets", "10000000007694", "10000000007712", "10000000007721"]' -p gbuser111115@active
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: the player - gbuser111115 is not in the gamefee wallet table.
pending console output:
```

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111115", "simpleassets", "10000000007694", "10000000007712", "10000000007721"]' -p gbuser111115@active
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: The player - gbuser111115 has no min. balance i.e. '1.00000000 WAX' in the gamefee wallet.
pending console output:
```

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111115", "simpleassets", "10000000007694", "10000000007712", "10000000007721"]' -p gbuser111115@active
executed transaction: 328666f9d1c9f997ce9f163a9d221aac7674b0434e7f4b8a835d0d572065ff37 136 bytes 499 us
# gpkbattlesc1 <= gpkbattlesc1:sel3card
{"player":"gbuser111115","asset_contract_ac":"simpleassets","card1_id":"10000000007694","card2_id":...
# gpkbatescrow <= gpkbatescrow:setcstatus
{"player":"gbuser111115","card_id":"10000000007694","status":"selected"}
# gpkbatescrow <= gpkbatescrow:setcstatus
{"player":"gbuser111115","card_id":"10000000007712","status":"selected"}
# gpkbatescrow <= gpkbatescrow:setcstatus
{"player":"gbuser111115","card_id":"10000000007721","status":"selected"}
# gpkbattlesc1 <= gpkbattlesc1:empifyplayer
{"asset_contract_ac":"simpleassets","player":"gbuser111115"}
warning: transaction executed locally, but may not be confirmed by the network yet ]
```

Post

cardwallet

cardwallet

Enter Parameters

Scope

gbuser111115

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	card_id (key)	contract_ac	usage_status
1	10000000007694	simpleassets	selected
2	10000000007712	simpleassets	selected
3	10000000007721	simpleassets	selected

gfeewallet

configs gfeewallet ongamestat players usergamestat

Enter Parameters

Scope

gbuser111115

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	balance
1	1.00000000 WAX

players

configs gfeewallet ongamestat players usergamestat

Enter Parameters

Scope

gpkbattlesc1

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table

C Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["gbuser111114","gbuser111121","gbuser111111","gbuser111112","gbuser111115"]

3. `gbuser11115` pairs with a player

Pre

players

configs

freewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gpkbattiesc1

Search...

Search...

100

Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["gbuser111114","gbuser111124","gbuser111111","gbuser111112","gbuser111115"]

ongamestat

configs

greewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gpkbattlesc1

Search...

Search...

100


 Refresh

Table Result

No Data

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuser111115

Search...

Search...

100


 Refresh

Table Result

#	balance
1	1.00000000 WAX

Activity

```
$ cleoswtx push action gpkbattlescl pairwplayer '['gbuster111115', "simpleassets"]' -p
gbuster111115active
executed transaction: 1bf6cdeb7ded371e4686ab4bae3825ef87b719974d137c95b98f2348dd6f6aa 112 bytes 721
us
$ gpkbattlescl <= gpkbattlescl:pairwplayer
{player_1:"gbuster111115",asset_contract_ac:"simpleassets"}
warning: transaction executed locally, but may not be confirmed by the network yet ]
```

Post

players

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gxbattlesc1

Search...

Search...

100


 Refresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["ghuser1111114"]

ongamestat

[illegible]

gfeewallet

configs

gfiwallet

ongamestat

players

usergamestat

Enter Parameters

Scope

gbuser111115

Lower Bound:

Search...

Upper Bound:

Search...

Limit

100

Refresh Table


 Refresh

Table Result

#	balance
1	1.00000000 WAX

4. `gbuser111115` plays

Pre

Activity

Post

ongamestat

[illegible]

gfeewallet

configs

gfeowallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

gbuser111115

Search...

Search...

100


 Refresh

Table Result

#	balance
1	1.00000000 WAX

```
$ cleoswt push action gpkbattlescl play '["10001739161360"]' -p gpkbattlescl@systemkeys
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: the player - gbuser11115 is not in the gamefee wallet table.
pending console output:
```

```
$ clostwt push action gpkbattlescl play '["10001739161360"]' -p gpkbattlescl@systemkeys
Error 3050003: eosio_assert_message assertion failure
Error Details:
assertion failure with message: The player - gbuser111112 has no min. balance i.e. '1.00000000 WAX' in
the gamefee wallet.
pending console output:
```

```
$ cleos push action gpkgbtcresc1 play '{"id":"000000007360f7"}' -p gpkgbtcresc1@systemkeys  
success transaction 1132b539fa58e58624bdc4dcd83a08876474c6e806d387f93abbe17fa 104 bytes 495  
us  
# gpkgbtcresc1 <-> gpkgbtcresc1:play {"game_id": "000000007360f7",  
# gpkgbtcresc1 <-> gpkgbtcresc1:indisdecipal {"player": "gpubser11115", "qty": 1.00000000 WAX"},  
# gpkgbtcresc1 <-> gpkgbtcresc1:indisdecipal {"player": "gpubser11112", "qty": 1.00000000 WAX"},  
# gpkgbtcresc1 <-> gpkgbtcresc1:setstatus  
{"player": "gpubser11115", "card_id": "1000000000007094", "status": "available"},  
# gpkgbtcresc1 <-> gpkgbtcresc1:setstatus  
{"player": "gpubser11115", "card_id": "1000000000007712", "status": "available"},  
# gpkgbtcresc1 <-> gpkgbtcresc1:setstatus  
{"player": "gpubser11115", "card_id": "1000000000007721", "status": "available"},  
# gpkgbtcresc1 <-> gpkgbtcresc1:setstatus  
{"player": "gpubser1112", "card_id": "1000000000007693", "status": "available"},  
# gpkgbtcresc1 <-> gpkgbtcresc1:setstatus  
{"player": "gpubser11112", "card_id": "1000000000007695", "status": "available"},  
# gpkgbtcresc1 <-> gpkgbtcresc1:setstatus  
{"player": "gpubser1112", "card_id": "1000000000007697", "status": "available"},  
# gpkgbtcresc1 <-> gpkgbtcresc1:sendalert {"user": "gpubser11115", "message": "You have one last  
chance to select card, as game with id: 1000173.",  
# gpkgbtcresc1 <-> gpkgbtcresc1:sendalert {"user": "gpubser11112", "message": "You have one last  
chance to select card, as game with id: 1000173."},  
# gpkgbtcresc1 <-> gpkgbtcresc1:sendalert {"user": "gpubser11115", "message": "You have one last  
chance to select card, as game with id: 1000173."},  
# gpkgbtcresc1 <-> gpkgbtcresc1:sendalert {"user": "gpubser11112", "message": "You have one last  
chance to select card, as game with id: 1000173."}  
warning: transaction executed locally, but may not be confirmed by the network yet }
```

ongamestat

```
> clemtest get table gpkbattlesci gpkbattlesci ongamestat --show-player --lower 10061739161368 --limit 1
```

```
{
  "rows": [ {
    "data": {
      "game_id": "10061739161368",
      "player_1": "ghoser111111",
      "player_2": "ghoser111112",
      "game_fee": "1.000000000 MAX",
      "bl_sfen deducted": "y",
      "bz_sfen deducted": "y",
      "asset_contract_ac": "simpleassets",
      "player1_cards": [],
      "player2_cards": [],
      "player1_cards_combo": "",
      "player2_cards_combo": "",
      "start_timestamp": 161785104,
      "end_timestamp": 0,
      "result": "draw",
      "winner": "",
      "loser": "",
      "winner_transfer_cards": [],
      "loser_transfer_cards": [],
      "card_won": 0,
      "status": "waittodraw",
      "win_value": "oooooooooooooooooooooooooooooooooooooooooooooo",
      "draw_count": 1,
      "nodraw_count": 0,
      "total_play_count": 1
    },
    "payer": "gpkbattlesci"
  } ],
  "more": false,
  "next_key": ""
}
```

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scope

Lower Bound:

Upper Bound:

Limit

Refresh Table

guser111115

Search...

Search...

100


 Refresh

Table Result

No Data

5. gbuser111115 gbuser111112 select 3 cards again

Pre

cardwallet

Activity

Post

cardwallet

cardwallet

Enter Parameters

Scopegbuser111115Lower Bound:Search...Upper Bound:Search...Limit100Refresh TableRefresh

Table Result

#	card_id(key)	contract_ac	usage_status
1	10000000007694	simpleassets	selected
2	10000000007712	simpleassets	selected
3	10000000007721	simpleassets	selected

cardwallet

Enter Parameters

Scopegbuser111112Lower Bound:Search...Upper Bound:Search...Limit100Refresh TableRefresh

Table Result

#	card_id(key)	contract_ac	usage_status
1	10000000007693	simpleassets	selected
2	10000000007695	simpleassets	selected
3	10000000007697	simpleassets	selected

gfeewallet

gfeewallet

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scopegbuser111115Lower Bound:Search...Upper Bound:Search...Limit100Refresh TableRefresh

Table Result

No Data

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scopegbuser111112Lower Bound:Search...Upper Bound:Search...Limit100Refresh TableRefresh

Table Result

No Data

players

players

configs

gfeewallet

ongamestat

players

usergamestat

Enter Parameters

Scopegpkbattlesc1Lower Bound:Search...Upper Bound:Search...Limit100Refresh TableRefresh

Table Result

#	asset_contract_ac (key)	players_list
1	simpleassets	["gbuser111114"]

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111115", "simpleassets", "10000000007694", "10000000007712", "10000000007721"]' -p gbuser111115@active
executed transaction: 10faab0cd35640c8dbfe170c78a4af16d2554171fbee6fa8b25be6904a57a95b 136 bytes 442 us
# gpkbattlesc1 <= gpkbattlesc1::sel3card
{"player": "gbuser111115", "asset_contract_ac": "simpleassets", "card1_id": "10000000007694", "card2_id": "...
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player": "gbuser111115", "card_id": "10000000007694", "status": "selected"}
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player": "gbuser111115", "card_id": "10000000007712", "status": "selected"}
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player": "gbuser111115", "card_id": "10000000007721", "status": "selected"}
warning: transaction executed locally, but may not be confirmed by the network yet }
```

```
$ cleoswt push action gpkbattlesc1 sel3card '["gbuser111112", "simpleassets", "10000000007693", "10000000007695", "10000000007697"]' -p gbuser111112@active
executed transaction: 635e63fd5d2a25b0e0b3e2609f8713647c08a78496a98de135b46ff5dfb6a3ed 136 bytes 564 us
# gpkbattlesc1 <= gpkbattlesc1::sel3card
{"player": "gbuser111112", "asset_contract_ac": "simpleassets", "card1_id": "10000000007693", "card2_id": "...
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player": "gbuser111112", "card_id": "10000000007693", "status": "selected"}
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player": "gbuser111112", "card_id": "10000000007695", "status": "selected"}
# gpkbatescrow <= gpkbatescrow::setcstatus
{"player": "gbuser111112", "card_id": "10000000007697", "status": "selected"}
warning: transaction executed locally, but may not be confirmed by the network yet }
```

6. `gbuser111115` play again for last time

Pre

Activity

Post

ongamestat

accounts

players

ongamestat

usergamestat

accounts

cardwallet

usergamestat

cardwallet

players

THANKS

